

## STROBE Statement—checklist of items that should be included in reports of observational studies

Section/item	Item No	Recommendation	Reported on Page Number/Line Number	Reported on Section/Paragraph
Title and abstract	1	(a) Indicate the study's design with a commonly used term in the title or the abstract	line2-3	title
		(b) Provide in the abstract an informative and balanced summary of what was done and what was found	line26-53	abstract
<b>Introduction</b>				
Background/ rationale	2	Explain the scientific background and rationale for the investigation being reported	line59-84	introduction/paragraph2
Objectives	3	State specific objectives, including any prespecified hypotheses	line84-86	introduction/paragraph2
<b>Methods</b>				
Study design	4	Present key elements of study design early in the paper	line114-121	paragraph 11
Setting	5	Describe the setting, locations, and relevant dates, including periods of recruitment, exposure, follow-up, and data collection	line92-106	paragraph 6-7
Participants	6	(a) <b>Cohort study</b> —Give the eligibility criteria, and the sources and methods of selection of participants. Describe methods of follow-up <b>Case-control study</b> —Give the eligibility criteria, and the sources and methods of case ascertainment and control selection. Give the rationale for the choice of cases and controls <b>Cross-sectional study</b> —Give the eligibility criteria, and the sources and methods of selection of participants	line92-101	paragraph 6
		(b) <b>Cohort study</b> —For matched studies, give matching criteria and number of exposed and unexposed <b>Case-control study</b> —For matched studies, give matching criteria and the number of controls per case		
Variables	7	Clearly define all outcomes, exposures, predictors, potential confounders, and effect modifiers. Give diagnostic criteria, if applicable	line114-121	paragraph11
Data sources/ measurement	8*	For each variable of interest, give sources of data and details of methods of assessment (measurement). Describe comparability of assessment methods if there is more than one group	line114-121	paragraph11
Bias	9	Describe any efforts to address potential sources of bias	line133-148	paragraph16
Study size	10	Explain how the study size was arrived at	line133-148	paragraph16
Quantitative variables	11	Explain how quantitative variables were handled in the analyses. If applicable, describe which groupings were chosen and why	line124-129	paragraph13

Statistical methods	12	(a) Describe all statistical methods, including those used to control for confounding	line124-129	paragrapg13
		(b) Describe any methods used to examine subgroups and interactions	line124-129	paragrapg13
		(c) Explain how missing data were addressed	line124-129	paragrapg13
		(d) <b>Cohort study</b> —If applicable, explain how loss to follow-up was addressed <b>Case-control study</b> —If applicable, explain how matching of cases and controls was addressed <b>Cross-sectional study</b> —If applicable, describe analytical methods taking account of sampling strategy	line124-129	paragrapg13
		(e) Describe any sensitivity analyses	none	
<b>Results</b>				
Participants	13*	(a) Report numbers of individuals at each stage of study—eg numbers potentially eligible, examined for eligibility, confirmed eligible, included in the study, completing follow-up, and analysed	line133-148	paragraph16
		(b) Give reasons for non-participation at each stage	line133-148	paragraph16
		(c) Consider use of a flow diagram	none	
Descriptive data	14*	(a) Give characteristics of study participants (eg demographic, clinical, social) and information on exposures and potential confounders	line133-148	paragraph16
		(b) Indicate number of participants with missing data for each variable of interest	line133-148	paragraph16
		(c) <b>Cohort study</b> —Summarise follow-up time (eg, average and total amount)		
Outcome data	15*	<b>Cohort study</b> —Report numbers of outcome events or summary measures over time		
		<b>Case-control study</b> —Report numbers in each exposure category, or summary measures of exposure	line133-148	paragraph17-20
		<b>Cross-sectional study</b> —Report numbers of outcome events or summary measures		
Main results	16	(a) Give unadjusted estimates and, if applicable, confounder-adjusted estimates and their precision (eg, 95% confidence interval). Make clear which confounders were adjusted for and why they were included	none	
		(b) Report category boundaries when continuous variables were categorized	ine149-192	paragraph17-20
		(c) If relevant, consider translating estimates of relative risk into absolute risk for a meaningful time period	none	
Other analyses	17	Report other analyses done—eg analyses of subgroups and interactions, and sensitivity analyses	line160-192	paragranph20
<b>Discussion</b>				
Key results	18	Summarise key results with reference to study objectives	line195-266	paragraph22-25
Limitations	19	Discuss limitations of the study, taking into account sources of potential bias or imprecision. Discuss both direction and magnitude of any potential bias	line267-277	paragrapgh26

Interpretation	20	Give a cautious overall interpretation of results considering objectives, limitations, multiplicity of analyses, results from similar studies, and other relevant evidence		
Generalisability	21	Discuss the generalisability (external validity) of the study results	line278-280	paragraph27
<b>Other information</b>				
Funding	22	Give the source of funding and the role of the funders for the present study and, if applicable, for the original study on which the present article is based	line282	paragraph29

\*Give information separately for cases and controls in case-control studies and, if applicable, for exposed and unexposed groups in cohort and cross-sectional studies.

**Note:** An Explanation and Elaboration article discusses each checklist item and gives methodological background and published examples of transparent reporting. The STROBE checklist is best used in conjunction with this article (freely available on the Web sites of PLoS Medicine at <http://www.plosmedicine.org/>, Annals of Internal Medicine at <http://www.annals.org/>, and Epidemiology at <http://www.epidem.com/>). Information on the STROBE Initiative is available at [www.strobe-statement.org](http://www.strobe-statement.org).

Article Information: <http://dx.doi.org/10.21037/apm-20-1221>

\*As the checklist was provided upon initial submission, the page number/line number reported may be changed due to copyediting and may not be referable in the published version. In this case, the section/paragraph may be used as an alternative reference.