

- study of calcium regulation in smooth muscle
Biol Signals 1993; 2: 293-304
- 10 Kwan CY, Takemura H, Obie JF, Thastrup O, Putney JW Jr Effects of McCh, thapsigargin, and La^{3+} on plasmalemmal and intracellular Ca^{2+} transport in lacrimal acinar cells. Am J Physiol 1990; 258: C1006-15.
- 11 Demarex N, Lew DP, Krause KH. Cyclopiazonic acid depletes intracellular Ca^{2+} stores and activates an influx pathway for divalent cations in HL-60 cells. J Biol Chem 1992; 267: 2318-24.
- 12 Leung YM, Kwao CY, Loh TT Dual effects of tetrandrine on cytosolic calcium in human leukemic HL-60 cells: intracellular calcium release and calcium entry blockade. Br J Pharmacol 1994; 113: 767-74
- 13 Berridge MJ. Capacitative calcium entry. Biochem J 1995; 312: 1-11.
- 14 Jaconi MEE, Lew DP, Monod A, Krause KH The regulation of store-dependent Ca^{2+} influx in HL-60 granulocytes involves GTP-sensitive elements. J Biol Chem 1993; 268: 26075-8
- 15 Kwan CY, Putney JW Jr Uptake and intracellular sequestration of divalent cations in resting and methacholine-stimulated mouse lacrimal acinar cells. J Biol Chem 1990; 265: 678-84
- 16 Kass GEN, Llopis J, Chow SC, Duddy SK, Orenius S Receptor-operated Ca^{2+} influx in rat hepatocytes. Identification and characterization using manganese. J Biol Chem 1990; 265: 17486-92
- 17 Wang G, Lemos JR. Tetrandrine: a new ligand to block voltage-dependent Ca^{2+} and Ca^{2+} -activated K^+ channels. Life Sci 1995; 56: 295-306
- 18 Kwan CY, Deng HW, Guan YY. Tetrandrine is not a selective calcium channel blocker in vascular smooth muscle. Acta Pharmacol Sin 1992; 13: 385-90.
- 19 Takemura H, Kwan CY, Ohshika H. Calcium antagonistic actions of tetrandrine depend on cell types. Res Commun Mol Pathol Pharmacol (in press).
- 20 Leung YM, Kwan CY, Loh TT Cytosolic calcium pre-elevation amplifies agonist-induced calcium release in human leukemic HL-60 cells. Biochem J 1994; 302: 87-94.
- 21 Ma LJ, Yin ZZ, Liu GZ. Effect of hernandezine on platelet aggregation and its mechanism of action. Chin J Pharmacol Toxicol 1991; 5: 41-3
- 22 Li BY, Zhang YC, Li WH. Effects of berbamine on contraction and Ca^{2+} influx of pig basilar artery. Acta Pharmacol Sin 1993; 13: 412-6
- 23 Febx JP, Kang VF, Shevell JL, Garcia ML, Kaczorowska GJ, Bick RC, et al. Bis(benzylisoquinoline) analogs of tetrandrine block L-type calcium channels: evidence for interaction at the dihydropyridine-binding site. Biochemistry 1992; 31: 11793-800
- 24 Merritt JE, Armstrong WP, Benham CD, Hallam JJ, Jacob R, Jaxa-Chamiec A, et al. SK&F 95365, a novel inhibitor of receptor-mediated calcium entry. Biochem J 1990; 271: 515-22.
- 25 Mason MJ, Meyer B, Hymel LJ Inhibition of Ca^{2+} transport pathways in thymic lymphocytes by econazole, miconazole, and SKF 96365. Am J Physiol 1993; 264: C654-62.
- 26 Tomquist K Activation of calcium entry by cyclopiazonic acid in thyroid FRTL-5 cells. Cell Calcium 1993; 14: 411-7
- 27 Leung YM, Kwan CY, Loh TT Dual effects of SK&F 96365 in human leukemic HL-60 cells: inhibition of calcium entry and activation of a novel cation influx pathway. Biochem Pharmacol (in press).
- 28 Dietl P, Volk H. Mautotoxin activates a nonselective cation channel and stimulates Ca^{2+} entry in MDCK renal epithelial cells. Mol Pharmacol 1994; 45: 300-5.
- 29 Schwarz G, Droogmans G, Nibus B Multiple effects of SK&F 96365 on ionic currents and intracellular calcium in human endothelial cells. Cell Calcium 1994; 15: 45-54

白血病 HL-60 细胞的电容性钙内流: 粉防己碱与 SK&F 96365 作为探测药

梁育民, 關超然, 羅達德

(香港大学医学院生理学系, 香港)

关键词 粉防己碱; SK&F 96365; thapsigargin; 钙; 白血病 HL-60 细胞培养 钙内流 探测

Papers are welcome

Acta Pharmacologica Sinica publishes original researches on pharmacology, toxicology, and other biomedical sciences, both experimental and clinical. Manuscripts in English of full-length articles from any part of the world are welcome.

The article should be prepared in accordance with the "Information for authors" in Acta Pharmacologica Sinica 1996 Jan; 17 (1): 89-96 or the "Uniform requirements for manuscripts submitted to biomedical journals" in N Engl J Med 1991 Feb 7; 324 (6): 424-8 and Br Med J 1991 Feb 9; 302 (6772): 338-41.

KEY WORDS (3-10) should be selected from the latest Medical Subject Headings (MeSH) list of Index Medicus when possible. A structural abstract (no more than 250 words) contains 4 parts (AIM, METHODS, RESULTS, and CONCLUSION). Mean values must be accompanied by s (SD, not SEM). Body weights are expressed in actually measured $\bar{x} \pm s$. Do not include more digits in the data than are justified. Use Système Internationale d'Unités (SI units). The statistical significances are indicated by $^aP > 0.05$, $^bP < 0.05$, $^cP < 0.01$. The number of REFERENCES should not exceed 15.

Mini-reviews (based primarily on the author's own research, internationally important topic, 3-10 key words, and total length no longer than 4 printed pages) are also welcome.

Please send manuscripts to Acta Pharmacologica Sinica, 294 Tai-yuan Road, Shanghai 200031, China.

Fax: 86-21-6437-0269. Phone: 86-21-6431-1833.

R963 R73