

STROBE Statement—checklist of items that should be included in reports of observational studies

Section/item	Item No	Recommendation	Reported on Page Number/Line Number	Reported on Section/Paragraph
Title and abstract	1	(a) Indicate the study's design with a commonly used term in the title or the abstract	Page2/Line2-12	Abstract/Para1-2
		(b) Provide in the abstract an informative and balanced summary of what was done and what was found	Page2/Line14-24	Abstract/Para3-4
Introduction				
Background/ rationale	2	Explain the scientific background and rationale for the investigation being reported	Page3/Line2-18	Introduction/Para1-2
Objectives	3	State specific objectives, including any prespecified hypotheses	Page3/Line19-26	Introduction/Para3
Methods				
Study design	4	Present key elements of study design early in the paper	Page3/Line2-5	Methods/Para1-2
Setting	5	Describe the setting, locations, and relevant dates, including periods of recruitment, exposure, follow-up, and data collection	Page3/Line5-8	Methods/Para1-2
Participants	6	(a) Cohort study —Give the eligibility criteria, and the sources and methods of selection of participants. Describe methods of follow-up Case-control study —Give the eligibility criteria, and the sources and methods of case ascertainment and control selection. Give the rationale for the choice of cases and controls Cross-sectional study —Give the eligibility criteria, and the sources and methods of selection of participants	Page3/Line8-10	Methods/Para1-2
		(b) Cohort study —For matched studies, give matching criteria and number of exposed and unexposed Case-control study —For matched studies, give matching criteria and the number of controls per case	Page3/Line10-13	Methods/Para1-2
Variables	7	Clearly define all outcomes, exposures, predictors, potential confounders, and effect modifiers. Give diagnostic criteria, if applicable	Page5/Line3-17	Methods/Para5-7
Data sources/ measurement	8*	For each variable of interest, give sources of data and details of methods of assessment (measurement). Describe comparability of assessment methods if there is more than one group	Page6/Line12-22	Methods/Para10
Bias	9	Describe any efforts to address potential sources of bias	Page6/Line12-22	Methods/Para10
Study size	10	Explain how the study size was arrived at	Page3/Line2-13	Methods/Para1-2
Quantitative variables	11	Explain how quantitative variables were handled in the analyses. If applicable, describe which groupings were chosen and why	Page6/Line12-22	Methods/Para10

Statistical methods	12	(a) Describe all statistical methods, including those used to control for confounding	Page6/Line12-14	Methods/Para10
		(b) Describe any methods used to examine subgroups and interactions	Page6/Line14-16	Methods/Para10
		(c) Explain how missing data were addressed	Page6/Line16-18	Methods/Para10
		(d) Cohort study —If applicable, explain how loss to follow-up was addressed Case-control study —If applicable, explain how matching of cases and controls was addressed Cross-sectional study —If applicable, describe analytical methods taking account of sampling strategy	Page6/Line18-20	Methods/Para10
		(e) Describe any sensitivity analyses	Page6/Line20-22	Methods/Para10
Results				
Participants	13*	(a) Report numbers of individuals at each stage of study—eg numbers potentially eligible, examined for eligibility, confirmed eligible, included in the study, completing follow-up, and analysed	Page8/Line3-6	Results/Para1
		(b) Give reasons for non-participation at each stage	Page8/Line3-6	Results/Para1
		(c) Consider use of a flow diagram	Page8/Line3-6	Results/Para1
Descriptive data	14*	(a) Give characteristics of study participants (eg demographic, clinical, social) and information on exposures and potential confounders	Page8/Line3-6	Results/Para1
		(b) Indicate number of participants with missing data for each variable of interest	Page8/Line18-21	Results/Para3
		(c) Cohort study —Summarise follow-up time (eg, average and total amount)	Page8/Line22-29	Results/Para4
Outcome data	15*	Cohort study —Report numbers of outcome events or summary measures over time	Page8/Line7-15	Results/Para2
		Case-control study —Report numbers in each exposure category, or summary measures of exposure	NA	NA
		Cross-sectional study —Report numbers of outcome events or summary measures	NA	NA
Main results	16	(a) Give unadjusted estimates and, if applicable, confounder-adjusted estimates and their precision (eg, 95% confidence interval). Make clear which confounders were adjusted for and why they were included	Page9/Line2-15	Results/Para3
		(b) Report category boundaries when continuous variables were categorized	Page9/Line17-27	Results/Para4
		(c) If relevant, consider translating estimates of relative risk into absolute risk for a meaningful time period	NA	NA
Other analyses	17	Report other analyses done—eg analyses of subgroups and interactions, and sensitivity analyses	NA	NA
Discussion				
Key results	18	Summarise key results with reference to study objectives	Page10/Line15-22	Discussion/Para2
Limitations	19	Discuss limitations of the study, taking into account sources of potential bias or imprecision. Discuss both direction and magnitude of any potential bias	Page11/Line9-18	Discussion/Para3

Interpretation	20	Give a cautious overall interpretation of results considering objectives, limitations, multiplicity of analyses, results from similar studies, and other relevant evidence	Page11/Line1-8	Discussion/Para2
Generalisability	21	Discuss the generalisability (external validity) of the study results	Page11/Line19-22	Discussion/Para3
Other information				
Funding	22	Give the source of funding and the role of the funders for the present study and, if applicable, for the original study on which the present article is based	Page11/Line28-29	Funding/Para1

*Give information separately for cases and controls in case-control studies and, if applicable, for exposed and unexposed groups in cohort and cross-sectional studies.

Note: An Explanation and Elaboration article discusses each checklist item and gives methodological background and published examples of transparent reporting. The STROBE checklist is best used in conjunction with this article (freely available on the Web sites of PLoS Medicine at <http://www.plosmedicine.org/>, Annals of Internal Medicine at <http://www.annals.org/>, and Epidemiology at <http://www.epidem.com/>). Information on the STROBE Initiative is available at www.strobe-statement.org.