

---

Gene symbol	Description
<i>CD274</i>	CD274 molecule
<i>GBP1</i>	"Guanylate binding protein 1, interferon-inducible"
<i>PSMB9</i>	Proteasome subunit beta 9
<i>IL15</i>	Interleukin 15
<i>CEACAM1</i>	Carcinoembryonic antigen-related cell adhesion molecule 1 (biliary glycoprotein)
<i>ZBTB16</i>	Zinc finger and BTB domain containing 16
<i>CLEC4D</i>	C-type lectin domain family 4 member D
<i>CLEC4E</i>	C-type lectin domain family 4 member E
<i>LYN</i>	"LYN proto-oncogene, Src family tyrosine kinase"
<i>BCL10</i>	B-cell CLL/lymphoma 10
<i>PSME2</i>	Proteasome activator subunit 2
<i>PRDM1</i>	"PR domain containing 1, with ZNF domain"
<i>BATF</i>	"basic leucine zipper transcription factor, ATF-like"
<i>IL18</i>	Interleukin 18
<i>ANXA1</i>	Annexin A1
<i>CTNNB1</i>	Catenin beta 1
<i>TREML2</i>	Triggering receptor expressed on myeloid cells like 2
<i>AZI2</i>	5-azacytidine induced 2
<i>PSEN1</i>	Presenilin 1
<i>RIPK2</i>	Receptor interacting serine/threonine kinase 2
<i>PSMB1</i>	Proteasome subunit beta 1
<i>TNFSF13B</i>	Tumor necrosis factor superfamily member 13b
<i>PDE4B</i>	Phosphodiesterase 4B

<i>FAM49B</i>	Family with sequence similarity 49 member B
<i>EZR</i>	Ezrin
<i>IRF1</i>	Interferon regulatory factor 1
<i>CLEC7A</i>	C-type lectin domain family 7 member A
<i>ELF1</i>	E74-like factor 1 (ets domain transcription factor)
<i>PSMB10</i>	Proteasome subunit beta 10
<i>PSMA6</i>	Proteasome subunit alpha 6
<i>PSMB8</i>	Proteasome subunit beta 8
<i>SOS1</i>	SOS Ras/Rac guanine nucleotide exchange factor 1
<i>LCPI</i>	Lymphocyte cytosolic protein 1 (L-plastin)
<i>PSMA4</i>	Proteasome subunit alpha 4
<i>GSN</i>	Gelsolin
<i>CD46</i>	CD46 molecule
<i>DDOST</i>	Dolichyl-diphosphooligosaccharide--protein glycosyltransferase subunit (non-catalytic)
<i>PSMC2</i>	"proteasome 26S subunit, atpase 2"
<i>PRKARIA</i>	"protein kinase, camp-dependent, regulatory subunit type I alpha"
<i>FCGR2B</i>	"Fc fragment of igg, low affinity iib, receptor (CD32)"
<i>BAX</i>	BCL2-associated X protein
<i>PTPN6</i>	"Protein tyrosine phosphatase, non-receptor type 6"
<i>PSMA1</i>	Proteasome subunit alpha 1
<i>PSMA2</i>	Proteasome subunit alpha 2
<i>RHOA</i>	Ras homolog family member A
<i>CHUK</i>	Conserved helix-loop-helix ubiquitous kinase
<i>ATG5</i>	Autophagy related 5
<i>PRKD2</i>	Protein kinase D2

<i>PYCARD</i>	PYD and CARD domain containing
<i>NLRP3</i>	"NLR family, pyrin domain containing 3"
<i>PIK3CB</i>	"Phosphatidylinositol-4,5-bisphosphate 3-kinase catalytic subunit beta"
<i>LIG4</i>	"ligase IV, DNA, ATP-dependent"
<i>BTK</i>	Bruton tyrosine kinase
<i>LCP2</i>	Lymphocyte cytosolic protein 2
<i>THEMIS2</i>	Thymocyte selection associated family member 2
<i>GLI3</i>	GLI family zinc finger 3
<i>PSMA5</i>	Proteasome subunit alpha 5
<i>PSMD12</i>	"proteasome 26S subunit, non-atpase 12"
<i>B2M</i>	Beta-2-microglobulin
<i>PSMB3</i>	Proteasome subunit beta 3
<i>CD47</i>	CD47 molecule
<i>PSMB4</i>	Proteasome subunit beta 4
<i>PTPN2</i>	"Protein tyrosine phosphatase, non-receptor type 2"
<i>CASP8</i>	Caspase 8
<i>PSMD13</i>	"proteasome 26S subunit, non-atpase 13"
<i>HSH2D</i>	Hematopoietic SH2 domain containing
<i>CD300A</i>	CD300a molecule
<i>RAB27A</i>	"RAB27A, member RAS oncogene family"
<i>SP3</i>	Sp3 transcription factor
<i>RAC1</i>	"ras-related C3 botulinum toxin substrate 1 (rho family, small GTP binding protein Rac1)"
<i>PSMA3</i>	Proteasome subunit alpha 3
<i>DENND1B</i>	DENN/MADD domain containing 1B
<i>VAV1</i>	Vav guanine nucleotide exchange factor 1

<i>PTPN22</i>	"Protein tyrosine phosphatase, non-receptor type 22 (lymphoid)"
<i>PEL1</i>	Pellino E3 ubiquitin protein ligase 1
<i>PSMD6</i>	"proteasome 26S subunit, non-atpase 6"
<i>PSMD11</i>	"proteasome 26S subunit, non-atpase 11"
<i>STAT3</i>	Signal transducer and activator of transcription 3 (acute-phase response factor)
<i>TEC</i>	Tec protein tyrosine kinase
<i>RHOH</i>	Ras homolog family member H
<i>CUL1</i>	Cullin 1
<i>HAVCR2</i>	Hepatitis A virus cellular receptor 2
<i>JMJD6</i>	Jumonji domain containing 6
<i>SRC</i>	"SRC proto-oncogene, non-receptor tyrosine kinase"
<i>PLCG2</i>	Phospholipase C gamma 2
<i>AP3B1</i>	Adaptor related protein complex 3 beta 1 subunit
<i>CTPS1</i>	CTP synthase 1
<i>PSMC1</i>	"proteasome 26S subunit, atpase 1"
<i>RIPK3</i>	Receptor interacting serine/threonine kinase 3
<i>CORO1A</i>	"coronin, actin binding protein, 1A"
<i>CBFB</i>	"Core-binding factor, beta subunit"
<i>PSMB7</i>	Proteasome subunit beta 7
<i>PSMC6</i>	"proteasome 26S subunit, atpase 6"
<i>PPP3CA</i>	"Protein phosphatase 3, catalytic subunit, alpha isozyme"
<i>PDPK1</i>	3-phosphoinositide dependent protein kinase 1
<i>ADAM17</i>	ADAM metallopeptidase domain 17
<i>NCK1</i>	NCK adaptor protein 1
<i>PSMB6</i>	Proteasome subunit beta 6

<i>CTLA4</i>	Cytotoxic T-lymphocyte-associated protein 4
<i>CYLD</i>	Cylindromatosis (turban tumor syndrome)
<i>GRB2</i>	Growth factor receptor bound protein 2
<i>TNFSF8</i>	Tumor necrosis factor superfamily member 8
<i>PIK3CG</i>	"Phosphatidylinositol-4,5-bisphosphate 3-kinase catalytic subunit gamma"
<i>CDC42</i>	Cell division cycle 42
<i>PIK3CA</i>	"Phosphatidylinositol-4,5-bisphosphate 3-kinase catalytic subunit alpha"
<i>HLX</i>	H2.0-like homeobox
<i>RUNX2</i>	Runt-related transcription factor 2
<i>MICB</i>	MHC class I polypeptide-related sequence B
<i>BMP4</i>	Bone morphogenetic protein 4
<i>PRELID1</i>	PRELI domain containing 1
<i>PAK2</i>	P21 protein (Cdc42/Rac)-activated kinase 2
<i>TESPA1</i>	"Thymocyte expressed, positive selection associated 1"
<i>CLPTM1</i>	Cleft lip and palate associated transmembrane protein 1
<i>FOXN1</i>	Forkhead box N1
<i>NFKBIA</i>	"nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor, alpha"
<i>SHH</i>	Sonic hedgehog
<i>FOXJ1</i>	Forkhead box J1
<i>RB1</i>	Retinoblastoma 1
<i>EED</i>	Embryonic ectoderm development
<i>SMAD2</i>	SMAD family member 2
<i>GTSF1</i>	Gametocyte specific factor 1
<i>ILF2</i>	Interleukin enhancer binding factor 2
<i>PDIA3</i>	Protein disulfide isomerase family A member 3

<i>HCST</i>	Hematopoietic cell signal transducer
<i>ID2</i>	"inhibitor of DNA binding 2, dominant negative helix-loop-helix protein"
<i>IRF2</i>	Interferon regulatory factor 2
<i>TIAL1</i>	TIA1 cytotoxic granule-associated RNA binding protein-like 1
<i>SNRNP27</i>	"small nuclear ribonucleoprotein, U4/U6.U5 27kda subunit"
<i>CASP9</i>	Caspase 9
<i>CCL26</i>	Chemokine (C-C motif) ligand 26
<i>CDC20</i>	Cell division cycle 20
<i>ACTN1</i>	"Actinin, alpha 1"
<i>HARS</i>	Histidyl-trna synthetase
<i>THAP1</i>	"THAP domain containing, apoptosis associated protein 1"
<i>CTAGE6</i>	CTAGE family member 6
<i>CTAGE9</i>	CTAGE family member 9
<i>ADAM10</i>	ADAM metallopeptidase domain 10
<i>VDAC2</i>	Voltage-dependent anion channel 2
<i>PECAM1</i>	Platelet/endothelial cell adhesion molecule 1
<i>UHRF1</i>	Ubiquitin-like with PHD and ring finger domains 1
<i>PIK3C3</i>	Phosphatidylinositol 3-kinase catalytic subunit type 3
<i>KIDINS220</i>	Kinase D-interacting substrate 220kda
<i>P4HB</i>	"Prolyl 4-hydroxylase, beta polypeptide"
<i>CLEC4C</i>	C-type lectin domain family 4 member C
<i>SLIT2</i>	Slit guidance ligand 2
<i>IRAK4</i>	Interleukin 1 receptor associated kinase 4
<i>CTSC</i>	Cathepsin C
<i>VDAC3</i>	Voltage-dependent anion channel 3

<i>RNF20</i>	Ring finger protein 20
<i>CELF2</i>	"CUGBP, Elav-like family member 2"
<i>P2RX4</i>	"purinergic receptor P2X, ligand gated ion channel, 4"
<i>STK4</i>	Serine/threonine kinase 4
<i>SEC24C</i>	"SEC24 homolog C, COPII coat complex component"
<i>SNX17</i>	Sorting nexin 17
<i>MSH6</i>	Muts homolog 6
<i>CTSA</i>	Cathepsin A
<i>NOD1</i>	Nucleotide binding oligomerization domain containing 1
<i>AKAP13</i>	A-kinase anchoring protein 13
<i>ASNS</i>	Asparagine synthetase (glutamine-hydrolyzing)
<i>FUBP1</i>	Far upstream element (FUSE) binding protein 1
<i>FBXW7</i>	F-box and WD repeat domain containing 7
<i>TCTA</i>	T-cell leukemia translocation altered
<i>HLA-F</i>	"major histocompatibility complex, class I, F"
<i>ITGA1</i>	Integrin subunit alpha 1
<i>SRPK1</i>	SRSF protein kinase 1
<i>PDHX</i>	Pyruvate dehydrogenase complex component X
<i>KMT2C</i>	Lysine (K)-specific methyltransferase 2C
<i>DPP8</i>	Dipeptidyl-peptidase 8
<i>HMMR</i>	Hyaluronan-mediated motility receptor (RHAMM)
<i>NR3C1</i>	Nuclear receptor subfamily 3 group C member 1
<i>MTOR</i>	Mechanistic target of rapamycin (serine/threonine kinase)
<i>DUSP4</i>	Dual specificity phosphatase 4
<i>MAP2K1</i>	Mitogen-activated protein kinase kinase 1

<i>HLA-E</i>	"major histocompatibility complex, class I, E"
<i>LAMP1</i>	Lysosomal-associated membrane protein 1
<i>PPP4R1</i>	Protein phosphatase 4 regulatory subunit 1
<i>NME1</i>	NME/NM23 nucleoside diphosphate kinase 1
<i>HDAC8</i>	Histone deacetylase 8
<i>HNRNPK</i>	Heterogeneous nuclear ribonucleoprotein K
<i>UNC119</i>	Unc-119 lipid binding chaperone
<i>RASSF5</i>	Ras association (ralgds/AF-6) domain family member 5
<i>KDM6A</i>	Lysine (K)-specific demethylase 6A
<i>NOTCH1</i>	Notch 1
<i>PDCD4</i>	Programmed cell death 4 (neoplastic transformation inhibitor)
<i>HSPA4</i>	Heat shock protein family A (Hsp70) member 4
<i>PDIA6</i>	Protein disulfide isomerase family A member 6
<i>CADMI</i>	Cell adhesion molecule 1
<i>PDCD6IP</i>	Programmed cell death 6 interacting protein
<i>NMT1</i>	N-myristoyltransferase 1
<i>CANX</i>	Calnexin
<i>ANXA4</i>	Annexin A4
<i>ELAVL1</i>	ELAV like RNA binding protein 1
<i>SLC12A2</i>	"Solute carrier family 12 (sodium/potassium/chloride transporter), member 2"
<i>AREG</i>	Amphiregulin
<i>USP15</i>	Ubiquitin specific peptidase 15
<i>ERAP1</i>	Endoplasmic reticulum aminopeptidase 1
<i>ERAP1</i>	Endoplasmic reticulum aminopeptidase 1
<i>MCTS1</i>	Malignant T-cell amplified sequence 1



<i>BLM</i>	"Bloom syndrome, RecQ helicase-like"
<i>EIF6</i>	eukaryotic translation initiation factor 6
<i>TLR4</i>	toll-like receptor 4
<i>SMARCE1</i>	"SWI/SNF related, matrix associated, actin dependent regulator of chromatin, subfamily e, member 1"
<i>PIK3C2A</i>	Phosphatidylinositol-4-phosphate 3-kinase catalytic subunit type 2 alpha
<i>PBK</i>	PDZ binding kinase
<i>CLEC2B</i>	C-type lectin domain family 2 member B
<i>NEDD9</i>	"Neural precursor cell expressed, developmentally down-regulated 9"
<i>MUC1</i>	"Mucin 1, cell surface associated"
<i>RAB8A</i>	"RAB8A, member RAS oncogene family"
<i>ARID5B</i>	AT-rich interaction domain 5B
<i>CCR1</i>	Chemokine (C-C motif) receptor 1
<i>NFE2L2</i>	"Nuclear factor, erythroid 2 like 2"
<i>ENPP2</i>	Ectonucleotide pyrophosphatase/phosphodiesterase 2
<i>NFKBIZ</i>	"nuclear factor of kappa light polypeptide gene enhancer in B-cells inhibitor, zeta"
<i>EZH2</i>	Enhancer of zeste 2 polycomb repressive complex 2 subunit
<i>HLA-A</i>	"major histocompatibility complex, class I, A"
<i>ITFG1</i>	Integrin alpha FG-GAP repeat containing 1
<i>PPP2R1B</i>	"protein phosphatase 2 regulatory subunit A, beta"
<i>RNF114</i>	Ring finger protein 114
<i>ITGB2</i>	Integrin subunit beta 2
<i>USF1</i>	Upstream transcription factor 1
<i>HPSE</i>	Heparanase
<i>UBASH3B</i>	Ubiquitin associated and SH3 domain containing B
<i>RTN4</i>	Reticulon 4

<i>JUN</i>	Jun proto-oncogene
<i>CHEK1</i>	Checkpoint kinase 1
<i>MAGT1</i>	Magnesium transporter 1
<i>BCL2A1</i>	BCL2-related protein A1
<i>CD63</i>	CD63 molecule
<i>PTEN</i>	Phosphatase and tensin homolog
<i>VCP</i>	Valosin containing protein
<i>PTPN12</i>	"Protein tyrosine phosphatase, non-receptor type 12"
<i>RIPK1</i>	Receptor interacting serine/threonine kinase 1
<i>ZEB2</i>	Zinc finger E-box binding homeobox 2
<i>HSP90B1</i>	Heat shock protein 90kda beta family member 1
<i>ITPR1</i>	"Inositol 1,4,5-trisphosphate receptor, type 1"
<i>SSB</i>	Sjogren syndrome antigen B
<i>CCNB1</i>	Cyclin B1
<i>CMTM6</i>	CKLF-like MARVEL transmembrane domain containing 6
<i>VAMP3</i>	Vesicle associated membrane protein 3
<i>MAPK14</i>	Mitogen-activated protein kinase 14
<i>FCGR2A</i>	"Fc fragment of igg, low affinity iia, receptor (CD32)"
<i>PI4K2B</i>	Phosphatidylinositol 4-kinase type 2 beta
<i>SP110</i>	SP110 nuclear body protein
<i>TACSTD2</i>	Tumor-associated calcium signal transducer 2
<i>FAS</i>	Fas cell surface death receptor
<i>HNRNPLL</i>	Heterogeneous nuclear ribonucleoprotein L-like
<i>ALYREF</i>	Aly/REF export factor
<i>MAPK9</i>	Mitogen-activated protein kinase 9

<i>XRCC5</i>	X-ray repair complementing defective repair in Chinese hamster cells 5
<i>ANXA5</i>	Annexin A5
<i>FRAT2</i>	Frequently rearranged in advanced T-cell lymphomas 2
<i>CXCR4</i>	Chemokine (C-X-C motif) receptor 4
<i>GIMAP4</i>	"gtpase, IMAP family member 4"
<i>TCF4</i>	Transcription factor 4
<i>FRAT1</i>	Frequently rearranged in advanced T-cell lymphomas 1
<i>UTRN</i>	Utrophin
<i>PPIB</i>	Peptidylprolyl isomerase B (cyclophilin B)
<i>ACLY</i>	ATP citrate lyase
<i>TNFSF10</i>	Tumor necrosis factor superfamily member 10
<i>HLA-B</i>	"major histocompatibility complex, class I, B"
<i>TNFAIP3</i>	TNF alpha induced protein 3
<i>CASP7</i>	Caspase 7
<i>HNRNPA2B1</i>	Heterogeneous nuclear ribonucleoprotein A2/B1
<i>TBK1</i>	TANK-binding kinase 1
<i>HLA-G</i>	"major histocompatibility complex, class I, G"
<i>DAPPI</i>	Dual adaptor of phosphotyrosine and 3-phosphoinositides
<i>RAP1A</i>	"RAP1A, member of RAS oncogene family"
<i>CYTIP</i>	Cytohesin 1 interacting protein
<i>LDHA</i>	Lactate dehydrogenase A
<i>APP</i>	Amyloid beta (A4) precursor protein
<i>IFNGR1</i>	Interferon gamma receptor 1
<i>ENTPD1</i>	Ectonucleoside triphosphate diphosphohydrolase 1
<i>LMO2</i>	LIM domain only 2

<i>TLR1</i>	Toll-like receptor 1
<i>HIF1A</i>	"Hypoxia inducible factor 1, alpha subunit (basic helix-loop-helix transcription factor)"
<i>PDCD6</i>	Programmed cell death 6
<i>TXNIP</i>	Thioredoxin interacting protein
<i>JAK2</i>	Janus kinase 2
<i>CASP10</i>	Caspase 10
<i>CAMP</i>	Cathelicidin antimicrobial peptide
<i>HGF</i>	Hepatocyte growth factor (hepapoietin A; scatter factor)
<i>HSD17B11</i>	Hydroxysteroid (17-beta) dehydrogenase 11
<i>CD58</i>	CD58 molecule
<i>CLEC4A</i>	C-type lectin domain family 4 member A
<i>MKI67</i>	Marker of proliferation Ki-67
<i>HLA-C</i>	"major histocompatibility complex, class I, C"
<i>CCNB2</i>	Cyclin B2
<i>FLT3</i>	Fms-related tyrosine kinase 3
<i>LAMP3</i>	Lysosomal-associated membrane protein 3
<i>CYBB</i>	"Cytochrome b-245, beta polypeptide"
<i>FPR1</i>	Formyl peptide receptor 1
<i>CTAGE4</i>	CTAGE family member 4
<i>PHF11</i>	PHD finger protein 11
<i>SOD2</i>	"Superoxide dismutase 2, mitochondrial"
<i>CYSLTR1</i>	Cysteinyl leukotriene receptor 1
<i>DEFA1</i>	Defensin alpha 1
<i>CXCL9</i>	Chemokine (C-X-C motif) ligand 9
<i>C3</i>	Complement component 3

<i>CASP1</i>	Caspase 1
<i>DDX58</i>	DEAD (Asp-Glu-Ala-Asp) box polypeptide 58
<i>CDC42SE2</i>	CDC42 small effector 2
<i>SELL</i>	Selectin L
<i>MRI</i>	"major histocompatibility complex, class I-related"
<i>BST2</i>	Bone marrow stromal cell antigen 2
<i>DDX3Y</i>	"DEAD (Asp-Glu-Ala-Asp) box helicase 3, Y-linked"
<i>IFITM1</i>	Interferon induced transmembrane protein 1
<i>MAP2K6</i>	Mitogen-activated protein kinase kinase 6
<i>IFI16</i>	"Interferon, gamma-inducible protein 16"
<i>MCL1</i>	Myeloid cell leukemia 1
<i>NBN</i>	Nibrin
<i>TNFRSF17</i>	Tumor necrosis factor receptor superfamily member 17
<i>CD38</i>	CD38 molecule
<i>TLR2</i>	Toll-like receptor 2
<i>LAT2</i>	Linker for activation of T-cells family member 2
<i>TAP1</i>	"transporter 1, ATP-binding cassette, sub-family B (MDR/TAP)"
<i>TIMD4</i>	T-cell immunoglobulin and mucin domain containing 4
<i>CD163</i>	CD163 molecule
<i>CXCL8</i>	Chemokine (C-X-C motif) ligand 8
<i>CFH</i>	Complement factor H
<i>IFIH1</i>	"interferon induced, with helicase C domain 1"
<i>STAT1</i>	Signal transducer and activator of transcription 1
<i>SIGLEC1</i>	"sialic acid binding Ig-like lectin 1, sialoadhesin"
<i>SERPING1</i>	"serpin peptidase inhibitor, clade G (C1 inhibitor), member 1"

<i>CXCL10</i>	Chemokine (C-X-C motif) ligand 10
<i>ALOX15</i>	Arachidonate 15-lipoxygenase
<i>HIST3H3</i>	"histone cluster 3, H3"
<i>PTPN7</i>	"Protein tyrosine phosphatase, non-receptor type 7"
<i>FGFR3</i>	Fibroblast growth factor receptor 3
<i>DUSP3</i>	Dual specificity phosphatase 3
<i>CFTR</i>	Cystic fibrosis transmembrane conductance regulator
<i>MAP2K7</i>	Mitogen-activated protein kinase kinase 7
<i>VDR</i>	"vitamin D (1,25- dihydroxyvitamin D3) receptor"
<i>IFNL4</i>	"Interferon, lambda 4 (gene/pseudogene)"
<i>B3GAT1</i>	"Beta-1,3-glucuronyltransferase 1"
<i>ERMAP</i>	Erythroblast membrane-associated protein (Scianna blood group)
<i>BTN3A3</i>	Butyrophilin subfamily 3 member A3
<i>CD5</i>	CD5 molecule
<i>NKX2-3</i>	NK2 homeobox 3
<i>CXCL16</i>	Chemokine (C-X-C motif) ligand 16
<i>HSPA1A</i>	Heat shock protein family A (Hsp70) member 1A
<i>ZMIZ1</i>	"zinc finger, MIZ-type containing 1"
<i>TIGIT</i>	T-cell immunoreceptor with Ig and ITIM domains
<i>KLRB1</i>	"killer cell lectin-like receptor subfamily B, member 1"
<i>TSLP</i>	Thymic stromal lymphopoietin
<i>HFE</i>	Hemochromatosis
<i>RPL10</i>	Ribosomal protein L10
<i>ACTG2</i>	"Actin, gamma 2, smooth muscle, enteric"
<i>KDM6B</i>	Lysine (K)-specific demethylase 6B

<i>NKX2-5</i>	NK2 homeobox 5
<i>RGS10</i>	Regulator of G-protein signaling 10
<i>KLRG1</i>	"killer cell lectin-like receptor subfamily G, member 1"
<i>DLX1</i>	Distal-less homeobox 1
<i>RHOB</i>	Ras homolog family member B
<i>CACNB3</i>	"Calcium channel, voltage-dependent, beta 3 subunit"
<i>FLT1</i>	Fms-related tyrosine kinase 1
<i>TGM2</i>	Transglutaminase 2
<i>STK11</i>	Serine/threonine kinase 11
<i>YBX1</i>	Y-box binding protein 1
<i>PA2G4</i>	Proliferation-associated 2G4
<i>SPRY2</i>	Sprouty RTK signaling antagonist 2
<i>NTSR1</i>	Neurotensin receptor 1 (high affinity)
<i>SIRPG</i>	Signal-regulatory protein gamma
<i>GATA2</i>	GATA binding protein 2
<i>CHD3</i>	Chromodomain helicase DNA binding protein 3
<i>HNF1A</i>	HNF1 homeobox A
<i>ITGAM</i>	Integrin subunit alpha M
<i>DKK3</i>	Dickkopf WNT signaling pathway inhibitor 3
<i>CDK20</i>	Cyclin-dependent kinase 20
<i>HSD17B1</i>	Hydroxysteroid (17-beta) dehydrogenase 1
<i>FOSL2</i>	FOS-like antigen 2
<i>CNR1</i>	Cannabinoid receptor 1 (brain)
<i>MZF1</i>	Myeloid zinc finger 1
<i>CTNNBIP1</i>	Catenin beta interacting protein 1

<i>HSPB1</i>	Heat shock protein family B (small) member 1
<i>MATK</i>	Megakaryocyte-associated tyrosine kinase
<i>TLR3</i>	Toll-like receptor 3
<i>MAP3K14</i>	Mitogen-activated protein kinase kinase kinase 14
<i>CCL22</i>	Chemokine (C-C motif) ligand 22
<i>CTSB</i>	Cathepsin B
<i>E2F1</i>	E2F transcription factor 1
<i>TUBA3C</i>	Tubulin alpha 3c
<i>RGR</i>	Retinal G protein coupled receptor
<i>TSTA3</i>	Tissue specific transplantation antigen P35B
<i>USP9X</i>	"ubiquitin specific peptidase 9, X-linked"
<i>PRR7</i>	Proline rich 7 (synaptic)
<i>TMIGD2</i>	Transmembrane and immunoglobulin domain containing 2
<i>MMP2</i>	Matrix metalloproteinase 2
<i>LYL1</i>	Lymphoblastic leukemia associated hematopoiesis regulator 1
<i>OSBP2</i>	Oxysterol binding protein 2
<i>TUBA1B</i>	Tubulin alpha 1b
<i>LAMA5</i>	Laminin subunit alpha 5
<i>CD160</i>	CD160 molecule
<i>HLA-DQB2</i>	"major histocompatibility complex, class II, DQ beta 2"
<i>BINI</i>	Bridging integrator 1
<i>CTSH</i>	Cathepsin H
<i>OPTN</i>	Optineurin
<i>PRDM16</i>	PR domain containing 16
<i>SIGLEC14</i>	Sialic acid binding Ig-like lectin 14



<i>ULBP3</i>	UL16 binding protein 3
<i>CD1A</i>	CD1a molecule
<i>SNCA</i>	Synuclein alpha
<i>PMAIP1</i>	Phorbol-12-myristate-13-acetate-induced protein 1
<i>GPC3</i>	Glypican 3
<i>SIAH2</i>	Siah E3 ubiquitin protein ligase 2
<i>PRDX2</i>	Peroxiredoxin 2
<i>ENO2</i>	"Enolase 2 (gamma, neuronal)"
<i>DDR1</i>	Discoidin domain receptor tyrosine kinase 1
<i>TNFRSF25</i>	Tumor necrosis factor receptor superfamily member 25
<i>GATA1</i>	GATA binding protein 1 (globin transcription factor 1)
<i>UBB</i>	Ubiquitin B
<i>CBLB</i>	"Cbl proto-oncogene B, E3 ubiquitin protein ligase"
<i>TRPM4</i>	"transient receptor potential cation channel, subfamily M, member 4"
<i>CCL27</i>	Chemokine (C-C motif) ligand 27
<i>FKBP1B</i>	FK506 binding protein 1B
<i>FCER1A</i>	"Fc fragment of ige, high affinity I, receptor for; alpha polypeptide"
<i>TUBB2A</i>	Tubulin beta 2A class iia
<i>NCAPH2</i>	Non-SMC condensin II complex subunit H2
<i>HOMER3</i>	Homer scaffolding protein 3
<i>PDIA2</i>	Protein disulfide isomerase family A member 2
<i>PAX5</i>	Paired box 5
<i>NR4A1</i>	Nuclear receptor subfamily 4 group A member 1
<i>XCL2</i>	Chemokine (C motif) ligand 2
<i>RARA</i>	"Retinoic acid receptor, alpha"

<i>RAET1L</i>	Retinoic acid early transcript 1L
<i>TAL1</i>	T-cell acute lymphocytic leukemia 1
<i>SLC2A1</i>	"Solute carrier family 2 (facilitated glucose transporter), member 1"
<i>EBI3</i>	Epstein-Barr virus induced 3
<i>PMEL</i>	Premelanosome protein
<i>PRSS3</i>	"Protease, serine 3"
<i>ELMO1</i>	Engulfment and cell motility 1
<i>LGALS3</i>	"Lectin, galactoside-binding, soluble, 3"
<i>LGALS9</i>	"Lectin, galactoside-binding, soluble, 9"
<i>SLC39A3</i>	"Solute carrier family 39 (zinc transporter), member 3"
<i>PVRIG</i>	Poliovirus receptor related immunoglobulin domain containing
<i>TFR2</i>	Transferrin receptor 2
<i>PCDHA5</i>	Protocadherin alpha 5
<i>ABCG2</i>	ATP binding cassette subfamily G member 2 (Junior blood group)
<i>PIK3R2</i>	Phosphoinositide-3-kinase regulatory subunit 2
<i>BIRC5</i>	Baculoviral IAP repeat containing 5
<i>PPARG</i>	Peroxisome proliferator-activated receptor gamma
<i>PIK3R6</i>	Phosphoinositide-3-kinase regulatory subunit 6
<i>BTNL2</i>	Butyrophilin like 2
<i>MALL</i>	"mal, T-cell differentiation protein-like"
<i>BCL2L1</i>	BCL2-like 1
<i>LAT</i>	Linker for activation of T-cells
<i>IFNL3</i>	"Interferon, lambda 3"
<i>IL4I1</i>	Interleukin 4 induced 1
<i>SASH3</i>	SAM and SH3 domain containing 3

---

<i>DNM2</i>	Dynamin 2
<i>PRLR</i>	Prolactin receptor
<i>EGR3</i>	Early growth response 3
<i>APOE</i>	Apolipoprotein E
<i>PDLIM2</i>	PDZ and LIM domain 2 (mystique)
<i>PBX1</i>	Pre-B-cell leukemia homeobox 1
<i>HLA-DRB5</i>	"major histocompatibility complex, class II, DR beta 5"
<i>NKX2-2</i>	NK2 homeobox 2
<i>CRYAB</i>	Crystallin alpha B
<i>NCOR2</i>	Nuclear receptor corepressor 2
<i>IFNL1</i>	"Interferon, lambda 1"
<i>SFRP2</i>	Secreted frizzled-related protein 2