

## Data Sharing Statement

<b>Article Info</b>	<a href="http://dx.doi.org/10.21037/atm-21-1113">http://dx.doi.org/10.21037/atm-21-1113</a>	
<b>Item</b>	<b>Question</b>	<b>Authors' Response (place "-" if not applicable)</b>
1	Would you like to share data collected for your study to others?	Yes.
2	If not, would you like to share the reason for your decision?	-
3	What data in particular will be shared?	The factors influencing the fluoroscopy time of the double J stent removal will be shared, and we found the position type and the number of curls of the double J stent had a significant influence on the fluoroscopy time.
4	Any other documents will be shared? Such as study protocol, statistical analysis plan, informed consent form, clinical study report, analytic code.	Study protocol, statistical analysis plan, and clinical study report will also be shared if requested.
5	When will data availability begin?	From the publication date.
6	When will data availability end?	Three years within the publication date.
7	To whom will you share the data?	Radiology and urologist scholars
8	For what type of analysis or purpose?	To enhance the success rate of retrograde removal of double J ureteral stents.
9	How or where can the data/documents be obtained?	Emails could be sent to the address below to obtain the shared data: lihailiang2017@126.com
10	Any other restrictions?	We may balance the potential benefits and risks for each request and then provide the data that could be shared.