STROBE Statement—checklist of items that should be included in reports of observational studies

Section/item	Item No	Recommendation	Reported on Page Number/Line Number	Reported on Section/Paragraph
Title and abstract	1	(a) Indicate the study's design with a commonly used term in the title or the abstract	Page 1/Line 2-3	Title
		(b) Provide in the abstract an informative and balanced summary of what was done and what was found	Page 3/Line 109-114	Abstract/Para 4
Introduction				
Background/ rationale	2	Explain the scientific background and rationale for the investigation being reported	Page 3-4/Line 119-148	Introduction/Para 1-3
Objectives	3	State specific objectives, including any prespecified hypotheses	Page 4/Line 148-152	Introduction/Para 3
Methods				
Study design	4	Present key elements of study design early in the paper	Page 4/Line 155	Methods/Para 1
Setting	5	Describe the setting, locations, and relevant dates, including periods of recruitment, exposure, follow-up, and data collection	Page 4-5/Line 155-170	Methods/Para 1
Participants	6	(a) Cohort study —Give the eligibility criteria, and the sources and methods of selection of participants. Describe methods of follow-up Case-control study —Give the eligibility criteria, and the sources and methods of case ascertainment and control selection. Give the rationale for the choice of cases and controls Cross-sectional study —Give the eligibility criteria, and the sources and methods of selection of participants	Page 4-5/Line 155-174	Methods/Para 1
		(b) Cohort study —For matched studies, give matching criteria and number of exposed and unexposed Case-control study —For matched studies, give matching criteria and the number of controls per case	N/A	N/A
Variables	7	Clearly define all outcomes, exposures, predictors, potential confounders, and effect modifiers. Give diagnostic criteria, if applicable	Page 5-6/Line 178-207	Methods/Para 2-4
Data sources/ measurement	8*	For each variable of interest, give sources of data and details of methods of assessment (measurement). Describe comparability of assessment methods if there is more than one group	Page 6/Line 193-207	Methods/Para 3-4
Bias	9	Describe any efforts to address potential sources of bias	N/A	N/A
Study size	10	Explain how the study size was arrived at	N/A	N/A
Quantitative variables	11	Explain how quantitative variables were handled in the analyses. If applicable, describe which groupings were chosen and why	Page 6/Line 206-207	Methods/Para 4

Statistical methods	12	(a) Describe all statistical methods, including those used to control for confounding	Page 6-7/Line 209-218	Methods/Para 5
		(b) Describe any methods used to examine subgroups and interactions	Page 6-7/Line 214-216	Methods/Para 5
		(c) Explain how missing data were addressed	N/A	N/A
		(d) Cohort study —If applicable, explain how loss to follow-up was addressed Case-control study —If applicable, explain how matching of cases and controls was addressed Cross-sectional study —If applicable, describe analytical methods taking account of sampling strategy	Page 4/Line 158-160	Methods/Para 1
		(e) Describe any sensitivity analyses	N/A	N/A
Results	•			
Participants	13*	(a) Report numbers of individuals at each stage of study—eg numbers potentially eligible, examined for eligibility, confirmed eligible, included in the study, completing follow-up, and analysed	Page 7/Line 221-223	Results/Para 1
		(b) Give reasons for non-participation at each stage	N/A	N/A
		(c) Consider use of a flow diagram	Figure 1	Figure 1
Descriptive data	14*	(a) Give characteristics of study participants (eg demographic, clinical, social) and information on exposures and potential confounders	Page 7/Line 220-237	Results/Para 1
		(b) Indicate number of participants with missing data for each variable of interest	N/A	N/A
		(c) Cohort study —Summarise follow-up time (eg, average and total amount)	Page 7/Line 227	Results/Para 1
Outcome data	15*	Cohort study — Report numbers of outcome events or summary measures over time	Page 7-10/Line 238-305	Results/Para 2-8
		Case-control study—Report numbers in each exposure category, or summary measures of exposure	N/A	N/A
		Cross-sectional study—Report numbers of outcome events or summary measures	N/A	N/A
Main results	16	(a) Give unadjusted estimates and, if applicable, confounder-adjusted estimates and their precision (eg, 95% confidence interval). Make clear which confounders were adjusted for and why they were included	Page 7-10/Line 238-305	Results/Para 2-8
		(b) Report category boundaries when continuous variables were categorized	N/A	N/A
		(c) If relevant, consider translating estimates of relative risk into absolute risk for a meaningful time period	N/A	N/A
Other analyses	17	Report other analyses done – eg analyses of subgroups and interactions, and sensitivity analyses	N/A	N/A
Discussion				
Key results	18	Summarise key results with reference to study objectives	Page 11-13/Line 325-386	Discussion/Para 2-4
Limitations	19	Discuss limitations of the study, taking into account sources of potential bias or imprecision. Discuss both direction and magnitude of any potential bias	Page 13/Line 387-394	Discussion/Para 5

Interpretation	20	Give a cautious overall interpretation of results considering objectives, limitations, multiplicity of analyses, results from similar studies, and other relevant evidence	Page 12-13/Line 369-375	Discussion/Para 4				
Generalisability	21	Discuss the generalisability (external validity) of the study results	N/A	N/A				
Other information								
Funding	22	Give the source of funding and the role of the funders for the present study and, if applicable, for the original study on which the present article is based	Page 14/Line 404-405	Acknowledgments/Para 1				

^{*}Give information separately for cases and controls in case-control studies and, if applicable, for exposed and unexposed groups in cohort and cross-sectional studies.

Note: An Explanation and Elaboration article discusses each checklist item and gives methodological background and published examples of transparent reporting. The STROBE checklist is best used in conjunction with this article (freely available on the Web sites of PLoS Medicine at http://www.plosmedicine.org/, Annals of Internal Medicine at http://www.annals.org/, and Epidemiology at http://www.epidem.com/). Information on the STROBE Initiative is available at www.strobe-statement.org.

Article Information: https://dx.doi.org/10.21037/tp-22-418

As the checklist was provided upon initial submission, the page number/line number reported may be changed due to copyediting and may not be referable in the published version. In this case, the section/paragraph may be used as an alternative reference.