TRIPOD Checklist: Prediction Model Development and Validation

Section	Item		Checklist description	Reported on Page Number/Line Number	Reported on Section/Paragraph
Title and abstract					
Title	1	D;V	Identify the study as developing and/or validating a multivariable prediction model, the target population, and the outcome to be predicted.	1, 1–2	Title
Abstract	2	D;V	Provide a summary of objectives, study design, setting, participants, sample size, predictors, outcome, statistical analysis, results, and conclusions.	1, 11–2, 48	Abstract
Introduction	·				
Background and objectives	3a	D;V	Explain the medical context (including whether diagnostic or prognostic) and rationale for developing or validating the multivariable prediction model, including references to existing models.	2, 54–3, 70	Introduction, 1-2
	3b	D;V	Specify the objectives, including whether the study describes the development or validation of the model or both.	3, 71–73	Introduction, 3
Methods					
Source of data	4a	D;V	Describe the study design or source of data (e.g., randomized trial, cohort, or registry data), separately for the development and validation data sets, ifapplicable.	3, 76–79	Methods,1
	4b	D;V	Specify the key study dates, including start of accrual; end of accrual; and, if applicable, end of follow-up.	3, 76–79	Methods,1
Participants	5a	D;V	Specify key elements of the study setting (e.g., primary care, secondary care, general population) including number and location of centres.	3, 80–86	Methods,2
	5b	D;V	Describe eligibility criteria for participants.	3, 83–89	Methods,3
	5c	D;V	Give details of treatments received, if relevant.	n/a	n/a
Outcome	6a	D;V	Clearly define the outcome that is predicted by the prediction model, including how and when assessed.	4, 90–119	Methods,4-8
	6b	D;V	Report any actions to blind assessment of the outcome to be predicted.	n/a	n/a
Predictors	7a	D;V	Clearly define all predictors used in developing or validating the multivariable prediction model, including how and when they were measured.	4, 90–119	Methods,4-8
	7b	D;V	Report any actions to blind assessment of predictors for the outcome and other predictors.	n/a	n/a
Sample size	8	D;V	Explain how the study size was arrived at.	n/a	n/a

		· · · · · · · · · · · · · · · · · · ·			
Missing data	9	D;V	Describe how missing data were handled (e.g., complete-case analysis, single imputation, multiple imputation) with details of any imputation method.	n/a	n/a
Statistical analysis methods	10a	D	Describe how predictors were handled in the analyses.	5, 120–126	Methods,9
	10b	D	Specify type of model, all model-building procedures (including any predictor selection), and method for internal validation.	5, 120–126	Methods,9
	10c	V	For validation, describe how the predictions were calculated.	5, 120–126	Methods,9
	10d	D;V	Specify all measures used to assess model performance and, if relevant, to compare multiple models.	n/a	n/a
	10e	V	Describe any model updating (e.g., recalibration) arising from the validation, if done.	n/a	n/a
Risk groups	11	D;V	Provide details on how risk groups were created, if done.	n/a	n/a
Development vs. validation	12	V	For validation, identify any differences from the development data in setting, eligibility criteria, outcome, and predictors.	n/a	n/a
Results					•
Participants	13a	D;V	Describe the flow of participants through the study, including the number of participants with and without the outcome and, if applicable, a summary of the follow-up time. A diagram may be helpful.	5, 129–133	Results, 1
	13b	D;V	Describe the characteristics of the participants (basic demographics, clinical features, available predictors), including the number of participants with missing data for predictors and outcome.	5, 129–133	Results, 1
	13c	V	For validation, show a comparison with the development data of the distribution of important variables (demographics, predictors and outcome).	5, 129–133	Results, 1
Model development	14a	D	Specify the number of participants and outcome events in each analysis.	5, 134–6, 176	Results, 2–11
	14b	D	If done, report the unadjusted association between each candidate predictor and outcome.	n/a	n/a
Model specification	15a	D	Present the full prediction model to allow predictions for individuals (i.e., all regression coefficients, and model intercept or baseline survival at a given time point).	5, 134-6, 176	Results, 2–11
	15b	D	Explain how to the use the prediction model.	5, 134–6, 176	Results, 2–11
Model performance	16	D;V	Report performance measures (with CIs) for the prediction model.	5, 134–6, 176	Results, 2–11
Model-updating	17	V	If done, report the results from any model updating (i.e., model specification, model performance).	n/a	n/a
Discussion					
Limitations	18	D;V	Discuss any limitations of the study (such as nonrepresentative sample, few events per predictor, missing data).	7, 179–190	Discussion,1-2

Interpretation	19a	V	For validation, discuss the results with reference to performance in the development data, and any other validation data.	7, 191–8, 216	Discussion,3-4		
	19b	D;V	Give an overall interpretation of the results, considering objectives, limitations, and results from similar studies, and other relevant evidence.	8, 217–227	Discussion,5-6		
Implications	20	D;V	Discuss the potential clinical use of the model and implications for future research.	8, 230–232	Discussion,7		
Other information							
Supplementary information	21	D;V	Provide information about the availability of supplementary resources, such as study protocol, Web calculator, and data sets.	N/A	N/A		
Funding	22	D;V	Give the source of funding and the role of the funders for the present study.	9, 240	Funding Statement		

* Items relevant only to the development of a prediction model are denoted by D, items relating solely to a validation of a prediction model are denoted by V, and items relating to both are denoted D;V. We recommend using the TRIPOD Checklist in conjunction with the TRIPOD Explanation and Elaboration document.

Article information: https://dx.doi.org/10.21037/jgo-23-93

*As the checklist was provided upon initial submission, the page number/line number reported may be changed due to copyediting and may not be referable in the published version. In this case, the section/paragraph may be used as an alternative reference.