



Erratum to lobectomy with high-position single-intercostal two-port video-assisted thoracoscope for non-small cell lung cancer is a safe and effective surgical procedure

Editorial Office

Journal of Thoracic Disease

Correspondence to: Editorial Office, Journal of Thoracic Disease. Email: jtd@amepc.org.

Submitted May 31, 2022. Accepted for publication Aug 18, 2022.

doi: 10.21037/jtd-2022-08

View this article at: <https://dx.doi.org/10.21037/jtd-2022-08>

Erratum to: J Thorac Dis 2020;12:7346-54

The above mentioned article published in the Vol 12, No 12 (December 2022) of *Journal of Thoracic Disease* contained one error in the acknowledgement (1).

The Grant No. 2021430921 should be changed to Grant No. 2021KY1009.

Therefore, the correct funding in the acknowledgment is: This study was supported by Medical Health Science and Technology Project of Zhejiang Provincial Health Commission (Grant No. 2021KY1009).

Click [here](#) to view the updated version of the article.

Open Access Statement: This is an Open Access article distributed in accordance with the Creative Commons Attribution-NonCommercial-NoDerivs 4.0 International License (CC BY-NC-ND 4.0), which permits the non-commercial replication and distribution of the article with the strict proviso that no changes or edits are made and the original work is properly cited (including links to both the formal publication through the relevant DOI and the license). See: <https://creativecommons.org/licenses/by-nc-nd/4.0/>.

References

1. Zhao G, Jiang X, Wang F, et al. Lobectomy with high-position single-intercostal two-port video-assisted thoracoscope for non-small cell lung cancer is a safe and effective surgical procedure. *J Thorac Dis* 2020;12:7346-54.

Cite this article as: Editorial Office. Erratum to lobectomy with high-position single-intercostal two-port video-assisted thoracoscope for non-small cell lung cancer is a safe and effective surgical procedure. *J Thorac Dis* 2022;14(9):3650. doi: 10.21037/jtd-2022-08