

Materials Design Analysis Reporting (MDAR) Checklist for Authors

The MDAR framework establishes a minimum set of requirements in transparent reporting applicable to studies in the life sciences (see Statement of Task: [doi:10.31222/osf.io/9sm4x](https://doi.org/10.31222/osf.io/9sm4x)). The MDAR checklist is a tool for authors, editors and others seeking to adopt the MDAR framework for transparent reporting in manuscripts and other outputs. Please refer to the MDAR Elaboration Document for additional context for the MDAR framework.

Materials

Antibodies	Yes (indicate where provided: section/paragraph)	n/a
For commercial reagents, provide supplier name, catalogue number and RRID, if available.	"Methods"- "Immunohistochemistry"-The first paragraph	
Cell materials	Yes (indicate where provided: section/paragraph)	n/a
Cell lines: Provide species information, strain. Provide accession number in repository OR supplier name, catalog number, clone number, OR RRID		no
Primary cultures: Provide species, strain, sex of origin, genetic modification status.		no
Experimental animals	Yes (indicate where provided: section/paragraph)	n/a
Laboratory animals: Provide species, strain, sex, age, genetic modification status. Provide accession number in repository OR supplier name, catalog number, clone number, OR RRID		no
Animal observed in or captured from the field: Provide species, sex and age where possible		no
Model organisms: Provide Accession number in repository (where relevant) OR RRID		no
Plants and microbes	Yes (indicate where provided: section/paragraph)	n/a
Plants: provide species and strain, unique accession number if available, and source (including location for collected wild specimens)		no
Microbes: provide species and strain, unique accession number if available, and source		no
Human research participants	Yes (indicate where provided: section/paragraph)	n/a
Identify authority granting ethics approval (IRB or equivalent committee(s), provide reference number for approval.	"Methods"- "Tissue specimens"	
Provide statement confirming informed consent obtained from study participants.	"Methods"- "Tissue specimens"	
Report on age and sex for all study participants.	"Methods"- "Tissue specimens"	

Design

Study protocol	Yes (indicate where provided: section/paragraph)	n/a
For clinical trials, provide the trial registration number OR cite DOI in manuscript.		no
Laboratory protocol	Yes (indicate where provided: section/paragraph)	n/a
Provide DOI or other citation details if detailed step-by-step protocols are available.		no
Experimental study design (statistics details)	Yes (indicate where provided: section/paragraph)	n/a
State whether and how the following have been done, or if they were not carried out.		
Sample size determination	"Methods"- "Screening of DEGs" and "Tissue specimens"	
Randomisation		no
Blinding		no
Inclusion/exclusion criteria		no
Sample definition and in-laboratory replication	Yes (indicate where provided: section/paragraph)	n/a
State number of times the experiment was replicated in laboratory		no
Define whether data describe technical or biological replicates	(describe technical)"Methods"- "Result judgment criteria"	
Ethics	Yes (indicate where provided: section/paragraph)	n/a
Studies involving human participants: State details of authority granting ethics approval (IRB or equivalent committee(s), provide reference number for approval.		no
Studies involving experimental animals: State details of authority granting ethics approval (IRB or equivalent committee(s), provide reference number for approval.		no
Studies involving specimen and field samples: State if relevant permits obtained, provide details of authority approving study; if none were required, explain why.	"Methods"- "Tissue specimens"	
Dual Use Research of Concern (DURC)	Yes (indicate where provided: section/paragraph)	n/a
If study is subject to dual use research of concern, state the authority granting approval and reference number for the regulatory approval		no

Analysis

Attrition	Yes (indicate where provided: section/paragraph)	n/a
State if sample or data point from the analysis is excluded, and whether the criteria for exclusion were determined and specified in advance.		no

Statistics	Yes (indicate where provided: section/paragraph)	n/a
Describe statistical tests used and justify choice of tests.	"Methods"- "Statistical method"	

Data Availability	Yes (indicate where provided: section/paragraph)	n/a
State whether newly created datasets are available, including protocols for access or restriction on access.		no
If data are publicly available, provide accession number in repository or DOI or URL.		no
If publicly available data are reused, provide accession number in repository or DOI or URL, where possible.	"Methods"- "Screening of DEGs", " Functional enrichment analyses of DEGs" and "Selection of key genes"	

Code Availability	Yes (indicate where provided: section/paragraph)	n/a
For all newly generated code and software essential for replicating the main findings of the study:		-
State whether the code or software is available.		no
If code is publicly available, provide accession number in repository, or DOI or URL.		no

Reporting

Adherence to community standards	Yes (indicate where provided: section/paragraph)	n/a
MDAR framework recommends adoption of discipline-specific guidelines, established and endorsed through community initiatives. Journals have their own policy about requiring specific guidelines and recommendations to complement MDAR.		-
State if relevant guidelines (eg., ICMJE, MIBBI, ARRIVE) have been followed, and whether a checklist (eg., CONSORT, PRISMA, ARRIVE) is provided with the manuscript.	ICMJE guidelines were followed, as the journal follows ICMJE recommendations for publication.	

Section & Topic	No	Item	Reported on page #
TITLE OR ABSTRACT			
	1	Identification as a study of diagnostic accuracy using at least one measure of accuracy (such as sensitivity, specificity, predictive values, or AUC)	Abstract/paragraph 2
ABSTRACT			
	2	Structured summary of study design, methods, results, and conclusions (for specific guidance, see STARD for Abstracts)	Abstract/paragraph 2-4
INTRODUCTION			
	3	Scientific and clinical background, including the intended use and clinical role of the index test	Introduction/paragraph 1
	4	Study objectives and hypotheses	Introduction/paragraph 2
METHODS			
<i>Study design</i>	5	Whether data collection was planned before the index test and reference standard were performed (prospective study) or after (retrospective study)	Methods/paragraph 4
<i>Participants</i>	6	Eligibility criteria	Methods/paragraph 7
	7	On what basis potentially eligible participants were identified (such as symptoms, results from previous tests, inclusion in registry)	Methods/paragraph 4
	8	Where and when potentially eligible participants were identified (setting, location and dates)	Methods/paragraph 4
	9	Whether participants formed a consecutive, random or convenience series	Methods/paragraph 4
<i>Test methods</i>	10a	Index test, in sufficient detail to allow replication	Methods/paragraph 1
	10b	Reference standard, in sufficient detail to allow replication	Methods/paragraph 7
	11	Rationale for choosing the reference standard (if alternatives exist)	N/A, determined by reading a lot of literature research, so it is not explained in the article why this reference standard is used.
	12a	Definition of and rationale for test positivity cut-offs or result categories of the index test, distinguishing pre-specified from exploratory	Methods/paragraph 7
	12b	Definition of and rationale for test positivity cut-offs or result categories of the reference standard, distinguishing pre-specified from exploratory	Methods/paragraph 7
	13a	Whether clinical information and reference standard results were available to the performers/readers of the index test	Methods/paragraph 7
	13b	Whether clinical information and index test results were available to the assessors of the reference standard	N/A, not available
<i>Analysis</i>	14	Methods for estimating or comparing measures of diagnostic accuracy	Methods/paragraph 8
	15	How indeterminate index test or reference standard results were handled	N/A, does not exist
	16	How missing data on the index test and reference standard were handled	N/A, does not exist
	17	Any analyses of variability in diagnostic accuracy, distinguishing pre-specified from exploratory	N/A, does not exist
	18	Intended sample size and how it was determined	N/A, not mentioned
RESULTS			
<i>Participants</i>	19	Flow of participants, using a diagram	N/A, not mentioned
	20	Baseline demographic and clinical characteristics of participants	Results/paragraph 5
	21a	Distribution of severity of disease in those with the target condition	Results/paragraph 5
	21b	Distribution of alternative diagnoses in those without the target condition	N/A, not mentioned
	22	Time interval and any clinical interventions between index test and reference standard	N/A, not mentioned
<i>Test results</i>	23	Cross tabulation of the index test results (or their distribution) by the results of the reference standard	Results/paragraph 4
	24	Estimates of diagnostic accuracy and their precision (such as 95% confidence intervals)	N/A, not mentioned
	25	Any adverse events from performing the index test or the reference standard	N/A, not involved
DISCUSSION			

	26	Study limitations, including sources of potential bias, statistical uncertainty, and generalisability	Discussion/paragraph 6,7
	27	Implications for practice, including the intended use and clinical role of the index test	Discussion/paragraph 3,5,8
OTHER INFORMATION			
	28	Registration number and name of registry	N/A, not involved
	29	Where the full study protocol can be accessed	Contact the first or corresponding author
	30	Sources of funding and other support; role of funders	Funding

STARD 2015

AIM

STARD stands for “Standards for Reporting Diagnostic accuracy studies”. This list of items was developed to contribute to the completeness and transparency of reporting of diagnostic accuracy studies. Authors can use the list to write informative study reports. Editors and peer-reviewers can use it to evaluate whether the information has been included in manuscripts submitted for publication.

EXPLANATION

A **diagnostic accuracy study** evaluates the ability of one or more medical tests to correctly classify study participants as having a **target condition**. This can be a disease, a disease stage, response or benefit from therapy, or an event or condition in the future. A medical test can be an imaging procedure, a laboratory test, elements from history and physical examination, a combination of these, or any other method for collecting information about the current health status of a patient.

The test whose accuracy is evaluated is called **index test**. A study can evaluate the accuracy of one or more index tests. Evaluating the ability of a medical test to correctly classify patients is typically done by comparing the distribution of the index test results with those of the **reference standard**. The reference standard is the best available method for establishing the presence or absence of the target condition. An accuracy study can rely on one or more reference standards.

If test results are categorized as either positive or negative, the cross tabulation of the index test results against those of the reference standard can be used to estimate the **sensitivity** of the index test (the proportion of participants *with* the target condition who have a positive index test), and its **specificity** (the proportion *without* the target condition who have a negative index test). From this cross tabulation (sometimes referred to as the contingency or “2x2” table), several other accuracy statistics can be estimated, such as the positive and negative **predictive values** of the test. Confidence intervals around estimates of accuracy can then be calculated to quantify the statistical **precision** of the measurements.

If the index test results can take more than two values, categorization of test results as positive or negative requires a **test positivity cut-off**. When multiple such cut-offs can be defined, authors can report a receiver operating characteristic (ROC) curve which graphically represents the combination of sensitivity and specificity for each possible test positivity cut-off. The **area under the ROC curve** informs in a single numerical value about the overall diagnostic accuracy of the index test.

The **intended use** of a medical test can be diagnosis, screening, staging, monitoring, surveillance, prediction or prognosis. The **clinical role** of a test explains its position relative to existing tests in the clinical pathway. A replacement test, for example, replaces an existing test. A triage test is used before an existing test; an add-on test is used after an existing test.

Besides diagnostic accuracy, several other outcomes and statistics may be relevant in the evaluation of medical tests. Medical tests can also be used to classify patients for purposes other than diagnosis, such as staging or prognosis. The STARD list was not explicitly developed for these other outcomes, statistics, and study types, although most STARD items would still apply.

DEVELOPMENT

This STARD list was released in 2015. The 30 items were identified by an international expert group of methodologists, researchers, and editors. The guiding principle in the development of STARD was to select items that, when reported, would help readers to judge the potential for bias in the study, to appraise the applicability of the study findings and the validity of conclusions and recommendations. The list represents an update of the first version, which was published in 2003.

More information can be found on <http://www.equator-network.org/reporting-guidelines/stard>.

Article Information: <https://dx.doi.org/10.21037/tcr-22-1267>

