


THE ESTS SURVEY ON THORACIC AUTONOMIC NERVOUS SYSTEM SURGERY



Responses Volume




123

Total Responses

Date Created: Sunday, December 04, 2022


Complete Responses: 123






Powered by SurveyMonkey

Q1: Are you an ESTS member?




Q2: If your answer is YES, In what country do you work?





Q3: Are you




ANSWER CHOICES	•	RESPONSES	•
▼ Female		12.30%	15
✓ Male		86.07%	105
 Prefer not to say 		1.64%	2
TOTAL			122





Q4: How old are you?






Q4: How old are you?

ANSWER CHOICES	RESPONSES	
<25	0%	0
25-30	2.44%	3
31-40	25.20%	31
41-50	30.08%	37
51-60	29.27%	36
61-70	13.01%	16
>70	0%	0
TOTAL		123



Q5: In which type of institution do you practice?




ANSWER CHOICES	•	RESPONSES	-
✓ academic hospital		70.73%	87
 supraregional, non-academic hospital 		12.20%	15
✓ regional, non-academic hospital		12.20%	15
✓ Other (please specify)	Responses	4.88%	6
TOTAL			123






Q6: Do you practice thoracic autonomic nervous system surgery at your hospital?



Q7: If your answer is YES, Your area of interest, when you practice thoracic autonomic nervous system surgery, is/are mainly on:




•	100% 💌	75% -	50% 💌	25% 🔻	0% •	TOTAL 🔻
 Primary hyperhidrosis/Facial Blushing 	63.41% 78	26.02% 32	4.07% 5	4.88% 6	1.63% 2	123
 Cardiac diseases 	1.63% 2	0.81% 1	3.25% 4	23.58% 29	70.73% 87	123
 Vascular diseases 	1.63% 2	0.81% 1	1.63% 2	25.20% 31	70.73% 87	123
• Other (please write your comment in the box area below)	0.00% 0	0.81% 1	1.63% 2	3.25% 4	94.31% 116	123





Q8: Patients are referred to you by (choose any of the following):




ANSWER CHOICES	▼ RESPONSES	; •
✓ General pratictioners	66.39%	81
✓ Dermatologists	66.39%	81
✓ Neurologists	7.38%	9
Other thoracic surgeons	15.57%	19
✓ Cardiologists	22.13%	27
✓ Cardiac surgeons	6.56%	8
✓ Vascular surgeons	24.59%	30
✓ Plastic surgeons	9.02%	11
 Self-presentation after see your infos from the web or from other patients 	63.93%	78
✓ Other (please specify) Responses	s 4.92%	6
Total Respondents: 122		





Q9: How many surgical cases do you perform per year?




•	LESS	BETWEEN 10 -	BETWEEN 26	BETWEEN 51 -	MORE	TOTAL
	THAN 10	AND 25	AND 50	AND 75	THAN 75	RESPONDENTS
 Hyperhidrosis/facial	43.90%	35.77%	16.26%	3.25%	3.25%	123
blushing	54	44	20	4	4	
	96.75% 119	3.25% 4	0.00% 0	0.00% O	0.00% 0	123
✓ Vascular affections	99.19% 122	0.81% 1	0.00% 0	0.00% O	0.00% O	123





Q10: Which of the following hyperhidrosis/facial blushing entities do you usually refer to surgery?




ANSWER CHOICES	•	RESPONSES	•
✓ None of the above		0.81%	1
 Craniofacial hyperhidrosis 		23.58%	29
 Palmar hyperhidrosis 		93.50%	115
 Plantar hyperhidrosis 		18.70%	23
 Axillary hyperhidrosis 		73.17%	90
✓ Facial blushing		43.09%	53
✓ All of the above		8.94%	11
 Other (please specify) 	Responses	0.81%	1
Total Respondents: 123			





Q11: Which of the following cardiac pathological entities do you usually refer to surgery?




ANSWER CHOICES	-	RESPONSES	
✓ None of the above		59.02%	72
✓ Heart failure,		0.00%	0
 Long QT syndrome 		17.21%	21
Catecholaminergic ventricular tachycardia resistant to conventional treatment		19.67%	24
▼ Cardiac arrhythmias		16.39%	20
 All of the above 		2.46%	3
 Other (please specify) 	Responses	3.28%	4
Total Respondents: 122			



Answered: 122 Skipped: 1

Powered by A SurveyMonkey

Q12: Which of the following vascular pathological entities do you usually refer to surgery?




ANSWER CHOICES	▼ RESPONSES	•
✓ None of the above	50.41%	62
✓ Buerger's disease	16.26%	20
✓ Raynaud syndrome	41.46%	51
✓ Vasculitis	9.76%	12
▼ Inoperable peripheral vascular disease to alleviate symptoms of rest pain	11.38%	14
✓ Adjunct to other treatments for ulcers chronic pain	6.50%	8
✓ All of the above	0.81%	1
✓ Other (please specify) Response	onses 1.63%	2
Total Respondents: 123		






Q13: How do you select and classify patients affected by hyperhidrosis?



ANSWER CHOICES	•	RESPONSES	•	
 Based on my personal experience 		61.79%	76	
 Based on Hyperhidrosis Disease Severity Scale (HDSS) 		21.14%	26	
 Based on Hyperhidrosis Quality of Life Index (HidroQol) 		9.76%	12	
 Based on Dermatology Life Quality Index (DLQI) 		1.63%	2	OFTH OF THORA
 Other (please specify) 	Responses	5.69%	7	os N CIC S
TOTAL			123	VIL URC
key [.]				HIJA. 1993 . 5HOS



Q14: What kind of surgical approach do you prefer?








Q15: What kind of ventilation do you usually prefer?

100% 90% 80% 70% 60% 50% 40% 30% 20% 10% 0% Hyperhidrosis/facial Cardiac affections. Vascular affections blushing One lung v... One lung v... Single-lum... Awake surg... AWAKE 🖕 TOTAL 🔻 • ONE LUNG ONE LUNG SINGLE-LUMEN WEIGHTED VENTILATION VENTILATION ENDOTRACHEAL SURGERY AVERAGE (DOUBLE-LUMEN (DOUBLE-LUMEN INTUBATION -ENDO-ENDO-• • WITH TRACHEBRONCHIAL TRACHEBRONCHIAL INTRAPLEURAL TUBE) WITH TUBE) WITHOUT C02 **INTRAPLEURAL CO2 INTRAPLEURAL CO2** Hyperhidrosis/facial 27.64% 44.72% 22.76% 4.88% OCTETIN OF THORAS blushing 34 55 28 6 123 2.05 Cardiac affections. 29.27% 48.78% 17.07% 4.88% • 36 60 21 6 123 1.98 Vascular affections 28.46% 46.34% 20.33% 4.88% 25 123 35 57 6 2.02



Q16: What kind of technique do you practice to obtain nerve block?



17.89%

16.26%

22

20

22.76%

20.33%

28

25

6.50%

8.13%

8

10

49.59%

52.03%

61

64

Powered by SurveyMonkey

blushing

Cardiac affections

Vascular affections

12.20%

13.82%

15

17

Answered: 123 Skipped: 0




123

123

Q17: Concerning chest tube (if air leaks are null) and hospital stay:

Answered: 123 Skipped: 0

Powered by SurveyMonkey




ANSWER CHOICES	•	RESPON	ISES 🔻
 I do not use chest tube 		37.40%	46
 I remove the chest tube right at the end of surgery 		36.59%	45
 I remove the chest tube in the ward the same day of surgery and then discharge the patient 		4.07%	5
I remove the chest tube in the ward the same day of surgery and discharge the patient during first postoperative da	ιy	7.32%	9
 I remove the chest tube during first postoperative day and discharge the patient 		12.20%	15
✓ Other (please specify) Respons	ses	2.44%	3
TOTAL			123



Q18: At what level do you mostly perform nerve block for hyperhidrosis/blushing?

Answered: 121 Skipped: 2




•	T2 -	Т3 🔻	T4 •	T5 •	т6 🔻	BELOW T6 (SPECIFY IN THE TOTHER" BOX)	TOTAL RESPONDENTS
 Palmar hyperhidrosis	19.23%	76.92%	63.46%	7.69%	0.00%	0.00%	52
(clipping)	10	40	33	4	0	0	
 Palmar hyperhidrosis	22.12%	85.58%	66.35%	7.69%	0.00%	0.96%	104
(nerve resection)	23	89	69	8	0	1	
 Axillary hyperhidrosis	11.36%	72.73%	77.27%	27.27%	0.00%	0.00%	44
(clipping)	5	32	34	12	0	0	
 Axillary hyperhidrosis	24.73%	65.59%	77.42%	32.26%	0.00%	1.08%	93
(nerve resection)	23	61	72	30	0	1	
 Facial blushing (clipping) 	77.78% 35	53.33% 24	15.56% 7	6.67% 3	0.00% 0	2.22% 1	45
 Facial blushing (nerve resection) 	81.43% 57	58.57% 41	12.86% 9	2.86% 2	0.00% 0	1.43% 1	70
 Craniofacial hyperhidrosis	64.29%	59.52%	19.05%	7.14%	0.00%	2.38%	42
(clipping)	27	25	8	3	0	1	
 Craniofacial hyperhidrosis	65.52%	58.62%	18.97%	5.17%	0.00%	1.72%	58
(nerve resection)	38	34	11	3	0	1	



Q19: At what level do you mostly perform nerve block for vascular affections?

Answered: 57 Skipped: 66





Q19: At what level do you mostly perform nerve block for vascular affections?

Answered: 57 Skipped: 66



	T2	Т3	Т4	Τ5	Т6	Τ7	Т8	Т9	T10	BELOW T10 (SPECIFY IN F THE "OTHER" BOX)	FOTAL RESPONDENTS
	28.57%		66.67%	28.57%	4.76%	4.76%	4.76%	0.00%	0.00%	0.00%	
	6	20	14	6	1	1	1	0	0	0	21
	40.63%	93.75%	62.50%	21.88%	3.13%	0.00%	0.00%	0.00%	0.00%	0.00%	
	13	30	20	7	1	0	0	0	0	0	32
	25.00%	90.63%	65.63%	21.88%	3.13%	3.13%	3.13%	0.00%	0.00%	0.00%	
	8	29	21	7	1	1	1	0	0	0	32
	28.57%	90.48%	69.05%	23.81%	2.38%	0.00%	0.00%	0.00%	0.00%	0.00%	
	12	38	29	10		0	0	0	0	0	42
	23.81%	90.48%	61.90%	28.57%	4.76%	4.76%	4.76%	0.00%	0.00%	0.00%	
	5	19	13	6	1	1	1	0	0	0	21
	34.48%	93.10%	72.41%	27.59%	3.45%	0.00%	0.00%	0.00%	0.00%	0.00%	
	10	27	21	8	1	0	0	0	0	0	29
	17.65%	88.24%	70.59%	35.29%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
	3	15	12	6	0	0	0	0	0	0	17
tion)	31.58%	84.21%	73.68%	21.05%	0.00%	0.00%	0.00%	0.00%	0.00%	0.00%	
	6	16	14	4	0	0	0	0	0	0	19
	26.67%	66.67%	60.00%	26.67%	20.00%	6.67%	6.67%	0.00%	0.00%	0.00%	
	4	10	9	4	3	1	1	0	0	0	15
	42.11%	73.68%	63.16%	21.05%	5.26%	0.00%	0.00%	0.00%	0.00%	0.00%	
	8	14	12	4	1	0	0	0	0	0	19

-Buerger's disease (clipping)

-Buerger's disease (nerve resection)

-Raynaud syndrome (clipping)

-Raynaud syndrome (nerve resection)

-Vasculitis (clipping)

-Vasculitis (nerve resection)

-Inoperable peripheral vascular disease (clipping)


-Inoperable peripheral vascular disease (nerve resection

-Ulcers chronic pain (clipping)

-Ulcers chronic pain (nerve resection)
Powered by SurveyMonkey*

Q20: At what level do you mostly perform nerve block for cardiac affections?

Answered: 44 Skipped: 79





Q20: At what level do you mostly perform nerve block for cardiac affections?

Answered: 44 Skipped: 79




	T2	Τ3	Τ4	T5	T6	Τ7	Τ8	T9			TOTAL RESPONDENTS–
	38.46%	92.31%	53.85%	30.77%	7.69%	7.69%	7.69%	0.00%	0.00%	0.00%	
	5	12	7	4	1	1	1	0	0	0	13
	44.44%	77.78%	55.56%	33.33%	5.56%	5.56%	5.56%	0.00%	0.00%	0.00%	
	8	14	10	6	1	1	1	0	0	0	18
	44.44%	83.33%	50.00%	27.78%	5.56%	5.56%	5.56%	0.00%	0.00%	0.00%	
	8	15	9	5	1	1	1	0	0	0	18
	55.17%	86.21%	68.97%	31.03%	6.90%	6.90%	3.45%	0.00%	0.00%	0.00%	
	16	25	20	9	2	2	1	0	0	0	29
	47.06%	88.24%		35.29%	11.76%	11.76%	11.76%	0.00%	0.00%	0.00%	
	8	15	11	6	2	2	2	0	0	0	17
	45.16%	74.19%	70.97%	38.71%	9.68%	9.68%	3.23%	0.00%	0.00%	0.00%	
	14	23	22	12	3	3	1	0	0	0	31
	44.44%	83.33%	55.56%	33.33%	5.56%	5.56%	5.56%	0.00%	0.00%	0.00%	
	8	15	10	6	1	1	1	0	0	0	18
)	53.33%	83.33%	70.00%	36.67%	6.67%	6.67%	3.33%	0.00%	0.00%	0.00%	
	16	25	21	11	2	2	1	0	0	0	30

-Heart failure (clipping)

- -Heart failure (nerve resection)
- -Long QT syndrome (clipping)
- -Long QT syndrome (nerve resection)
- -Cardiac arrhythmias (clipping)
- -Cardiac arrhythmias (nerve resection)
- -Ventricular resistant tachycardia (clipping)
- -Ventricular resistant tachycardia (nerve resection)

Q21: Do you think robotic surgery will substitute minimally invasive surgery treating autonomous nervous system conditions?




ANSWER CHOICES	•	RESPONSES	•
✓ Yes		4.96%	6
✓ No		57.85%	70
✓ Maybe		35.54%	43
✓ Other (please specify)	Responses	1.65%	2
TOTAL			121





Q22: Have you ever experienced one or more of the listed complications after autonomic nervous system surgery?

Answered: 123 Skipped: 0




YES NO Don't know

	• YES •	NO 🔻	DON'T KNOW	TOTAL 🔻	WEIGHTED AVERAGE
✓ persisting air leak	23.58% 29	74.80% 92	1.63% 2	123	1.78
 Pneumothorax 	71.54%	26.83%	1.63%	125	1.70
	88	33	2	123	1.30
 Chylothorax 	4.88%	92.68%	2.44%		
	6	114	3	123	1.98
✓ Hemothorax	24.39%	73.98%	1.63%		
	30	91	2	123	1.77
 Claude Bernard Hörner's Syndrome 	31.71%	65.04%	3.25%		
	39	80	4	123	1.72
 Harlequin syndrome 	13.82%	79.67%	6.50%		
	17	98	8	123	1.93
✓ Empyema	0.81%	96.75%	2.44%		
	1	119	3	123	2.02





Q23: Compensatory sweating onset among your cases is:




ANSWER CHOICES	•	RESPONSES	•
✓ Severe in less than 10% of cases		66.67%	82
 Severe among 10- 20% of cases 		13.82%	17
✓ Severe among 20-30% of cases		3.25%	4
 Severe in more than 30% of cases 		3.25%	4
 I do not have this data 		8.94%	11
 Other (please specify) 	Responses	4.07%	5
TOTAL			123





Q24: In case of severe compensatory sweating onset which is MOSTLY your strategy?




ANSWER CHOICES	RESPONSES	-
 Medical therapy (e.g. oxibutinin) 	56.41%	66
 Nerve declipping 	8.55%	10
 Surgical sympathetic chain reconstruction 	2.56%	3
 Diffuse symphatectomy 	1.71%	2
 I refer the patient to other specialists (e.g. dermatologist) 	22.22%	26
✓ Other (please specify) Responses	8.55%	10
TOTAL		117





Q25: Do you have your own database for autonomic nervous system surgery?




ANSWER CHOICES	RESPONSES	•
✓ Yes	52.46%	64
✓ No	47.54%	58
TOTAL		122





Q26: Do you have, in your database, a satisfaction rating from your patients?



ANSWER CHOICES	RESPONSES	•
✓ Yes	50.00%	56
✓ No	50.00%	56
TOTAL		112






Q27: If Yes what is the rate of satisfaction among your patients?

Answered: 123 Skipped: 0

Powered by Astronomy



•	> 90% OF SATISFACTION	> 80% 🔻	> 70%	> 60%	> 50% 🔻	< 50% ▼	I DO NOT HAVE THIS DATA	TOTAL 🔻	WEIGHTED AVERAGE
 Hyperhidrosis/facial blushing 	54.47% 67	16.26% 20	2.44% 3	0.00% 0	0.00% 0	0.00% 0	26.83% 33	123	2.82
	12.20% 15	6.50% 8	4.07% 5	1.63% 2	0.81% 1	0.00% 0	74.80% 92	123	5.72
▼ Vascular affections	11.38% 14	8.13% 10	4.07% 5	1.63% 2	0.81% 1	0.81% 1	73.17% 90	123	5.67



Q28: Do you think that a common database among surgeons practicing autonomic nervous system surgery could be useful to improve knowledges and outcomes?

Answered: 123 Skipped: 0



ANSWER CHOICES	•	RESPONSES	•
▼ Yes		94.31%	116
▼ No		3.25%	4
✓ Other (please specify)	Responses	2.44%	3
TOTAL			123



Powered by A SurveyMonkey

Q30

Thank you for your responses! If you wish to be involved in further studies on ' this topic please fill the fields below:

Answered: 91 Skipped: 32

ANSWER CHOICES	•	RESPONSES	•
Name	Responses	100.00%	91
Company	Responses	85.71%	78
Address	Responses	0.00%	0
Address 2	Responses	0.00%	0
City/Town	Responses	96.70%	88
State/Province	Responses	54.95%	50
ZIP/Postal Code	Responses	0.00%	0
Country	Responses	98.90%	90
Email Address	Responses	100.00%	91
Phone Number	Responses	0.00%	0

122



IUIAL

Thank you for your responses! If you wish to be involved in further studies on this topic please fill the fields below:

Answered: 91 Skipped: 32

ANSWER CHOICES	•	RESPONSES	•
Name	Responses	100.00%	91
Company	Responses	85.71%	78
Address	Responses	0.00%	0
Address 2	Responses	0.00%	0
City/Town	Responses	96.70%	88
State/Province	Responses	54.95%	50
ZIP/Postal Code	Responses	0.00%	0
Country	Responses	98.90%	90
Email Address	Responses	100.00%	91
Phone Number	Responses	0.00%	EAN SOC.

OF