

```

CROSSTABS
  /TABLES=HeartFailureClippingT2 BY LQTS ClippingT2 CA ClippingT2 VRA ClippingT2
  /FORMAT= AVALUE TABLES
  /STATISTIC=CHISQ
  /CELLS= COUNT ROW
  /COUNT ROUND CELL .

```

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Heart Failure Clipping T2 * LQTS Clipping T2	123	99.2%	1	0.8%	124	100.0%
Heart Failure Clipping T2 * CA Clipping T2	123	99.2%	1	0.8%	124	100.0%
Heart Failure Clipping T2 * VRA Clipping T2	123	99.2%	1	0.8%	124	100.0%

Heart Failure Clipping T2 * LQTS Clipping T2

Crosstab

			LQTS Clipping T2		Total
			0	1	
Heart Failure Clipping T2	0	Count	115	3	118
		% within Heart Failure Clipping T2	97.5%	2.5%	100.0%
	1	Count	0	5	5
		% within Heart Failure Clipping T2	0.0%	100.0%	100.0%
Total		Count	115	8	123
		% within Heart Failure Clipping T2	93.5%	6.5%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	74.921 ^b	1	0.000		
Continuity Correction ^a	59.751	1	0.000		
Likelihood Ratio	31.236	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	74.311	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 0.33.

Heart Failure Clipping T2 * CA Clipping T2

Crosstab

			CA Clipping T2		Total
			0	1	
Heart Failure Clipping T2	0	Count	115	3	118
		% within Heart Failure Clipping T2	97.5%	2.5%	100.0%
	1	Count	0	5	5
		% within Heart Failure Clipping T2	0.0%	100.0%	100.0%
Total		Count	115	8	123
		% within Heart Failure Clipping T2	93.5%	6.5%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	74.921 ^b	1	0.000		
Continuity Correction ^a	59.751	1	0.000		
Likelihood Ratio	31.236	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	74.311	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 0.33.

Heart Failure Clipping T2 * VRA Clipping T2

Crosstab

			VRA Clipping T2		Total
			0	1	
Heart Failure Clipping T2	0	Count	106	12	118
		% within Heart Failure Clipping T2	89.8%	10.2%	100.0%
	1	Count	1	4	5
		% within Heart Failure Clipping T2	20.0%	80.0%	100.0%
Total		Count	107	16	123
		% within Heart Failure Clipping T2	87.0%	13.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	20.670 ^b	1	0.000		
Continuity Correction ^a	14.960	1	0.000		
Likelihood Ratio	12.490	1	0.000		
Fisher's Exact Test				0.001	0.001
Linear-by-Linear Association	20.502	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 0.65.

CROSSTABS

/TABLES=LQTS Clipping T2 BY CA Clipping T2 VRA Clipping T2

/FORMAT= AVALUE TABLES

/STATISTIC=CHISQ

/CELLS= COUNT ROW

/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
LQTS Clipping T2 *	123	99.2%	1	0.8%	124	100.0%
CA Clipping T2						
LQTS Clipping T2 *	123	99.2%	1	0.8%	124	100.0%
VRA Clipping T2						

LQTS Clipping T2 * CA Clipping T2

Crosstab

			CA Clipping T2		Total
			0	1	
LQTS Clipping T2	0	Count	113	2	115
		% within LQTS Clipping T2	98.3%	1.7%	100.0%
	1	Count	2	6	8
		% within LQTS Clipping T2	25.0%	75.0%	100.0%
Total		Count	115	8	123
		% within LQTS Clipping T2	93.5%	6.5%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	66.016 ^b	1	0.000		
Continuity Correction ^a	54.518	1	0.000		
Likelihood Ratio	30.022	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	65.479	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 0.52.

LQTS Clipping T2 * VRA Clipping T2

Crosstab

			VRA Clipping T2		Total
			0	1	
LQTS Clipping T2	0	Count	104	11	115
		% within LQTS Clipping T2	90.4%	9.6%	100.0%
	1	Count	3	5	8
		% within LQTS Clipping T2	37.5%	62.5%	100.0%
Total		Count	107	16	123
		% within LQTS Clipping T2	87.0%	13.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	18.521 ^b	1	0.000		
Continuity Correction ^a	14.139	1	0.000		
Likelihood Ratio	11.957	1	0.001		
Fisher's Exact Test				0.001	0.001
Linear-by-Linear Association	18.371	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1.04.

CROSSTABS

/TABLES=CAClippingT2 BY VRAClippingT2

/FORMAT= AVALUE TABLES

/STATISTIC=CHISQ

/CELLS= COUNT ROW

/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
CA Clipping T2 * VRA Clipping T2	123	99.2%	1	0.8%	124	100.0%

CA Clipping T2 * VRA Clipping T2 Crosstabulation

			VRA Clipping T2		Total
			0	1	
CA Clipping T2	0	Count	104	11	115
		% within CA Clipping T2	90.4%	9.6%	100.0%
	1	Count	3	5	8
		% within CA Clipping T2	37.5%	62.5%	100.0%
Total		Count	107	16	123
		% within CA Clipping T2	87.0%	13.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	18.521 ^b	1	0.000		
Continuity Correction ^a	14.139	1	0.000		
Likelihood Ratio	11.957	1	0.001		
Fisher's Exact Test				0.001	0.001
Linear-by-Linear Association	18.371	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1.04.

CROSSTABS

```

/TABLES=HeartFailureClippingT3 BY LQTS ClippingT3 CAClippingT3 VRAClippingT3
/FORMAT= AVALUE TABLES
/STATISTIC=CHISQ
/CELLS= COUNT ROW
/COUNT ROUND CELL .

```

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Heart Failure Clipping T3 * LQTS Clipping T3	123	99.2%	1	0.8%	124	100.0%
Heart Failure Clipping T3 * CA Clipping T3	123	99.2%	1	0.8%	124	100.0%
Heart Failure Clipping T3 * VRA Clipping T3	123	99.2%	1	0.8%	124	100.0%

Heart Failure Clipping T3 * LQTS Clipping T3

Crosstab

			LQTS Clipping T3		Total
			0	2	
Heart Failure Clipping T3	0	Count	108	3	111
		% within Heart Failure Clipping T3	97.3%	2.7%	100.0%
	2	Count	0	12	12
		% within Heart Failure Clipping T3	0.0%	100.0%	100.0%
Total		Count	108	15	123
		% within Heart Failure Clipping T3	87.8%	12.2%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	95.741 ^b	1	0.000		
Continuity Correction ^a	86.870	1	0.000		
Likelihood Ratio	63.632	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	94.962	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1.46.

Heart Failure Clipping T3 * CA Clipping T3

Crosstab

			CA Clipping T3		Total
			0	2	
Heart Failure Clipping T3	0	Count	108	3	111
		% within Heart Failure Clipping T3	97.3%	2.7%	100.0%
	2	Count	0	12	12
		% within Heart Failure Clipping T3	0.0%	100.0%	100.0%
Total		Count	108	15	123
		% within Heart Failure Clipping T3	87.8%	12.2%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	95.741 ^b	1	0.000		
Continuity Correction ^a	86.870	1	0.000		
Likelihood Ratio	63.632	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	94.962	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1.46.

Heart Failure Clipping T3 * VRA Clipping T3

Crosstab

		VRA Clipping T3		Total
		0	2	
Heart Failure Clipping T3	0	Count 96	Count 15	Count 111
		% within Heart Failure Clipping T3 86.5%	% within Heart Failure Clipping T3 13.5%	% within Heart Failure Clipping T3 100.0%
	2	Count 2	Count 10	Count 12
		% within Heart Failure Clipping T3 16.7%	% within Heart Failure Clipping T3 83.3%	% within Heart Failure Clipping T3 100.0%
Total	Count 98	Count 25	Count 123	
	% within Heart Failure Clipping T3 79.7%	% within Heart Failure Clipping T3 20.3%	% within Heart Failure Clipping T3 100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	32.599 ^b	1	0.000		
Continuity Correction ^a	28.430	1	0.000		
Likelihood Ratio	25.467	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	32.334	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 2.44.

CROSSTABS

/TABLES=LQTSclippingT3 BY CAClippingT3 VRAClippingT3

/FORMAT= AVALUE TABLES

/STATISTIC=CHISQ

/CELLS= COUNT ROW

/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
LQTS Clipping T3 * CA Clipping T3	123	99.2%	1	0.8%	124	100.0%
LQTS Clipping T3 * VRA Clipping T3	123	99.2%	1	0.8%	124	100.0%

LQTS Clipping T3 * CA Clipping T3

Crosstab

			CA Clipping T3		Total
			0	2	
LQTS Clipping T3	0	Count	106	2	108
		% within LQTS Clipping T3	98.1%	1.9%	100.0%
	2	Count	2	13	15
		% within LQTS Clipping T3	13.3%	86.7%	100.0%
Total		Count	108	15	123
		% within LQTS Clipping T3	87.8%	12.2%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	88.481 ^b	1	0.000		
Continuity Correction ^a	80.737	1	0.000		
Likelihood Ratio	59.517	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	87.761	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1.83.

LQTS Clipping T3 * VRA Clipping T3

Crosstab

			VRA Clipping T3		Total
			0	2	
LQTS Clipping T3	0	Count	95	13	108
		% within LQTS Clipping T3	88.0%	12.0%	100.0%
	2	Count	3	12	15
		% within LQTS Clipping T3	20.0%	80.0%	100.0%
Total		Count	98	25	123
		% within LQTS Clipping T3	79.7%	20.3%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	37.566 ^b	1	0.000		
Continuity Correction ^a	33.487	1	0.000		
Likelihood Ratio	29.773	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	37.261	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 3.05.

CROSSTABS

/TABLES=CAClippingT3 BY VRAClippingT3

/FORMAT= AVALUE TABLES

/STATISTIC=CHISQ

/CELLS= COUNT ROW

/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
CA Clipping T3 * VRA Clipping T3	123	99.2%	1	0.8%	124	100.0%

CA Clipping T3 * VRA Clipping T3 Crosstabulation

		VRA Clipping T3		Total	
		0	2		
CA Clipping T3	0	Count	95	13	108
		% within CA Clipping T3	88.0%	12.0%	100.0%
	2	Count	3	12	15
		% within CA Clipping T3	20.0%	80.0%	100.0%
Total		Count	98	25	123
		% within CA Clipping T3	79.7%	20.3%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	37.566 ^b	1	0.000		
Continuity Correction ^a	33.487	1	0.000		
Likelihood Ratio	29.773	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	37.261	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 3.05.

```

CROSSTABS
  /TABLES=HeartFailureClippingT3 BY LQTS ClippingT3 CAClippingT3 VRAClippingT3
  /FORMAT= AVALUE TABLES
  /STATISTIC=CHISQ
  /CELLS= COUNT ROW
  /COUNT ROUND CELL .

```

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Heart Failure Clipping T3 * LQTS Clipping T3	123	99.2%	1	0.8%	124	100.0%
Heart Failure Clipping T3 * CA Clipping T3	123	99.2%	1	0.8%	124	100.0%
Heart Failure Clipping T3 * VRA Clipping T3	123	99.2%	1	0.8%	124	100.0%

Heart Failure Clipping T3 * LQTS Clipping T3

Crosstab

			LQTS Clipping T3		Total
			0	2	
Heart Failure Clipping T3	0	Count	108	3	111
		% within Heart Failure Clipping T3	97.3%	2.7%	100.0%
	2	Count	0	12	12
		% within Heart Failure Clipping T3	0.0%	100.0%	100.0%
Total		Count	108	15	123
		% within Heart Failure Clipping T3	87.8%	12.2%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	95.741 ^b	1	0.000		
Continuity Correction ^a	86.870	1	0.000		
Likelihood Ratio	63.632	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	94.962	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1.46.

Heart Failure Clipping T3 * CA Clipping T3

Crosstab

			CA Clipping T3		Total
			0	2	
Heart Failure Clipping T3	0	Count	108	3	111
		% within Heart Failure Clipping T3	97.3%	2.7%	100.0%
	2	Count	0	12	12
		% within Heart Failure Clipping T3	0.0%	100.0%	100.0%
Total		Count	108	15	123
		% within Heart Failure Clipping T3	87.8%	12.2%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	95.741 ^b	1	0.000		
Continuity Correction ^a	86.870	1	0.000		
Likelihood Ratio	63.632	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	94.962	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1.46.

Heart Failure Clipping T3 * VRA Clipping T3

Crosstab

			VRA Clipping T3		Total
			0	2	
Heart Failure Clipping T3	0	Count	96	15	111
		% within Heart Failure Clipping T3	86.5%	13.5%	100.0%
	2	Count	2	10	12
		% within Heart Failure Clipping T3	16.7%	83.3%	100.0%
Total		Count	98	25	123
		% within Heart Failure Clipping T3	79.7%	20.3%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	32.599 ^b	1	0.000		
Continuity Correction ^a	28.430	1	0.000		
Likelihood Ratio	25.467	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	32.334	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 2.44.

CROSSTABS

/TABLES=LQTS Clipping T3 BY CA Clipping T3 VRA Clipping T3

/FORMAT= AVALUE TABLES

/STATISTIC=CHISQ

/CELLS= COUNT ROW

/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
LQTS Clipping T3 *	123	99.2%	1	0.8%	124	100.0%
CA Clipping T3						
LQTS Clipping T3 *	123	99.2%	1	0.8%	124	100.0%
VRA Clipping T3						

LQTS Clipping T3 * CA Clipping T3

Crosstab

			CA Clipping T3		Total
			0	2	
LQTS Clipping T3	0	Count	106	2	108
		% within LQTS Clipping T3	98.1%	1.9%	100.0%
	2	Count	2	13	15
		% within LQTS Clipping T3	13.3%	86.7%	100.0%
Total		Count	108	15	123
		% within LQTS Clipping T3	87.8%	12.2%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	88.481 ^b	1	0.000		
Continuity Correction ^a	80.737	1	0.000		
Likelihood Ratio	59.517	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	87.761	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1.83.

LQTS Clipping T3 * VRA Clipping T3

Crosstab

			VRA Clipping T3		Total
			0	2	
LQTS Clipping T3	0	Count	95	13	108
		% within LQTS Clipping T3	88.0%	12.0%	100.0%
	2	Count	3	12	15
		% within LQTS Clipping T3	20.0%	80.0%	100.0%
Total		Count	98	25	123
		% within LQTS Clipping T3	79.7%	20.3%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	37.566 ^b	1	0.000		
Continuity Correction ^a	33.487	1	0.000		
Likelihood Ratio	29.773	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	37.261	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 3.05.

CROSSTABS

/TABLES=CAClippingT3 BY VRAClippingT3

/FORMAT= AVALUE TABLES

/STATISTIC=CHISQ

/CELLS= COUNT ROW

/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
CA Clipping T3 * VRA Clipping T3	123	99.2%	1	0.8%	124	100.0%

CA Clipping T3 * VRA Clipping T3 Crosstabulation

			VRA Clipping T3		Total
			0	2	
CA Clipping T3	0	Count	95	13	108
		% within CA Clipping T3	88.0%	12.0%	100.0%
	2	Count	3	12	15
		% within CA Clipping T3	20.0%	80.0%	100.0%
Total		Count	98	25	123
		% within CA Clipping T3	79.7%	20.3%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	37.566 ^b	1	0.000		
Continuity Correction ^a	33.487	1	0.000		
Likelihood Ratio	29.773	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	37.261	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 3.05.

CROSSTABS

```

/TABLES=HeartFailureClippingT4 BY LQTS ClippingT4 CAClippingT4 VRAClippingT4
/FORMAT= AVALUE TABLES
/STATISTIC=CHISQ
/CELLS= COUNT ROW
/COUNT ROUND CELL .

```

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Heart Failure Clipping T4 * LQTS Clipping T4	123	99.2%	1	0.8%	124	100.0%
Heart Failure Clipping T4 * CA Clipping T4	123	99.2%	1	0.8%	124	100.0%
Heart Failure Clipping T4 * VRA Clipping T4	123	99.2%	1	0.8%	124	100.0%

Heart Failure Clipping T4 * LQTS Clipping T4

Crosstab

			LQTS Clipping T4		Total
			0	3	
Heart Failure Clipping T4	0	Count	114	2	116
		% within Heart Failure Clipping T4	98.3%	1.7%	100.0%
	3	Count	0	7	7
		% within Heart Failure Clipping T4	0.0%	100.0%	100.0%
Total		Count	114	9	123
		% within Heart Failure Clipping T4	92.7%	7.3%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	94.017 ^b	1	0.000	0.000	0.000
Continuity Correction ^a	80.084	1	0.000		
Likelihood Ratio	44.187	1	0.000		
Fisher's Exact Test					
Linear-by-Linear Association	93.253	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 0.51.

Heart Failure Clipping T4 * CA Clipping T4

Crosstab

			CA Clipping T4		Total
			0	3	
Heart Failure Clipping T4	0	Count	112	4	116
		% within Heart Failure Clipping T4	96.6%	3.4%	100.0%
	3	Count	1	6	7
		% within Heart Failure Clipping T4	14.3%	85.7%	100.0%
Total		Count	113	10	123
		% within Heart Failure Clipping T4	91.9%	8.1%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	59.817 ^b	1	0.000		
Continuity Correction ^a	49.310	1	0.000		
Likelihood Ratio	28.816	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	59.331	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 0.57.

Heart Failure Clipping T4 * VRA Clipping T4

Crosstab

		VRA Clipping T4		Total	
		0	3		
Heart Failure Clipping T4	0	Count	101	15	116
		% within Heart Failure Clipping T4	87.1%	12.9%	100.0%
	3	Count	1	6	7
		% within Heart Failure Clipping T4	14.3%	85.7%	100.0%
Total		Count	102	21	123
		% within Heart Failure Clipping T4	82.9%	17.1%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	24.700 ^b	1	0.000		
Continuity Correction ^a	19.827	1	0.000		
Likelihood Ratio	17.354	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	24.500	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1.20.

CROSSTABS

/TABLES=LQTSclippingT4 BY CAClippingT4 VRAClippingT4

/FORMAT= AVALUE TABLES

/STATISTIC=CHISQ

/CELLS= COUNT ROW

/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
LQTS Clipping T4 * CA Clipping T4	123	99.2%	1	0.8%	124	100.0%
LQTS Clipping T4 * VRA Clipping T4	123	99.2%	1	0.8%	124	100.0%

LQTS Clipping T4 * CA Clipping T4

Crosstab

			CA Clipping T4		Total
			0	3	
LQTS Clipping T4	0	Count	111	3	114
		% within LQTS Clipping T4	97.4%	2.6%	100.0%
	3	Count	2	7	9
		% within LQTS Clipping T4	22.2%	77.8%	100.0%
Total		Count	113	10	123
		% within LQTS Clipping T4	91.9%	8.1%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	63.065 ^b	1	0.000		
Continuity Correction ^a	53.405	1	0.000		
Likelihood Ratio	32.075	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	62.552	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 0.73.

LQTS Clipping T4 * VRA Clipping T4

Crosstab

			VRA Clipping T4		Total
			0	3	
LQTS Clipping T4	0	Count	100	14	114
		% within LQTS Clipping T4	87.7%	12.3%	100.0%
	3	Count	2	7	9
		% within LQTS Clipping T4	22.2%	77.8%	100.0%
Total		Count	102	21	123
		% within LQTS Clipping T4	82.9%	17.1%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	25.274 ^b	1	0.000		
Continuity Correction ^a	20.860	1	0.000		
Likelihood Ratio	17.973	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	25.069	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1.54.

CROSSTABS

/TABLES=CAClippingT4 BY VRAClippingT4

/FORMAT= AVALUE TABLES

/STATISTIC=CHISQ

/CELLS= COUNT ROW

/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
CA Clipping T4 * VRA Clipping T4	123	99.2%	1	0.8%	124	100.0%

CA Clipping T4 * VRA Clipping T4 Crosstabulation

				VRA Clipping T4		Total
				0	3	
CA Clipping T4	0	Count	100	13	113	
		% within CA Clipping T4	88.5%	11.5%	100.0%	
	3	Count	2	8	10	
		% within CA Clipping T4	20.0%	80.0%	100.0%	
Total		Count	102	21	123	
		% within CA Clipping T4	82.9%	17.1%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	30.443 ^b	1	0.000		
Continuity Correction ^a	25.797	1	0.000		
Likelihood Ratio	21.758	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	30.196	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1.71.

```

CROSSTABS
  /TABLES=HeartFailureClippingT5 BY LQTS ClippingT5 CA ClippingT5 VRA ClippingT5
  /FORMAT= AVALUE TABLES
  /STATISTIC=CHISQ
  /CELLS= COUNT ROW
  /COUNT ROUND CELL .

```

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Heart Failure Clipping T5 * LQTS Clipping T5	123	99.2%	1	0.8%	124	100.0%
Heart Failure Clipping T5 * CA Clipping T5	123	99.2%	1	0.8%	124	100.0%
Heart Failure Clipping T5 * VRA Clipping T5	123	99.2%	1	0.8%	124	100.0%

Heart Failure Clipping T5 * LQTS Clipping T5

Crosstab

			LQTS Clipping T5		Total
			0	4	
Heart Failure Clipping T5	0	Count	118	1	119
		% within Heart Failure Clipping T5	99.2%	0.8%	100.0%
	4	Count	0	4	4
		% within Heart Failure Clipping T5	0.0%	100.0%	100.0%
Total		Count	118	5	123
		% within Heart Failure Clipping T5	95.9%	4.1%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	97.573 ^b	1	0.000		
Continuity Correction ^a	73.803	1	0.000		
Likelihood Ratio	30.272	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	96.780	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.16.

Heart Failure Clipping T5 * CA Clipping T5

Crosstab

			CA Clipping T5		Total
			0	4	
Heart Failure Clipping T5	0	Count	117	2	119
		% within Heart Failure Clipping T5	98.3%	1.7%	100.0%
	4	Count	0	4	4
		% within Heart Failure Clipping T5	0.0%	100.0%	100.0%
Total		Count	117	6	123
		% within Heart Failure Clipping T5	95.1%	4.9%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	80.622 ^b	1	0.000		
Continuity Correction ^a	60.825	1	0.000		
Likelihood Ratio	27.637	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	79.966	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 0.20.

Heart Failure Clipping T5 * VRA Clipping T5

Crosstab

			VRA Clipping T5		Total
			0	4	
Heart Failure Clipping T5	0	Count	111	8	119
		% within Heart Failure Clipping T5	93.3%	6.7%	100.0%
	4	Count	1	3	4
		% within Heart Failure Clipping T5	25.0%	75.0%	100.0%
Total		Count	112	11	123
		% within Heart Failure Clipping T5	91.1%	8.9%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	22.154 ^b	1	0.000		
Continuity Correction ^a	14.563	1	0.000		
Likelihood Ratio	10.957	1	0.001		
Fisher's Exact Test				0.002	0.002
Linear-by-Linear Association	21.974	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 0.36.

CROSSTABS

/TABLES=LQTS Clipping T5 BY CA Clipping T5 VRA Clipping T5

/FORMAT= AVALUE TABLES

/STATISTIC=CHISQ

/CELLS= COUNT ROW

/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
LQTS Clipping T5 *	123	99.2%	1	0.8%	124	100.0%
CA Clipping T5						
LQTS Clipping T5 *	123	99.2%	1	0.8%	124	100.0%
VRA Clipping T5						

LQTS Clipping T5 * CA Clipping T5

Crosstab

			CA Clipping T5		Total
			0	4	
LQTS Clipping T5	0	Count	117	1	118
		% within LQTS Clipping T5	99.2%	0.8%	100.0%
	4	Count	0	5	5
		% within LQTS Clipping T5	0.0%	100.0%	100.0%
Total		Count	117	6	123
		% within LQTS Clipping T5	95.1%	4.9%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	101.631 ^b	1	0.000		
Continuity Correction ^a	81.386	1	0.000		
Likelihood Ratio	36.415	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	100.805	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 0.24.

LQTS Clipping T5 * VRA Clipping T5

Crosstab

			VRA Clipping T5		Total
			0	4	
LQTS Clipping T5	0	Count	111	7	118
		% within LQTS Clipping T5	94.1%	5.9%	100.0%
	4	Count	1	4	5
		% within LQTS Clipping T5	20.0%	80.0%	100.0%
Total		Count	112	11	123
		% within LQTS Clipping T5	91.1%	8.9%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	32.315 ^b	1	0.000		
Continuity Correction ^a	23.860	1	0.000		
Likelihood Ratio	15.973	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	32.052	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 0.45.

CROSSTABS

/TABLES=CAClippingT5 BY VRAClippingT5

/FORMAT= AVALUE TABLES

/STATISTIC=CHISQ

/CELLS= COUNT ROW

/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
CA Clipping T5 * VRA Clipping T5	123	99.2%	1	0.8%	124	100.0%

CA Clipping T5 * VRA Clipping T5 Crosstabulation

			VRA Clipping T5		Total
			0	4	
CA Clipping T5	0	Count	110	7	117
		% within CA Clipping T5	94.0%	6.0%	100.0%
	4	Count	2	4	6
		% within CA Clipping T5	33.3%	66.7%	100.0%
Total		Count	112	11	123
		% within CA Clipping T5	91.1%	8.9%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	25.809 ^b	1	0.000		
Continuity Correction ^a	18.895	1	0.000		
Likelihood Ratio	13.461	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	25.599	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 0.54.

CROSSTABS

```

/TABLES=HeartFailureClippingT6 BY LQTS ClippingT6 CAClippingT6 VRAClippingT6
/FORMAT=AVALUE TABLES
/STATISTIC=CHISQ
/CELLS= COUNT ROW
/COUNT ROUND CELL .

```

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Heart Failure Clipping T6 * LQTS Clipping T6	123	99.2%	1	0.8%	124	100.0%
Heart Failure Clipping T6 * CA Clipping T6	123	99.2%	1	0.8%	124	100.0%
Heart Failure Clipping T6 * VRA Clipping T6	123	99.2%	1	0.8%	124	100.0%

Heart Failure Clipping T6 * LQTS Clipping T6

Crosstab

			LQTS Clipping T6		Total
			0	5	
Heart Failure Clipping T6	0	Count	122	0	122
		% within Heart Failure Clipping T6	100.0%	0.0%	100.0%
	5	Count	0	1	1
		% within Heart Failure Clipping T6	0.0%	100.0%	100.0%
Total		Count	122	1	123
		% within Heart Failure Clipping T6	99.2%	0.8%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	123.000 ^b	1	0.000	0.008	0.008
Continuity Correction ^a	30.248	1	0.000		
Likelihood Ratio	11.616	1	0.001		
Fisher's Exact Test					
Linear-by-Linear Association	122.000	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.01.

Heart Failure Clipping T6 * CA Clipping T6

Crosstab

			CA Clipping T6		Total
			0	5	
Heart Failure Clipping T6	0	Count	121	1	122
		% within Heart Failure Clipping T6	99.2%	0.8%	100.0%
	5	Count	0	1	1
		% within Heart Failure Clipping T6	0.0%	100.0%	100.0%
Total		Count	121	2	123
		% within Heart Failure Clipping T6	98.4%	1.6%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	60.996 ^b	1	0.000	0.016	0.016
Continuity Correction ^a	14.749	1	0.000		
Likelihood Ratio	8.844	1	0.003		
Fisher's Exact Test					
Linear-by-Linear Association	60.500	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.02.

Heart Failure Clipping T6 * VRA Clipping T6

Crosstab

		VRA Clipping T6		Total
		0	5	
Heart Failure Clipping T6	0	Count 121	Count 1	Count 122
		% within Heart Failure Clipping T6 99.2%	% within Heart Failure Clipping T6 0.8%	% within Heart Failure Clipping T6 100.0%
	5	Count 0	Count 1	Count 1
		% within Heart Failure Clipping T6 0.0%	% within Heart Failure Clipping T6 100.0%	% within Heart Failure Clipping T6 100.0%
Total		Count 121	Count 2	Count 123
		% within Heart Failure Clipping T6 98.4%	% within Heart Failure Clipping T6 1.6%	% within Heart Failure Clipping T6 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	60.996 ^b	1	0.000	0.016	0.016
Continuity Correction ^a	14.749	1	0.000		
Likelihood Ratio	8.844	1	0.003		
Fisher's Exact Test					
Linear-by-Linear Association	60.500	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.02.

CROSSTABS

/TABLES=LQTSclippingT6 BY CAClippingT6 VRAClippingT6

/FORMAT= AVALUE TABLES

/STATISTIC=CHISQ

/CELLS= COUNT ROW

/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
LQTS Clipping T6 * CA Clipping T6	123	99.2%	1	0.8%	124	100.0%
LQTS Clipping T6 * VRA Clipping T6	123	99.2%	1	0.8%	124	100.0%

LQTS Clipping T6 * CA Clipping T6

Crosstab

			CA Clipping T6		Total
			0	5	
LQTS Clipping T6	0	Count	121	1	122
		% within LQTS Clipping T6	99.2%	0.8%	100.0%
	5	Count	0	1	1
		% within LQTS Clipping T6	0.0%	100.0%	100.0%
Total		Count	121	2	123
		% within LQTS Clipping T6	98.4%	1.6%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	60.996 ^b	1	0.000	0.016	0.016
Continuity Correction ^a	14.749	1	0.000		
Likelihood Ratio	8.844	1	0.003		
Fisher's Exact Test					
Linear-by-Linear Association	60.500	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.02.

LQTS Clipping T6 * VRA Clipping T6

Crosstab

			VRA Clipping T6		Total
			0	5	
LQTS Clipping T6	0	Count	121	1	122
		% within LQTS Clipping T6	99.2%	0.8%	100.0%
	5	Count	0	1	1
		% within LQTS Clipping T6	0.0%	100.0%	100.0%
Total		Count	121	2	123
		% within LQTS Clipping T6	98.4%	1.6%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	60.996 ^b	1	0.000		
Continuity Correction ^a	14.749	1	0.000		
Likelihood Ratio	8.844	1	0.003		
Fisher's Exact Test				0.016	0.016
Linear-by-Linear Association	60.500	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.02.

CROSSTABS

/TABLES=CAClippingT6 BY VRAClippingT6

/FORMAT= AVALUE TABLES

/STATISTIC=CHISQ

/CELLS= COUNT ROW

/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
CA Clipping T6 * VRA Clipping T6	123	99.2%	1	0.8%	124	100.0%

CA Clipping T6 * VRA Clipping T6 Crosstabulation

		VRA Clipping T6		Total	
		0	5		
CA Clipping T6	0	Count	120	1	121
		% within CA Clipping T6	99.2%	0.8%	100.0%
	5	Count	1	1	2
		% within CA Clipping T6	50.0%	50.0%	100.0%
Total		Count	121	2	123
		% within CA Clipping T6	98.4%	1.6%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	29.742 ^b	1	0.000		
Continuity Correction ^a	6.944	1	0.008		
Likelihood Ratio	6.088	1	0.014		
Fisher's Exact Test				0.032	0.032
Linear-by-Linear Association	29.500	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.03.

CROSSTABS

/TABLES=HeartFailureClippingT7 BY LQTS ClippingT7 CA ClippingT7 VRA ClippingT7
 /FORMAT= AVALUE TABLES
 /STATISTIC=CHISQ
 /CELLS= COUNT ROW
 /COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Heart Failure Clipping T7 * LQTS Clipping T7	123	99.2%	1	0.8%	124	100.0%
Heart Failure Clipping T7 * CA Clipping T7	123	99.2%	1	0.8%	124	100.0%
Heart Failure Clipping T7 * VRA Clipping T7	123	99.2%	1	0.8%	124	100.0%

Heart Failure Clipping T7 * LQTS Clipping T7

Crosstab

			LQTS Clipping T7		Total
			0	6	
Heart Failure Clipping T7	0	Count	122	0	122
		% within Heart Failure Clipping T7	100.0%	0.0%	100.0%
	6	Count	0	1	1
		% within Heart Failure Clipping T7	0.0%	100.0%	100.0%
Total		Count	122	1	123
		% within Heart Failure Clipping T7	99.2%	0.8%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	123.000 ^b	1	0.000		
Continuity Correction ^a	30.248	1	0.000		
Likelihood Ratio	11.616	1	0.001		
Fisher's Exact Test				0.008	0.008
Linear-by-Linear Association	122.000	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.01.

Heart Failure Clipping T7 * CA Clipping T7

Crosstab

			CA Clipping T7		Total
			0	6	
Heart Failure Clipping T7	0	Count	121	1	122
		% within Heart Failure Clipping T7	99.2%	0.8%	100.0%
	6	Count	0	1	1
		% within Heart Failure Clipping T7	0.0%	100.0%	100.0%
Total		Count	121	2	123
		% within Heart Failure Clipping T7	98.4%	1.6%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	60.996 ^b	1	0.000	0.016	0.016
Continuity Correction ^a	14.749	1	0.000		
Likelihood Ratio	8.844	1	0.003		
Fisher's Exact Test					
Linear-by-Linear Association	60.500	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.02.

Heart Failure Clipping T7 * VRA Clipping T7

Crosstab

			VRA Clipping T7		Total
			0	6	
Heart Failure Clipping T7	0	Count	121	1	122
		% within Heart Failure Clipping T7	99.2%	0.8%	100.0%
	6	Count	0	1	1
		% within Heart Failure Clipping T7	0.0%	100.0%	100.0%
Total		Count	121	2	123
		% within Heart Failure Clipping T7	98.4%	1.6%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	60.996 ^b	1	0.000		
Continuity Correction ^a	14.749	1	0.000		
Likelihood Ratio	8.844	1	0.003		
Fisher's Exact Test				0.016	0.016
Linear-by-Linear Association	60.500	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.02.

CROSSTABS

/TABLES=LQTS Clipping T7 BY CA Clipping T7 VRA Clipping T7

/FORMAT= AVALUE TABLES

/STATISTIC=CHISQ

/CELLS= COUNT ROW

/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
LQTS Clipping T7 *	123	99.2%	1	0.8%	124	100.0%
CA Clipping T7						
LQTS Clipping T7 *	123	99.2%	1	0.8%	124	100.0%
VRA Clipping T7						

LQTS Clipping T7 * CA Clipping T7

Crosstab

			CA Clipping T7		Total
			0	6	
LQTS Clipping T7	0	Count	121	1	122
		% within LQTS Clipping T7	99.2%	0.8%	100.0%
	6	Count	0	1	1
		% within LQTS Clipping T7	0.0%	100.0%	100.0%
Total		Count	121	2	123
		% within LQTS Clipping T7	98.4%	1.6%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	60.996 ^b	1	0.000	0.016	0.016
Continuity Correction ^a	14.749	1	0.000		
Likelihood Ratio	8.844	1	0.003		
Fisher's Exact Test					
Linear-by-Linear Association	60.500	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.02.

LQTS Clipping T7 * VRA Clipping T7

Crosstab

			VRA Clipping T7		Total
			0	6	
LQTS Clipping T7	0	Count	121	1	122
		% within LQTS Clipping T7	99.2%	0.8%	100.0%
	6	Count	0	1	1
		% within LQTS Clipping T7	0.0%	100.0%	100.0%
Total		Count	121	2	123
		% within LQTS Clipping T7	98.4%	1.6%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	60.996 ^b	1	0.000	0.016	0.016
Continuity Correction ^a	14.749	1	0.000		
Likelihood Ratio	8.844	1	0.003		
Fisher's Exact Test					
Linear-by-Linear Association	60.500	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.02.

CROSSTABS

/TABLES=CAClippingT7 BY VRAClippingT7

/FORMAT= AVALUE TABLES

/STATISTIC=CHISQ

/CELLS= COUNT ROW

/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
CA Clipping T7 * VRA Clipping T7	123	99.2%	1	0.8%	124	100.0%

CA Clipping T7 * VRA Clipping T7 Crosstabulation

			VRA Clipping T7		Total
			0	6	
CA Clipping T7	0	Count	120	1	121
		% within CA Clipping T7	99.2%	0.8%	100.0%
	6	Count	1	1	2
		% within CA Clipping T7	50.0%	50.0%	100.0%
Total		Count	121	2	123
		% within CA Clipping T7	98.4%	1.6%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	29.742 ^b	1	0.000		
Continuity Correction ^a	6.944	1	0.008		
Likelihood Ratio	6.088	1	0.014		
Fisher's Exact Test				0.032	0.032
Linear-by-Linear Association	29.500	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.03.

CROSSTABS

```

/TABLES=HeartFailureClippingT8 BY LQTS ClippingT8 CAClippingT8 VRAClippingT8
/FORMAT=AVALUE TABLES
/STATISTIC=CHISQ
/CELLS= COUNT ROW
/COUNT ROUND CELL .

```

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Heart Failure Clipping T8 * LQTS Clipping T8	123	99.2%	1	0.8%	124	100.0%
Heart Failure Clipping T8 * CA Clipping T8	123	99.2%	1	0.8%	124	100.0%
Heart Failure Clipping T8 * VRA Clipping T8	123	99.2%	1	0.8%	124	100.0%

Heart Failure Clipping T8 * LQTS Clipping T8

Crosstab

			LQTS Clipping T8		Total
			0	7	
Heart Failure Clipping T8	0	Count	122	0	122
		% within Heart Failure Clipping T8	100.0%	0.0%	100.0%
	7	Count	0	1	1
		% within Heart Failure Clipping T8	0.0%	100.0%	100.0%
Total		Count	122	1	123
		% within Heart Failure Clipping T8	99.2%	0.8%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	123.000 ^b	1	0.000	0.008	0.008
Continuity Correction ^a	30.248	1	0.000		
Likelihood Ratio	11.616	1	0.001		
Fisher's Exact Test					
Linear-by-Linear Association	122.000	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.01.

Heart Failure Clipping T8 * CA Clipping T8

Crosstab

			CA Clipping T8		Total
			0	7	
Heart Failure Clipping T8	0	Count	121	1	122
		% within Heart Failure Clipping T8	99.2%	0.8%	100.0%
	7	Count	0	1	1
		% within Heart Failure Clipping T8	0.0%	100.0%	100.0%
Total		Count	121	2	123
		% within Heart Failure Clipping T8	98.4%	1.6%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	60.996 ^b	1	0.000	0.016	0.016
Continuity Correction ^a	14.749	1	0.000		
Likelihood Ratio	8.844	1	0.003		
Fisher's Exact Test					
Linear-by-Linear Association	60.500	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.02.

Heart Failure Clipping T8 * VRA Clipping T8

Crosstab

		VRA Clipping T8		Total
		0	7	
Heart Failure Clipping T8	0	Count 122	Count 0	Count 122
		% within Heart Failure Clipping T8 100.0%	% within Heart Failure Clipping T8 0.0%	% within Heart Failure Clipping T8 100.0%
	7	Count 0	Count 1	Count 1
		% within Heart Failure Clipping T8 0.0%	% within Heart Failure Clipping T8 100.0%	% within Heart Failure Clipping T8 100.0%
Total		Count 122	Count 1	Count 123
		% within Heart Failure Clipping T8 99.2%	% within Heart Failure Clipping T8 0.8%	% within Heart Failure Clipping T8 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	123.000 ^b	1	0.000	0.008	0.008
Continuity Correction ^a	30.248	1	0.000		
Likelihood Ratio	11.616	1	0.001		
Fisher's Exact Test					
Linear-by-Linear Association	122.000	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.01.

CROSSTABS

/TABLES=LQTSclippingT8 BY CAClippingT8 VRAClippingT8

/FORMAT= AVALUE TABLES

/STATISTIC=CHISQ

/CELLS= COUNT ROW

/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
LQTS Clipping T8 * CA Clipping T8	123	99.2%	1	0.8%	124	100.0%
LQTS Clipping T8 * VRA Clipping T8	123	99.2%	1	0.8%	124	100.0%

LQTS Clipping T8 * CA Clipping T8

Crosstab

			CA Clipping T8		Total
			0	7	
LQTS Clipping T8	0	Count	121	1	122
		% within LQTS Clipping T8	99.2%	0.8%	100.0%
	7	Count	0	1	1
		% within LQTS Clipping T8	0.0%	100.0%	100.0%
Total		Count	121	2	123
		% within LQTS Clipping T8	98.4%	1.6%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	60.996 ^b	1	0.000	0.016	0.016
Continuity Correction ^a	14.749	1	0.000		
Likelihood Ratio	8.844	1	0.003		
Fisher's Exact Test				0.016	0.016
Linear-by-Linear Association	60.500	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.02.

LQTS Clipping T8 * VRA Clipping T8

Crosstab

			VRA Clipping T8		Total
			0	7	
LQTS Clipping T8	0	Count	122	0	122
		% within LQTS Clipping T8	100.0%	0.0%	100.0%
	7	Count	0	1	1
		% within LQTS Clipping T8	0.0%	100.0%	100.0%
Total		Count	122	1	123
		% within LQTS Clipping T8	99.2%	0.8%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	123.000 ^b	1	0.000		
Continuity Correction ^a	30.248	1	0.000		
Likelihood Ratio	11.616	1	0.001		
Fisher's Exact Test				0.008	0.008
Linear-by-Linear Association	122.000	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.01.

CROSSTABS

/TABLES=CAClippingT8 BY VRAClippingT8

/FORMAT= AVALUE TABLES

/STATISTIC=CHISQ

/CELLS= COUNT ROW

/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
CA Clipping T8 * VRA Clipping T8	123	99.2%	1	0.8%	124	100.0%

CA Clipping T8 * VRA Clipping T8 Crosstabulation

				VRA Clipping T8		Total
				0	7	
CA Clipping T8	0	Count	121	0	121	
		% within CA Clipping T8	100.0%	0.0%	100.0%	
7	Count	1	1	2		
	% within CA Clipping T8	50.0%	50.0%	100.0%		
Total	Count	122	1	123		
	% within CA Clipping T8	99.2%	.8%	100.0%		

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	60.996 ^b	1	0.000		
Continuity Correction ^a	14.749	1	0.000		
Likelihood Ratio	8.844	1	0.003		
Fisher's Exact Test				0.016	0.016
Linear-by-Linear Association	60.500	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.02.

```

CROSSTABS
  /TABLES=HeartFailureNerveResectionT2 BY LQTSNerveResectionT2
  CANerveResectionT2 VRANerveResectionT2
  /FORMAT= AVALUE TABLES
  /STATISTIC=CHISQ
  /CELLS= COUNT ROW
  /COUNT ROUND CELL .

```

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Heart Failure Nerve Resection T2 * LQTS Nerve Resection T2	123	99.2%	1	0.8%	124	100.0%
Heart Failure Nerve Resection T2 * CA Nerve Resection T2	123	99.2%	1	0.8%	124	100.0%
Heart Failure Nerve Resection T2 * VRA Nerve Resection T2	123	99.2%	1	0.8%	124	100.0%

Heart Failure Nerve Resection T2 * LQTS Nerve Resection T2

Crosstab

			LQTS Nerve Resection T2		Total
			0	1	
Heart Failure Nerve Resection T2	0	Count	99	16	115
		% within Heart Failure Nerve Resection T2	86.1%	13.9%	100.0%
	1	Count	8	0	8
		% within Heart Failure Nerve Resection T2	100.0%	0.0%	100.0%
Total		Count	107	16	123
		% within Heart Failure Nerve Resection T2	87.0%	13.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.279 ^b	1	0.258		
Continuity Correction ^a	.345	1	0.557		
Likelihood Ratio	2.311	1	0.128		
Fisher's Exact Test				0.595	0.316
Linear-by-Linear Association	1.269	1	0.260		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1.04.

Heart Failure Nerve Resection T2 * CA Nerve Resection T2

Crosstab

			CA Nerve Resection T2		Total
			0	1	
Heart Failure Nerve Resection T2	0	Count	101	14	115
		% within Heart Failure Nerve Resection T2	87.8%	12.2%	100.0%
	1	Count	8	0	8
		% within Heart Failure Nerve Resection T2	100.0%	0.0%	100.0%
Total		Count	109	14	123
		% within Heart Failure Nerve Resection T2	88.6%	11.4%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.099 ^b	1	0.294	0.595	0.369
Continuity Correction ^a	.223	1	0.636		
Likelihood Ratio	2.003	1	0.157		
Fisher's Exact Test					
Linear-by-Linear Association	1.090	1	0.296		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 0.91.

Heart Failure Nerve Resection T2 * VRA Nerve Resection T2

Crosstab

			VRA Nerve Resection T2		Total
			0	1	
Heart Failure Nerve Resection T2	0	Count	99	16	115
		% within Heart Failure Nerve Resection T2	86.1%	13.9%	100.0%
	1	Count	8	0	8
		% within Heart Failure Nerve Resection T2	100.0%	0.0%	100.0%
Total		Count	107	16	123
		% within Heart Failure Nerve Resection T2	87.0%	13.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.279 ^b	1	0.258		
Continuity Correction ^a	.345	1	0.557		
Likelihood Ratio	2.311	1	0.128		
Fisher's Exact Test				0.595	0.316
Linear-by-Linear Association	1.269	1	0.260		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1.04.

CROSSTABS

/TABLES=LQTSNerveResectionT2 BY CANerveResectionT2 VRANerveResectionT2

/FORMAT= AVALUE TABLES

/STATISTIC=CHISQ

/CELLS= COUNT ROW

/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
LQTS Nerve Resection T2 * CA Nerve Resection T2	123	99.2%	1	0.8%	124	100.0%
LQTS Nerve Resection T2 * VRA Nerve Resection T2	123	99.2%	1	0.8%	124	100.0%

LQTS Nerve Resection T2 * CA Nerve Resection T2

Crosstab

			CA Nerve Resection T2		Total
			0	1	
LQTS Nerve Resection T2	0	Count	104	3	107
		% within LQTS Nerve Resection T2	97.2%	2.8%	100.0%
	1	Count	5	11	16
		% within LQTS Nerve Resection T2	31.3%	68.8%	100.0%
Total		Count	109	14	123
		% within LQTS Nerve Resection T2	88.6%	11.4%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	60.012 ^b	1	0.000		
Continuity Correction ^a	53.652	1	0.000		
Likelihood Ratio	39.955	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	59.524	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1.82.

LQTS Nerve Resection T2 * VRA Nerve Resection T2

Crosstab

			VRA Nerve Resection T2		Total
			0	1	
LQTS Nerve Resection T2	0	Count	105	2	107
		% within LQTS Nerve Resection T2	98.1%	1.9%	100.0%
	1	Count	2	14	16
		% within LQTS Nerve Resection T2	12.5%	87.5%	100.0%
Total		Count	107	16	123
		% within LQTS Nerve Resection T2	87.0%	13.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	90.191 ^b	1	0.000		
Continuity Correction ^a	82.783	1	0.000		
Likelihood Ratio	63.151	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	89.458	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 2.08.

CROSSTABS

/TABLES=CANerveResectionT2 BY VRANerveResectionT2

/FORMAT= AVALUE TABLES

/STATISTIC=CHISQ

/CELLS= COUNT ROW

/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
CA Nerve Resection T2 * VRA Nerve Resection T2	123	99.2%	1	0.8%	124	100.0%

CA Nerve Resection T2 * VRA Nerve Resection T2 Crosstabulation

			VRA Nerve Resection T2		Total
			0	1	
CA Nerve Resection T2	0	Count	105	4	109
		% within CA Nerve Resection T2	96.3%	3.7%	100.0%
	1	Count	2	12	14
		% within CA Nerve Resection T2	14.3%	85.7%	100.0%
Total		Count	107	16	123
		% within CA Nerve Resection T2	87.0%	13.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	73.800 ^b	1	0.000		
Continuity Correction ^a	66.728	1	0.000		
Likelihood Ratio	49.314	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	73.200	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1.82.

CROSSTABS

```

/TABLES=HeartFailureNerveResectionT3 BY LQTSNerveResectionT3
CANerveResectionT3 VRANerveResectionT3
/FORMAT= AVALUE TABLES
/STATISTIC=CHISQ
/CELLS= COUNT ROW
/COUNT ROUND CELL .

```

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Heart Failure Nerve Resection T3 * LQTS Nerve Resection T3	123	99.2%	1	0.8%	124	100.0%
Heart Failure Nerve Resection T3 * CA Nerve Resection T3	123	99.2%	1	0.8%	124	100.0%
Heart Failure Nerve Resection T3 * VRA Nerve Resection T3	123	99.2%	1	0.8%	124	100.0%

Heart Failure Nerve Resection T3 * LQTS Nerve Resection T3

Crosstab

			LQTS Nerve Resection T3		Total
			0	2	
Heart Failure Nerve Resection T3	0	Count	85	24	109
		% within Heart Failure Nerve Resection T3	78.0%	22.0%	100.0%
	2	Count	13	1	14
		% within Heart Failure Nerve Resection T3	92.9%	7.1%	100.0%
Total		Count	98	25	123
		% within Heart Failure Nerve Resection T3	79.7%	20.3%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.695 ^b	1	0.193	0.297	0.173
Continuity Correction ^a	.901	1	0.342		
Likelihood Ratio	2.078	1	0.149		
Fisher's Exact Test					
Linear-by-Linear Association	1.681	1	0.195		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 2.85.

Heart Failure Nerve Resection T3 * CA Nerve Resection T3

Crosstab

			CA Nerve Resection T3		Total
			0	2	
Heart Failure Nerve Resection T3	0	Count	87	22	109
		% within Heart Failure Nerve Resection T3	79.8%	20.2%	100.0%
	2	Count	13	1	14
		% within Heart Failure Nerve Resection T3	92.9%	7.1%	100.0%
Total		Count	100	23	123
		% within Heart Failure Nerve Resection T3	81.3%	18.7%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.388 ^b	1	0.239		0.215
Continuity Correction ^a	.663	1	0.416		
Likelihood Ratio	1.686	1	0.194		
Fisher's Exact Test				0.465	
Linear-by-Linear Association	1.377	1	0.241		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 2.62.

Heart Failure Nerve Resection T3 * VRA Nerve Resection T3

Crosstab

			VRA Nerve Resection T3		Total
			0	2	
Heart Failure Nerve Resection T3	0	Count	86	23	109
		% within Heart Failure Nerve Resection T3	78.9%	21.1%	100.0%
	2	Count	12	2	14
		% within Heart Failure Nerve Resection T3	85.7%	14.3%	100.0%
Total		Count	98	25	123
		% within Heart Failure Nerve Resection T3	79.7%	20.3%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	0.356	1	0.551		
Continuity Correction ^a	b	1	0.807		
Likelihood Ratio	0.059	1	0.536		
Fisher's Exact Test	0.383			0.733	0.426
Linear-by-Linear Association		1	0.552		
N of Valid Cases	0.353				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 2.85.

CROSSTABS

```

/TABLES=LQTSNerveResectionT3 BY CANerveResectionT3 VRANerveResectionT3
/FORMAT= AVALUE TABLES
/STATISTIC=CHISQ
/CELLS= COUNT ROW
/COUNT ROUND CELL .

```

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
LQTS Nerve Resection T3 * CA Nerve Resection T3	123	99.2%	1	0.8%	124	100.0%
LQTS Nerve Resection T3 * VRA Nerve Resection T3	123	99.2%	1	0.8%	124	100.0%

LQTS Nerve Resection T3 * CA Nerve Resection T3

Crosstab

			CA Nerve Resection T3		Total
			0	2	
LQTS Nerve Resection T3	0	Count	94	4	98
		% within LQTS Nerve Resection T3	95.9%	4.1%	100.0%
	2	Count	6	19	25
		% within LQTS Nerve Resection T3	24.0%	76.0%	100.0%
Total		Count	100	23	123
		% within LQTS Nerve Resection T3	81.3%	18.7%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	67.768 ^b	1	0.000		
Continuity Correction ^a	63.120	1	0.000		
Likelihood Ratio	57.553	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	67.217	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 4.67.

LQTS Nerve Resection T3 * VRA Nerve Resection T3

Crosstab

			VRA Nerve Resection T3		Total
			0	2	
LQTS Nerve Resection T3	0	Count	95	3	98
		% within LQTS Nerve Resection T3	96.9%	3.1%	100.0%
	2	Count	3	22	25
		% within LQTS Nerve Resection T3	12.0%	88.0%	100.0%
Total		Count	98	25	123
		% within LQTS Nerve Resection T3	79.7%	20.3%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	88.740 ^b	1	0.000		
Continuity Correction ^a	83.572	1	0.000		
Likelihood Ratio	79.028	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	88.018	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 5.08.

CROSSTABS

/TABLES=CANerveResectionT3 BY VRANerveResectionT3

/FORMAT= AVALUE TABLES

/STATISTIC=CHISQ

/CELLS= COUNT ROW

/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
CA Nerve Resection T3 * VRA Nerve Resection T3	123	99.2%	1	0.8%	124	100.0%

CA Nerve Resection T3 * VRA Nerve Resection T3 Crosstabulation

			VRA Nerve Resection T3		Total
			0	2	
CA Nerve Resection T3	0	Count	95	5	100
		% within CA Nerve Resection T3	95.0%	5.0%	100.0%
	2	Count	3	20	23
		% within CA Nerve Resection T3	13.0%	87.0%	100.0%
Total		Count	98	25	123
		% within CA Nerve Resection T3	79.7%	20.3%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	77.559 ^b	1	0.000		
Continuity Correction ^a	72.581	1	0.000		
Likelihood Ratio	66.685	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	76.929	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 4.67.

CROSSTABS

/TABLES=HeartFailureNerveResectionT4 BY LQTSNerveResectionT4

CANerveResectionT4 VRANerveResectionT4

/FORMAT= AVALUE TABLES

/STATISTIC=CHISQ

/CELLS= COUNT ROW

/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Heart Failure Nerve Resection T4 * LQTS Nerve Resection T4	123	99.2%	1	0.8%	124	100.0%
Heart Failure Nerve Resection T4 * CA Nerve Resection T4	123	99.2%	1	0.8%	124	100.0%
Heart Failure Nerve Resection T4 * VRA Nerve Resection T4	123	99.2%	1	0.8%	124	100.0%

Heart Failure Nerve Resection T4 * LQTS Nerve Resection T4

Crosstab

			LQTS Nerve Resection T4		Total
			0	3	
Heart Failure Nerve Resection T4	0	Count	94	19	113
		% within Heart Failure Nerve Resection T4	83.2%	16.8%	100.0%
	3	Count	9	1	10
		% within Heart Failure Nerve Resection T4	90.0%	10.0%	100.0%
Total		Count	103	20	123
		% within Heart Failure Nerve Resection T4	83.7%	16.3%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	0.313	1	0.576		
Continuity Correction ^a	b	1	0.910		
Likelihood Ratio	0.013	1	0.554		
Fisher's Exact Test	0.351			1.000	0.492
Linear-by-Linear Association	0.311	1	0.577		
N of Valid Cases					

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1.63.

Heart Failure Nerve Resection T4 * CA Nerve Resection T4

Crosstab

			CA Nerve Resection T4		Total
			0	3	
Heart Failure Nerve Resection T4	0	Count	92	21	113
		% within Heart Failure Nerve Resection T4	81.4%	18.6%	100.0%
	3	Count	9	1	10
		% within Heart Failure Nerve Resection T4	90.0%	10.0%	100.0%
Total		Count	101	22	123
		% within Heart Failure Nerve Resection T4	82.1%	17.9%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	0.461	1	0.497	0.689	0.434
Continuity Correction ^a	^b	1	0.804		
Likelihood Ratio	0.062	1	0.469		
Fisher's Exact Test	0.525				
Linear-by-Linear Association	0.457	1	0.499		
N of Valid Cases					

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1.79.

Heart Failure Nerve Resection T4 * VRA Nerve Resection T4

Crosstab

			VRA Nerve Resection T4		Total
			0	3	
Heart Failure Nerve Resection T4	0	Count	94	19	113
		% within Heart Failure Nerve Resection T4	83.2%	16.8%	100.0%
	3	Count	8	2	10
		% within Heart Failure Nerve Resection T4	80.0%	20.0%	100.0%
Total		Count	102	21	123
		% within Heart Failure Nerve Resection T4	82.9%	17.1%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	0.066	1	0.797		
Continuity Correction ^a	b	1	1.000		
Likelihood Ratio	0.000	1	0.801		
Fisher's Exact Test	0.063			0.679	0.537
Linear-by-Linear Association		1	0.798		
N of Valid Cases	0.065				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1.71.

CROSSTABS

/TABLES=LQTSNerveResectionT4 BY CANerveresectionT4 VRANerveResectionT4

/FORMAT= AVALUE TABLES

/STATISTIC=CHISQ

/CELLS= COUNT ROW

/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
LQTS Nerve Resection T4 * CA Nerve Resection T4	123	99.2%	1	0.8%	124	100.0%
LQTS Nerve Resection T4 * VRA Nerve Resection T4	123	99.2%	1	0.8%	124	100.0%

LQTS Nerve Resection T4 * CA Nerve Resection T4

Crosstab

			CA Nerve Resection T4		Total
			0	3	
LQTS Nerve Resection T4	0	Count	97	6	103
		% within LQTS Nerve Resection T4	94.2%	5.8%	100.0%
	3	Count	4	16	20
		% within LQTS Nerve Resection T4	20.0%	80.0%	100.0%
Total		Count	101	22	123
		% within LQTS Nerve Resection T4	82.1%	17.9%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	62.739 ^b	1	0.000		
Continuity Correction ^a	57.791	1	0.000		
Likelihood Ratio	49.762	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	62.229	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 3.58.

LQTS Nerve Resection T4 * VRA Nerve Resection T4

Crosstab

			VRA Nerve Resection T4		Total
			0	3	
LQTS Nerve Resection T4	0	Count	100	3	103
		% within LQTS Nerve Resection T4	97.1%	2.9%	100.0%
	3	Count	2	18	20
		% within LQTS Nerve Resection T4	10.0%	90.0%	100.0%
Total		Count	102	21	123
		% within LQTS Nerve Resection T4	82.9%	17.1%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	89.715 ^b	1	0.000		
Continuity Correction ^a	83.669	1	0.000		
Likelihood Ratio	72.301	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	88.985	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 3.41.

CROSSTABS

/TABLES=CANerveresectionT4 BY VRANerveResectionT4

/FORMAT= AVALUE TABLES

/STATISTIC=CHISQ

/CELLS= COUNT ROW

/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
CA Nerve Resection T4 * VRA Nerve Resection T4	123	99.2%	1	0.8%	124	100.0%

CA Nerve Resection T4 * VRA Nerve Resection T4 Crosstabulation

			VRA Nerve Resection T4		Total
			0	3	
CA Nerve Resection T4	0	Count	98	3	101
		% within CA Nerve Resection T4	97.0%	3.0%	100.0%
	3	Count	4	18	22
		% within CA Nerve Resection T4	18.2%	81.8%	100.0%
Total		Count	102	21	123
		% within CA Nerve Resection T4	82.9%	17.1%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	79.325 ^b	1	0.000		
Continuity Correction ^a	73.854	1	0.000		
Likelihood Ratio	64.562	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	78.680	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 3.76.

CROSSTABS

```

/TABLES=HeartFailureNerveResectionT5 BY LQTSNerveResectionT5
CANerveResectionT5 VRANerveResectionT5
/FORMAT= AVALUE TABLES
/STATISTIC=CHISQ
/CELLS= COUNT ROW
/COUNT ROUND CELL .

```

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Heart Failure Nerve Resection T5 * LQTS Nerve Resection T5	123	99.2%	1	0.8%	124	100.0%
Heart Failure Nerve Resection T5 * CA Nerve Resection T5	123	99.2%	1	0.8%	124	100.0%
Heart Failure Nerve Resection T5 * VRA Nerve Resection T5	123	99.2%	1	0.8%	124	100.0%

Heart Failure Nerve Resection T5 * LQTS Nerve Resection T5

Crosstab

			LQTS Nerve Resection T5		Total
			0	4	
Heart Failure Nerve Resection T5	0	Count	108	9	117
		% within Heart Failure Nerve Resection T5	92.3%	7.7%	100.0%
	3	Count	1	0	1
	% within Heart Failure Nerve Resection T5	100.0%	0.0%	100.0%	
4	Count	5	0	5	
	% within Heart Failure Nerve Resection T5	100.0%	0.0%	100.0%	
Total	Count	114	9	123	
	% within Heart Failure Nerve Resection T5	92.7%	7.3%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	0.498	2	0.780
Likelihood Ratio	^a	2	0.626
Linear-by-Linear Association	0.936	1	0.484
N of Valid Cases	0.489		

a. 4 cells (66.7%) have expected count less than 5. The minimum expected count is 0.07.

Heart Failure Nerve Resection T5 * CA Nerve Resection T5

Crosstab

			CA Nerve Resection T5		Total
			0	4	
Heart Failure Nerve Resection T5	0	Count	105	12	117
		% within Heart Failure Nerve Resection T5	89.7%	10.3%	100.0%
	3	Count	1	0	1
		% within Heart Failure Nerve Resection T5	100.0%	0.0%	100.0%
	4	Count	5	0	5
		% within Heart Failure Nerve Resection T5	100.0%	0.0%	100.0%
Total		Count	111	12	123
		% within Heart Failure Nerve Resection T5	90.2%	9.8%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	0.682	2	0.711
Likelihood Ratio	a	2	0.531
Linear-by-Linear Association	1.265	1	0.413
N of Valid Cases	0.670		

a. 4 cells (66.7%) have expected count less than 5. The minimum expected count is 0.10.

Heart Failure Nerve Resection T5 * VRA Nerve Resection T5

Crosstab

			VRA Nerve Resection T5		Total
			0	4	
Heart Failure Nerve Resection T5	0	Count	107	10	117
		% within Heart Failure Nerve Resection T5	91.5%	8.5%	100.0%
	3	Count	1	0	1
		% within Heart Failure Nerve Resection T5	100.0%	0.0%	100.0%
	4	Count	4	1	5
		% within Heart Failure Nerve Resection T5	80.0%	20.0%	100.0%
Total		Count	112	11	123
		% within Heart Failure Nerve Resection T5	91.1%	8.9%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	0.871	2	0.647
Likelihood Ratio	a	2	0.676
Linear-by-Linear Association	0.784	1	0.461
N of Valid Cases	0.543		

a. 4 cells (66.7%) have expected count less than 5. The minimum expected count is 0.09.

CROSSTABS

```

/TABLES=LQTSNerveResectionT5 BY CANerveResectionT5 VRANerveResectionT5
/FORMAT= AVALUE TABLES
/STATISTIC=CHISQ
/CELLS= COUNT ROW
/COUNT ROUND CELL .

```

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
LQTS Nerve Resection T5 * CA Nerve Resection T5	123	99.2%	1	0.8%	124	100.0%
LQTS Nerve Resection T5 * VRA Nerve Resection T5	123	99.2%	1	0.8%	124	100.0%

LQTS Nerve Resection T5 * CA Nerve Resection T5

Crosstab

			CA Nerve Resection T5		Total
			0	4	
LQTS Nerve Resection T5	0	Count	110	4	114
		% within LQTS Nerve Resection T5	96.5%	3.5%	100.0%
	4	Count	1	8	9
		% within LQTS Nerve Resection T5	11.1%	88.9%	100.0%
Total		Count	111	12	123
		% within LQTS Nerve Resection T5	90.2%	9.8%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	69.066 ^b	1	0.000		
Continuity Correction ^a	59.708	1	0.000		
Likelihood Ratio	37.708	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	68.504	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 0.88.

LQTS Nerve Resection T5 * VRA Nerve Resection T5

Crosstab

			VRA Nerve Resection T5		Total
			0	4	
LQTS Nerve Resection T5	0	Count	112	2	114
		% within LQTS Nerve Resection T5	98.2%	1.8%	100.0%
	4	Count	0	9	9
		% within LQTS Nerve Resection T5	0.0%	100.0%	100.0%
Total		Count	112	11	123
		% within LQTS Nerve Resection T5	91.1%	8.9%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	98.871 ^b	1	0.000		
Continuity Correction ^a	87.174	1	0.000		
Likelihood Ratio	53.963	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	98.067	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 0.80.

CROSSTABS

/TABLES=CANerveResectionT5 BY VRANerveResectionT5

/FORMAT= AVALUE TABLES

/STATISTIC=CHISQ

/CELLS= COUNT ROW

/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
CA Nerve Resection T5 * VRA Nerve Resection T5	123	99.2%	1	0.8%	124	100.0%

CA Nerve Resection T5 * VRA Nerve Resection T5 Crosstabulation

			VRA Nerve Resection T5		Total
			0	4	
CA Nerve Resection T5	0	Count	108	3	111
		% within CA Nerve Resection T5	97.3%	2.7%	100.0%
	4	Count	4	8	12
		% within CA Nerve Resection T5	33.3%	66.7%	100.0%
Total		Count	112	11	123
		% within CA Nerve Resection T5	91.1%	8.9%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	54.409 ^b	1	0.000		
Continuity Correction ^a	46.838	1	0.000		
Likelihood Ratio	31.240	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	53.966	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1.07.

CROSSTABS

```

/TABLES=eartFailureNerveResectionT6 BY LQTSNerveResectionT6
CANerveResectionT6 VRANerveResectionT6
/FORMAT= AVALUE TABLES
/STATISTIC=CHISQ
/CELLS= COUNT ROW
/COUNT ROUND CELL .

```

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Heart Failure Nerve Resection T6 * LQTS Nerve Resection T6	123	99.2%	1	0.8%	124	100.0%
Heart Failure Nerve Resection T6 * CA Nerve Resection T6	123	99.2%	1	0.8%	124	100.0%
Heart Failure Nerve Resection T6 * VRA Nerve Resection T6	123	99.2%	1	0.8%	124	100.0%

Heart Failure Nerve Resection T6 * LQTS Nerve Resection T6

Crosstab

			LQTS Nerve Resection T6		Total
			0	5	
Heart Failure Nerve Resection T6	0	Count	120	2	122
		% within Heart Failure Nerve Resection T6	98.4%	1.6%	100.0%
	5	Count	1	0	1
		% within Heart Failure Nerve Resection T6	100.0%	0.0%	100.0%
Total		Count	121	2	123
		% within Heart Failure Nerve Resection T6	98.4%	1.6%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	0.017	1	0.897		
Continuity Correction ^a	b	1	1.000		
Likelihood Ratio	0.000	1	0.856		
Fisher's Exact Test	0.033			1.000	0.984
Linear-by-Linear Association	0.017	1	0.898		
N of Valid Cases					

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.02.

Heart Failure Nerve Resection T6 * CA Nerve Resection T6

Crosstab

			CA Nerve Resection T6		Total
			0	5	
Heart Failure Nerve Resection T6	0	Count	119	3	122
		% within Heart Failure Nerve Resection T6	97.5%	2.5%	100.0%
	5	Count	1	0	1
		% within Heart Failure Nerve Resection T6	100.0%	0.0%	100.0%
Total		Count	120	3	123
		% within Heart Failure Nerve Resection T6	97.6%	2.4%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	0.025	1	0.874		
Continuity Correction ^a	^b	1	1.000		
Likelihood Ratio	0.000	1	0.824		
Fisher's Exact Test	0.050			1.000	0.976
Linear-by-Linear Association		1	0.874		
N of Valid Cases	0.025				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.02.

Heart Failure Nerve Resection T6 * VRA Nerve Resection T6

Crosstab

			VRA Nerve Resection T6		Total
			0	5	
Heart Failure Nerve Resection T6	0	Count	120	2	122
		% within Heart Failure Nerve Resection T6	98.4%	1.6%	100.0%
	5	Count	1	0	1
		% within Heart Failure Nerve Resection T6	100.0%	0.0%	100.0%
Total		Count	121	2	123
		% within Heart Failure Nerve Resection T6	98.4%	1.6%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	0.017	1	0.897		
Continuity Correction ^a	b	1	1.000		
Likelihood Ratio	0.000	1	0.856		
Fisher's Exact Test	0.033			1.000	0.984
Linear-by-Linear Association		1	0.898		
N of Valid Cases	0.017				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.02.

CROSSTABS

/TABLES=LQTSNerveResectionT6 BY CANerveResectionT6 VRANerveResectionT6

/FORMAT= AVALUE TABLES

/STATISTIC=CHISQ

/CELLS= COUNT ROW

/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
LQTS Nerve Resection T6 * CA Nerve Resection T6	123	99.2%	1	0.8%	124	100.0%
LQTS Nerve Resection T6 * VRA Nerve Resection T6	123	99.2%	1	0.8%	124	100.0%

LQTS Nerve Resection T6 * CA Nerve Resection T6

Crosstab

			CA Nerve Resection T6		Total
			0	5	
LQTS Nerve Resection T6	0	Count	120	1	121
		% within LQTS Nerve Resection T6	99.2%	0.8%	100.0%
	5	Count	0	2	2
		% within LQTS Nerve Resection T6	0.0%	100.0%	100.0%
Total		Count	120	3	123
		% within LQTS Nerve Resection T6	97.6%	2.4%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	81.322 ^b	1	0.000		
Continuity Correction ^a	44.985	1	0.000		
Likelihood Ratio	16.624	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	80.661	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.05.

LQTS Nerve Resection T6 * VRA Nerve Resection T6

Crosstab

			VRA Nerve Resection T6		Total
			0	5	
LQTS Nerve Resection T6	0	Count	121	0	121
		% within LQTS Nerve Resection T6	100.0%	0.0%	100.0%
	5	Count	0	2	2
		% within LQTS Nerve Resection T6	0.0%	100.0%	100.0%
Total		Count	121	2	123
		% within LQTS Nerve Resection T6	98.4%	1.6%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	123.000 ^b	1	0.000		
Continuity Correction ^a	68.427	1	0.000		
Likelihood Ratio	20.443	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	122.000	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.03.

CROSSTABS

/TABLES=CANerveResectionT6 BY VRANerveResectionT6

/FORMAT= AVALUE TABLES

/STATISTIC=CHISQ

/CELLS= COUNT ROW

/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
CA Nerve Resection T6 * VRA Nerve Resection T6	123	99.2%	1	0.8%	124	100.0%

CA Nerve Resection T6 * VRA Nerve Resection T6 Crosstabulation

			VRA Nerve Resection T6		Total
			0	5	
CA Nerve Resection T6	0	Count	120	0	120
		% within CA Nerve Resection T6	100.0%	0.0%	100.0%
	5	Count	1	2	3
		% within CA Nerve Resection T6	33.3%	66.7%	100.0%
Total		Count	121	2	123
		% within CA Nerve Resection T6	98.4%	1.6%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	81.322 ^b	1	0.000		
Continuity Correction ^a	44.985	1	0.000		
Likelihood Ratio	16.624	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	80.661	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.05.

CROSSTABS

/TABLES=HeartFailureNerveResectionT7 BY LQTSNerveResectionT6

CANerveResectionT7 VRANerveResectionT7

/FORMAT= AVALUE TABLES

/STATISTIC=CHISQ

/CELLS= COUNT ROW

/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Heart Failure Nerve Resection T7 * LQTS Nerve Resection T6	123	99.2%	1	0.8%	124	100.0%
Heart Failure Nerve Resection T7 * CA Nerve Resection T7	123	99.2%	1	0.8%	124	100.0%
Heart Failure Nerve Resection T7 * VRA Nerve Resection T7	123	99.2%	1	0.8%	124	100.0%

Heart Failure Nerve Resection T7 * LQTS Nerve Resection T6

Crosstab

			LQTS Nerve Resection T6		Total
			0	5	
Heart Failure Nerve Resection T7	0	Count	120	2	122
		% within Heart Failure Nerve Resection T7	98.4%	1.6%	100.0%
	6	Count	1	0	1
		% within Heart Failure Nerve Resection T7	100.0%	0.0%	100.0%
Total		Count	121	2	123
		% within Heart Failure Nerve Resection T7	98.4%	1.6%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	0.017	1	0.897		
Continuity Correction ^a	b	1	1.000		
Likelihood Ratio	0.000	1	0.856		
Fisher's Exact Test	0.033			1.000	0.984
Linear-by-Linear Association	0.017	1	0.898		
N of Valid Cases					

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.02.

Heart Failure Nerve Resection T7 * CA Nerve Resection T7

Crosstab

			CA Nerve Resection T7		Total
			0	6	
Heart Failure Nerve Resection T7	0	Count	119	3	122
		% within Heart Failure Nerve Resection T7	97.5%	2.5%	100.0%
	6	Count	1	0	1
		% within Heart Failure Nerve Resection T7	100.0%	0.0%	100.0%
Total		Count	120	3	123
		% within Heart Failure Nerve Resection T7	97.6%	2.4%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	0.025	1	0.874		
Continuity Correction ^a	^b	1	1.000		
Likelihood Ratio	0.000	1	0.824		
Fisher's Exact Test	0.050			1.000	0.976
Linear-by-Linear Association		1	0.874		
N of Valid Cases	0.025				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.02.

Heart Failure Nerve Resection T7 * VRA Nerve Resection T7

Crosstab

			VRA Nerve Resection T7		Total
			0	6	
Heart Failure Nerve Resection T7	0	Count	120	2	122
		% within Heart Failure Nerve Resection T7	98.4%	1.6%	100.0%
	6	Count	1	0	1
		% within Heart Failure Nerve Resection T7	100.0%	0.0%	100.0%
Total		Count	121	2	123
		% within Heart Failure Nerve Resection T7	98.4%	1.6%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	0.017	1	0.897		
Continuity Correction ^a	b	1	1.000		
Likelihood Ratio	0.000	1	0.856		
Fisher's Exact Test	0.033			1.000	0.984
Linear-by-Linear Association		1	0.898		
N of Valid Cases	0.017				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.02.

CROSSTABS

/TABLES=HeartFailureNerveResectionT7 BY CANerveResectionT7

VRANerveResectionT7 LQTSNerveResectionT7

/FORMAT= AVALUE TABLES

/STATISTIC=CHISQ

/CELLS= COUNT ROW

/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Heart Failure Nerve Resection T7 * CA Nerve Resection T7	123	99.2%	1	0.8%	124	100.0%
Heart Failure Nerve Resection T7 * VRA Nerve Resection T7	123	99.2%	1	0.8%	124	100.0%
Heart Failure Nerve Resection T7 * LQTS Nerve Resection T7	123	99.2%	1	0.8%	124	100.0%

Heart Failure Nerve Resection T7 * CA Nerve Resection T7

Crosstab

			CA Nerve Resection T7		Total
			0	6	
Heart Failure Nerve Resection T7	0	Count	119	3	122
		% within Heart Failure Nerve Resection T7	97.5%	2.5%	100.0%
	6	Count	1	0	1
		% within Heart Failure Nerve Resection T7	100.0%	0.0%	100.0%
Total		Count	120	3	123
		% within Heart Failure Nerve Resection T7	97.6%	2.4%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	0.025	1	0.874		
Continuity Correction ^a	^b	1	1.000		
Likelihood Ratio	0.000	1	0.824		
Fisher's Exact Test	0.050			1.000	0.976
Linear-by-Linear Association		1	0.874		
N of Valid Cases	0.025				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.02.

Heart Failure Nerve Resection T7 * VRA Nerve Resection T7

Crosstab

			VRA Nerve Resection T7		Total
			0	6	
Heart Failure Nerve Resection T7	0	Count	120	2	122
		% within Heart Failure Nerve Resection T7	98.4%	1.6%	100.0%
	6	Count	1	0	1
		% within Heart Failure Nerve Resection T7	100.0%	0.0%	100.0%
Total		Count	121	2	123
		% within Heart Failure Nerve Resection T7	98.4%	1.6%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	0.017	1	0.897		
Continuity Correction ^a	^b	1	1.000		
Likelihood Ratio	0.000	1	0.856		
Fisher's Exact Test	0.033			1.000	0.984
Linear-by-Linear Association		1	0.898		
N of Valid Cases	0.017				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.02.

Heart Failure Nerve Resection T7 * LQTS Nerve Resection T7

Crosstab

			LQTS Nerve Resection T7		Total
			0	6	
Heart Failure Nerve Resection T7	0	Count	120	2	122
		% within Heart Failure Nerve Resection T7	98.4%	1.6%	100.0%
	6	Count	1	0	1
		% within Heart Failure Nerve Resection T7	100.0%	0.0%	100.0%
Total		Count	121	2	123
		% within Heart Failure Nerve Resection T7	98.4%	1.6%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	0.017	1	0.897		
Continuity Correction ^a	b	1	1.000		
Likelihood Ratio	0.000	1	0.856		
Fisher's Exact Test	0.033			1.000	0.984
Linear-by-Linear Association	0.017	1	0.898		
N of Valid Cases					

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.02.

CROSSTABS

```

/TABLES=CANerveResectionT7 BY VRANerveResectionT7 LQTSNerveResectionT7
/FORMAT= AVALUE TABLES
/STATISTIC=CHISQ
/CELLS= COUNT ROW
/COUNT ROUND CELL .

```

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
CA Nerve Resection T7 * VRA Nerve Resection T7	123	99.2%	1	0.8%	124	100.0%
CA Nerve Resection T7 * LQTS Nerve Resection T7	123	99.2%	1	0.8%	124	100.0%

CA Nerve Resection T7 * VRA Nerve Resection T7

Crosstab

			VRA Nerve Resection T7		Total
			0	6	
CA Nerve Resection T7	0	Count % within CA Nerve Resection T7	120 100.0%	0 0.0%	120 100.0%
	6	Count % within CA Nerve Resection T7	1 33.3%	2 66.7%	3 100.0%
Total		Count % within CA Nerve Resection T7	121 98.4%	2 1.6%	123 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	81.322 ^b	1	0.000	0.000	0.000
Continuity Correction ^a	44.985	1	0.000		
Likelihood Ratio	16.624	1	0.000		
Fisher's Exact Test					
Linear-by-Linear Association	80.661	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.05.

CA Nerve Resection T7 * LQTS Nerve Resection T7

Crosstab

			LQTS Nerve Resection T7		Total
			0	6	
CA Nerve Resection T7	0	Count % within CA Nerve Resection T7	120 100.0%	0 0.0%	120 100.0%
	6	Count % within CA Nerve Resection T7	1 33.3%	2 66.7%	3 100.0%
Total		Count % within CA Nerve Resection T7	121 98.4%	2 1.6%	123 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	81.322 ^b	1	0.000		
Continuity Correction ^a	44.985	1	0.000		
Likelihood Ratio	16.624	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	80.661	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.05.

CROSSTABS

/TABLES=VRANerveResectionT7 BY LQTSNerveResectionT7

/FORMAT= AVALUE TABLES

/STATISTIC=CHISQ

/CELLS= COUNT ROW

/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
VRA Nerve Resection T7 * LQTS Nerve Resection T7	123	99.2%	1	0.8%	124	100.0%

VRA Nerve Resection T7 * LQTS Nerve Resection T7 Crosstabulation

			LQTS Nerve Resection T7		Total
			0	6	
VRA Nerve Resection T7	0	Count	121	0	121
		% within VRA Nerve Resection T7	100.0%	0.0%	100.0%
	6	Count	0	2	2
		% within VRA Nerve Resection T7	0.0%	100.0%	100.0%
Total		Count	121	2	123
		% within VRA Nerve Resection T7	98.4%	1.6%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	123.000 ^b	1	0.000		
Continuity Correction ^a	68.427	1	0.000		
Likelihood Ratio	20.443	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	122.000	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.03.

CROSSTABS

/TABLES=HeartFailureNerveResectionT8 BY LQTSNerveResectionT8

CANerveResectionT8 VRANerveResectionT8

/FORMAT= AVALUE TABLES

/STATISTIC=CHISQ

/CELLS= COUNT ROW

/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Heart Failure Nerve Resection T8 * LQTS Nerve Resection T8	123	99.2%	1	0.8%	124	100.0%
Heart Failure Nerve Resection T8 * CA Nerve Resection T8	123	99.2%	1	0.8%	124	100.0%
Heart Failure Nerve Resection T8 * VRA Nerve Resection T8	123	99.2%	1	0.8%	124	100.0%

Heart Failure Nerve Resection T8 * LQTS Nerve Resection T8

Crosstab

			LQTS Nerve Resection T8		Total
			0	7	
Heart Failure Nerve Resection T8	0	Count	121	1	122
		% within Heart Failure Nerve Resection T8	99.2%	0.8%	100.0%
	7	Count	1	0	1
		% within Heart Failure Nerve Resection T8	100.0%	0.0%	100.0%
Total		Count	122	1	123
		% within Heart Failure Nerve Resection T8	99.2%	0.8%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	0.008	1	0.928		
Continuity Correction ^a	^b	1	1.000		
Likelihood Ratio	0.000	1	0.898		
Fisher's Exact Test	0.016			1.000	0.992
Linear-by-Linear Association		1	0.928		
N of Valid Cases	0.008				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.01.

Heart Failure Nerve Resection T8 * CA Nerve Resection T8

Crosstab

			CA Nerve Resection T8		Total
			0	7	
Heart Failure Nerve Resection T8	0	Count	121	1	122
		% within Heart Failure Nerve Resection T8	99.2%	0.8%	100.0%
	7	Count	1	0	1
		% within Heart Failure Nerve Resection T8	100.0%	0.0%	100.0%
Total		Count	122	1	123
		% within Heart Failure Nerve Resection T8	99.2%	0.8%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	0.008	1	0.928		
Continuity Correction ^a	^b	1	1.000		
Likelihood Ratio	0.000	1	0.898		
Fisher's Exact Test	0.016			1.000	0.992
Linear-by-Linear Association		1	0.928		
N of Valid Cases	0.008				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.01.

Heart Failure Nerve Resection T8 * VRA Nerve Resection T8

Crosstab

			VRA Nerve Resection T8		Total
			0	7	
Heart Failure Nerve Resection T8	0	Count	121	1	122
		% within Heart Failure Nerve Resection T8	99.2%	0.8%	100.0%
	7	Count	1	0	1
		% within Heart Failure Nerve Resection T8	100.0%	0.0%	100.0%
Total		Count	122	1	123
		% within Heart Failure Nerve Resection T8	99.2%	0.8%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	0.008	1	0.928		
Continuity Correction ^a	b	1	1.000		
Likelihood Ratio	0.000	1	0.898		
Fisher's Exact Test	0.016			1.000	0.992
Linear-by-Linear Association		1	0.928		
N of Valid Cases	0.008				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.01.

CROSSTABS

```

/TABLES=LQTSNerveResectionT8 BY CANerveResectionT8 VRANerveResectionT8
/FORMAT= AVALUE TABLES
/STATISTIC=CHISQ
/CELLS= COUNT ROW
/COUNT ROUND CELL .
    
```

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
LQTS Nerve Resection T8 * CA Nerve Resection T8	123	99.2%	1	0.8%	124	100.0%
LQTS Nerve Resection T8 * VRA Nerve Resection T8	123	99.2%	1	0.8%	124	100.0%

LQTS Nerve Resection T8 * CA Nerve Resection T8

Crosstab

			CA Nerve Resection T8		Total
			0	7	
LQTS Nerve Resection T8	0	Count % within LQTS Nerve Resection T8	122 100.0%	0 0.0%	122 100.0%
	7	Count % within LQTS Nerve Resection T8	0 0.0%	1 100.0%	1 100.0%
Total		Count % within LQTS Nerve Resection T8	122 99.2%	1 0.8%	123 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	123.000 ^b	1	0.000		
Continuity Correction ^a	30.248	1	0.000		
Likelihood Ratio	11.616	1	0.001		
Fisher's Exact Test				0.008	0.008
Linear-by-Linear Association	122.000	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.01.

LQTS Nerve Resection T8 * VRA Nerve Resection T8

Crosstab

			VRA Nerve Resection T8		Total
			0	7	
LQTS Nerve Resection T8	0	Count % within LQTS Nerve Resection T8	122 100.0%	0 0.0%	122 100.0%
	7	Count % within LQTS Nerve Resection T8	0 0.0%	1 100.0%	1 100.0%
Total		Count % within LQTS Nerve Resection T8	122 99.2%	1 0.8%	123 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	123.000 ^b	1	0.000		
Continuity Correction ^a	30.248	1	0.000		
Likelihood Ratio	11.616	1	0.001		
Fisher's Exact Test				0.008	0.008
Linear-by-Linear Association	122.000	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.01.

CROSSTABS

/TABLES=CANerveResectionT8 BY VRANerveResectionT8

/FORMAT= AVALUE TABLES

/STATISTIC=CHISQ

/CELLS= COUNT ROW

/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
CA Nerve Resection T8 * VRA Nerve Resection T8	123	99.2%	1	0.8%	124	100.0%

CA Nerve Resection T8 * VRA Nerve Resection T8 Crosstabulation

			VRA Nerve Resection T8		Total
			0	7	
CA Nerve Resection T8	0	Count	122	0	122
		% within CA Nerve Resection T8	100.0%	0.0%	100.0%
	7	Count	0	1	1
		% within CA Nerve Resection T8	0.0%	100.0%	100.0%
Total		Count	122	1	123
		% within CA Nerve Resection T8	99.2%	0.8%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	123.000 ^b	1	0.000		
Continuity Correction ^a	30.248	1	0.000		
Likelihood Ratio	11.616	1	0.001		
Fisher's Exact Test				0.008	0.008
Linear-by-Linear Association	122.000	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.01.