

GET

FILE='C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav'.
 DATASET NAME DataSet1 WINDOW=FRONT.

CROSSTABS

/TABLES=BDClippingT2 BY RClippingT2 VClippingT2 IPVDClippingT2
 UCPClippingT2
 /FORMAT= AVALUE TABLES
 /STATISTIC=CHISQ
 /CELLS= COUNT ROW
 /COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
BD Clipping T2 * R Clipping T2	123	99.2%	1	0.8%	124	100.0%
BD Clipping T2 * V Clipping T2	123	99.2%	1	0.8%	124	100.0%
BD Clipping T2 * IPBD Clipping T2	123	99.2%	1	0.8%	124	100.0%
BD Clipping T2 * UCP Clipping T2	123	99.2%	1	0.8%	124	100.0%

BD Clipping T2 * R Clipping T2

Crosstab

			R Clipping T2		Total
			0	1	
BD Clipping T2	0	Count	115	2	117
		% within BD Clipping T2	98.3%	1.7%	100.0%
	1	Count	0	6	6
		% within BD Clipping T2	0.0%	100.0%	100.0%
Total		Count	115	8	123
		% within BD Clipping T2	93.5%	6.5%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	90.673 ^b	1	0.000		
Continuity Correction ^a	75.230	1	0.000		
Likelihood Ratio	38.950	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	89.936	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 0.39.

BD Clipping T2 * V Clipping T2

Crosstab

			V Clipping T2		Total
			0	1	
BD Clipping T2	0	Count	117	0	117
		% within BD Clipping T2	100.0%	0.0%	100.0%
	1	Count	1	5	6
		% within BD Clipping T2	16.7%	83.3%	100.0%
Total		Count	118	5	123
		% within BD Clipping T2	95.9%	4.1%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	101.631 ^b	1	0.000	0.000	0.000
Continuity Correction ^a	81.386	1	0.000		
Likelihood Ratio	36.415	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	100.805	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 0.24.

BD Clipping T2 * IPBD Clipping T2

Crosstab

			IPBD Clipping T2		Total
			0	1	
BD Clipping T2	0	Count	116	1	117
		% within BD Clipping T2	99.1%	0.9%	100.0%
	1	Count	4	2	6
		% within BD Clipping T2	66.7%	33.3%	100.0%
Total		Count	120	3	123
		% within BD Clipping T2	97.6%	2.4%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	25.301 ^b	1	0.000	0.006	0.006
Continuity Correction ^a	13.493	1	0.000		
Likelihood Ratio	9.054	1	0.003		
Fisher's Exact Test				0.006	0.006
Linear-by-Linear Association	25.095	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 0.15.

BD Clipping T2 * UCP Clipping T2

Crosstab

			UCP Clipping T2		Total
			0	1	
BD Clipping T2	0	Count	116	1	117
		% within BD Clipping T2	99.1%	0.9%	100.0%
	1	Count	3	3	6
		% within BD Clipping T2	50.0%	50.0%	100.0%
Total		Count	119	4	123
		% within BD Clipping T2	96.7%	3.3%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	43.813 ^b	1	0.000		
Continuity Correction ^a	29.585	1	0.000		
Likelihood Ratio	15.442	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	43.456	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 0.20.

CROSSTABS

```

/TABLES=RClippingT2 BY VClippingT2 IPVDClippingT2 UCPClippingT2
/FORMAT= AVALUE TABLES
/STATISTIC=CHISQ
/CELLS= COUNT ROW
/COUNT ROUND CELL .

```

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
R Clipping T2 * V Clipping T2	123	99.2%	1	0.8%	124	100.0%
R Clipping T2 * IPBD Clipping T2	123	99.2%	1	0.8%	124	100.0%
R Clipping T2 * UCP Clipping T2	123	99.2%	1	0.8%	124	100.0%

R Clipping T2 * V Clipping T2

Crosstab

			V Clipping T2		Total
			0	1	
R Clipping T2	0	Count	115	0	115
		% within R Clipping T2	100.0%	0.0%	100.0%
	1	Count	3	5	8
		% within R Clipping T2	37.5%	62.5%	100.0%
Total		Count	118	5	123
		% within R Clipping T2	95.9%	4.1%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	74.921 ^b	1	0.000		
Continuity Correction ^a	59.751	1	0.000		
Likelihood Ratio	31.236	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	74.311	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 0.33.

R Clipping T2 * IPBD Clipping T2

Crosstab

			IPBD Clipping T2		Total
			0	1	
R Clipping T2	0	Count	114	1	115
		% within R Clipping T2	99.1%	0.9%	100.0%
	1	Count	6	2	8
		% within R Clipping T2	75.0%	25.0%	100.0%
Total		Count	120	3	123
		% within R Clipping T2	97.6%	2.4%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	18.303 ^b	1	0.000		
Continuity Correction ^a	9.567	1	0.002		
Likelihood Ratio	7.729	1	0.005		
Fisher's Exact Test				0.011	0.011
Linear-by-Linear Association	18.154	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 0.20.

R Clipping T2 * UCP Clipping T2

Crosstab

			UCP Clipping T2		Total
			0	1	
R Clipping T2	0	Count	115	0	115
		% within R Clipping T2	100.0%	0.0%	100.0%
	1	Count	4	4	8
		% within R Clipping T2	50.0%	50.0%	100.0%
Total		Count	119	4	123
		% within R Clipping T2	96.7%	3.3%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	59.433 ^b	1	0.000		
Continuity Correction ^a	44.603	1	0.000		
Likelihood Ratio	24.185	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	58.950	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 0.26.

CROSSTABS

```

/TABLES=VClippingT2 BY IPVDClippingT2 UCPClippingT2
/FORMAT= AVALUE TABLES
/STATISTIC=CHISQ
/CELLS= COUNT ROW
/COUNT ROUND CELL .

```

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
V Clipping T2 * IPBD Clipping T2	123	99.2%	1	0.8%	124	100.0%
V Clipping T2 * UCP Clipping T2	123	99.2%	1	0.8%	124	100.0%

V Clipping T2 * IPBD Clipping T2

Crosstab

			IPBD Clipping T2		Total
			0	1	
V Clipping T2	0	Count	117	1	118
		% within V Clipping T2	99.2%	0.8%	100.0%
	1	Count	3	2	5
		% within V Clipping T2	60.0%	40.0%	100.0%
Total		Count	120	3	123
		% within V Clipping T2	97.6%	2.4%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	30.901 ^b	1	0.000	0.004	0.004
Continuity Correction ^a	16.638	1	0.000		
Likelihood Ratio	9.945	1	0.002		
Fisher's Exact Test				0.004	0.004
Linear-by-Linear Association	30.650	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.12.

V Clipping T2 * UCP Clipping T2

Crosstab

			UCP Clipping T2		Total
			0	1	
V Clipping T2	0	Count	117	1	118
		% within V Clipping T2	99.2%	0.8%	100.0%
	1	Count	2	3	5
		% within V Clipping T2	40.0%	60.0%	100.0%
Total		Count	119	4	123
		% within V Clipping T2	96.7%	3.3%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	53.345 ^b	1	0.000	0.000	0.000
Continuity Correction ^a	36.201	1	0.000		
Likelihood Ratio	17.013	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	52.912	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.16.

```
CROSSTABS
  /TABLES=IPVDClippingT2 BY UCPClippingT2
  /FORMAT= AVALUE TABLES
  /STATISTIC=CHISQ
```

/CELLS= COUNT ROW
/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
IPBD Clipping T2 * UCP Clipping T2	123	99.2%	1	0.8%	124	100.0%

IPBD Clipping T2 * UCP Clipping T2 Crosstabulation

			UCP Clipping T2		Total
			0	1	
IPBD Clipping T2	0	Count	118	2	120
		% within IPBD Clipping T2	98.3%	1.7%	100.0%
	1	Count	1	2	3
		% within IPBD Clipping T2	33.3%	66.7%	100.0%
Total		Count	119	4	123
		% within IPBD Clipping T2	96.7%	3.3%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	39.303 ^b	1	0.000	0.002	0.002
Continuity Correction ^a	21.359	1	0.000		
Likelihood Ratio	11.113	1	0.001		
Fisher's Exact Test					
Linear-by-Linear Association	38.984	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.10.

```
CROSSTABS
/TABLES=BDClippingT3 RClippingT3 BY VClippingT3 IPVDClippingT3
UCPclippingT3
/FORMAT= AVALUE TABLES
/STATISTIC=CHISQ
/CELLS= COUNT ROW
/COUNT ROUND CELL .
```

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
BD Clipping T3 * V Clippng T3	123	99.2%	1	0.8%	124	100.0%
BD Clipping T3 * IPVD Clipping T3	123	99.2%	1	0.8%	124	100.0%
BD Clipping T3 * UCP Clipping T3	123	99.2%	1	0.8%	124	100.0%
R Clipping T3 * V Clippng T3	123	99.2%	1	0.8%	124	100.0%
R Clipping T3 * IPVD Clipping T3	123	99.2%	1	0.8%	124	100.0%
R Clipping T3 * UCP Clipping T3	123	99.2%	1	0.8%	124	100.0%

BD Clipping T3 * V Clippng T3

Crosstab

			V Clippng T3		Total
			0	2	
BD Clipping T3	0	Count	102	2	104
		% within BD Clipping T3	98.1%	1.9%	100.0%
	2	Count	2	17	19
		% within BD Clipping T3	10.5%	89.5%	100.0%
Total		Count	104	19	123
		% within BD Clipping T3	84.6%	15.4%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	94.281 ^b	1	0.000		
Continuity Correction ^a	87.697	1	0.000		
Likelihood Ratio	73.322	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	93.514	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 2.93.

BD Clipping T3 * IPVD Clipping T3

Crosstab

			IPVD Clipping T3		Total
			0	2	
BD Clipping T3	0	Count	102	2	104
		% within BD Clipping T3	98.1%	1.9%	100.0%
	2	Count	6	13	19
		% within BD Clipping T3	31.6%	68.4%	100.0%
Total		Count	108	15	123
		% within BD Clipping T3	87.8%	12.2%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	66.343 ^b	1	0.000	0.000	0.000
Continuity Correction ^a	60.278	1	0.000		
Likelihood Ratio	47.750	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	65.803	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 2.32.

BD Clipping T3 * UCP Clipping T3

Crosstab

			UCP Clipping T3		Total
			0	2	
BD Clipping T3	0	Count	104	0	104
		% within BD Clipping T3	100.0%	0.0%	100.0%
	2	Count	9	10	19
		% within BD Clipping T3	47.4%	52.6%	100.0%
Total		Count	113	10	123
		% within BD Clipping T3	91.9%	8.1%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	59.581 ^b	1	0.000	0.000	0.000
Continuity Correction ^a	52.743	1	0.000		
Likelihood Ratio	43.069	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	59.096	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1.54.

R Clipping T3 * V Clipping T3

Crosstab

			V Clippng T3		Total
			0	2	
R Clipping T3	0	Count	94	0	94
		% within R Clipping T3	100.0%	0.0%	100.0%
	2	Count	10	19	29
		% within R Clipping T3	34.5%	65.5%	100.0%
Total		Count	104	19	123
		% within R Clipping T3	84.6%	15.4%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	72.838 ^b	1	0.000	0.000	0.000
Continuity Correction ^a	67.908	1	0.000		
Likelihood Ratio	68.513	1	0.000	0.000	0.000
Fisher's Exact Test					
Linear-by-Linear Association	72.245	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 4.48.

R Clipping T3 * IPVD Clipping T3

Crosstab

			IPVD Clipping T3		Total
			0	2	
R Clipping T3	0	Count	93	1	94
		% within R Clipping T3	98.9%	1.1%	100.0%
	2	Count	15	14	29
		% within R Clipping T3	51.7%	48.3%	100.0%
Total		Count	108	15	123
		% within R Clipping T3	87.8%	12.2%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	46.134 ^b	1	0.000	0.000	0.000
Continuity Correction ^a	41.830	1	0.000		
Likelihood Ratio	39.972	1	0.000	0.000	0.000
Fisher's Exact Test					
Linear-by-Linear Association	45.759	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 3.54.

R Clipping T3 * UCP Clipping T3

Crosstab

			UCP Clipping T3		Total
			0	2	
R Clipping T3	0	Count	94	0	94
		% within R Clipping T3	100.0%	0.0%	100.0%
	2	Count	19	10	29
		% within R Clipping T3	65.5%	34.5%	100.0%
Total		Count	113	10	123
		% within R Clipping T3	91.9%	8.1%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	35.282 ^b	1	0.000		
Continuity Correction ^a	30.817	1	0.000		
Likelihood Ratio	31.993	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	34.995	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 2.36.

CROSSTABS

```

/TABLES=VClippingT3 BY IPVDClippingT3 UCPClippingT3
/FORMAT= AVALUE TABLES
/STATISTIC=CHISQ
/CELLS= COUNT ROW
/COUNT ROUND CELL .
    
```

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
V Clippng T3 * IPVD Clipping T3	123	99.2%	1	0.8%	124	100.0%
V Clippng T3 * UCP Clipping T3	123	99.2%	1	0.8%	124	100.0%

V Clippng T3 * IPVD Clipping T3

Crosstab

			IPVD Clipping T3		Total
			0	2	
V Clippng T3	0	Count	102	2	104
		% within V Clippng T3	98.1%	1.9%	100.0%
	2	Count	6	13	19
		% within V Clippng T3	31.6%	68.4%	100.0%
Total	Count	108	15	123	
	% within V Clippng T3	87.8%	12.2%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	66.343 ^b	1	0.000		
Continuity Correction ^a	60.278	1	0.000		
Likelihood Ratio	47.750	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	65.803	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 2.32.

V Clippng T3 * UCP Clipping T3

Crosstab

			UCP Clipping T3		Total
			0	2	
V Clippng T3	0	Count	104	0	104
		% within V Clippng T3	100.0%	0.0%	100.0%
	2	Count	9	10	19
		% within V Clippng T3	47.4%	52.6%	100.0%
Total	Count	113	10	123	
	% within V Clippng T3	91.9%	8.1%	100.0%	

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	59.581 ^b	1	0.000		
Continuity Correction ^a	52.743	1	0.000		
Likelihood Ratio	43.069	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	59.096	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1.54.

```
CROSSTABS
  /TABLES=IPVDClippingT3 BY UCPClippingT3
  /FORMAT= AVALUE TABLES
  /STATISTIC=CHISQ
```

/CELLS= COUNT ROW
 /COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
IPVD Clipping T3 * UCP Clipping T3	123	99.2%	1	0.8%	124	100.0%

IPVD Clipping T3 * UCP Clipping T3 Crosstabulation

			UCP Clipping T3		Total
			0	2	
IPVD Clipping T3	0	Count	107	1	108
		% within IPVD Clipping T3	99.1%	0.9%	100.0%
	2	Count	6	9	15
		% within IPVD Clipping T3	40.0%	60.0%	100.0%
Total		Count	113	10	123
		% within IPVD Clipping T3	91.9%	8.1%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	61.537 ^b	1	0.000		
Continuity Correction ^a	53.882	1	0.000		
Likelihood Ratio	37.811	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	61.037	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1.22.

```
CROSSTABS
  /TABLES=BDClippingT4 RClippingT4 BY VClippingT4 IPVDClippingT4
  UCPClippingT4
  /FORMAT= AVALUE TABLES
  /STATISTIC=CHISQ
  /CELLS= COUNT ROW
  /COUNT ROUND CELL .
```

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
BD Clipping T4 * V Clipping T4	123	99.2%	1	0.8%	124	100.0%
BD Clipping T4 * IPVD Clipping T4	123	99.2%	1	0.8%	124	100.0%
BD Clipping T4 * UCP Clipping T4	123	99.2%	1	0.8%	124	100.0%
R Clipping T4 * V Clipping T4	123	99.2%	1	0.8%	124	100.0%
R Clipping T4 * IPVD Clipping T4	123	99.2%	1	0.8%	124	100.0%
R Clipping T4 * UCP Clipping T4	123	99.2%	1	0.8%	124	100.0%

BD Clipping T4 * V Clipping T4

Crosstab

		V Clipping T4		Total
		0	3	
BD Clipping T4	0	Count 108	Count 1	Count 109
		% within BD Clipping T4 99.1%	% within BD Clipping T4 0.9%	% within BD Clipping T4 100.0%
	3	Count 2	Count 12	Count 14
		% within BD Clipping T4 14.3%	% within BD Clipping T4 85.7%	% within BD Clipping T4 100.0%
Total		Count 110	Count 13	Count 123
		% within BD Clipping T4 89.4%	% within BD Clipping T4 10.6%	% within BD Clipping T4 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	94.381 ^b	1	0.000		
Continuity Correction ^a	85.623	1	0.000		
Likelihood Ratio	60.146	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	93.613	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1.48.

BD Clipping T4 * IPVD Clipping T4

Crosstab

			IPVD Clipping T4		Total
			0	3	
BD Clipping T4	0	Count	106	3	109
		% within BD Clipping T4	97.2%	2.8%	100.0%
	3	Count	5	9	14
		% within BD Clipping T4	35.7%	64.3%	100.0%
Total		Count	111	12	123
		% within BD Clipping T4	90.2%	9.8%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	53.355 ^b	1	0.000	0.000	0.000
Continuity Correction ^a	46.595	1	0.000		
Likelihood Ratio	32.922	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	52.922	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1.37.

BD Clipping T4 * UCP Clipping T4

Crosstab

			UCP Clipping T4		Total
			0	3	
BD Clipping T4	0	Count	108	1	109
		% within BD Clipping T4	99.1%	0.9%	100.0%
	3	Count	6	8	14
		% within BD Clipping T4	42.9%	57.1%	100.0%
Total		Count	114	9	123
		% within BD Clipping T4	92.7%	7.3%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	57.833 ^b	1	0.000	0.000	0.000
Continuity Correction ^a	49.840	1	0.000		
Likelihood Ratio	33.899	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	57.363	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1.02.

R Clipping T4 * V Clipping T4

Crosstab

			V Clipping T4		Total
			0	3	
R Clipping T4	0	Count	102	0	102
		% within R Clipping T4	100.0%	0.0%	100.0%
	3	Count	8	13	21
		% within R Clipping T4	38.1%	61.9%	100.0%
Total		Count	110	13	123
		% within R Clipping T4	89.4%	10.6%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	70.605 ^b	1	0.000	0.000	0.000
Continuity Correction ^a	64.208	1	0.000		
Likelihood Ratio	55.093	1	0.000		
Fisher's Exact Test					
Linear-by-Linear Association	70.031	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 2.22.

R Clipping T4 * IPVD Clipping T4

Crosstab

			IPVD Clipping T4		Total
			0	3	
R Clipping T4	0	Count	101	1	102
		% within R Clipping T4	99.0%	1.0%	100.0%
	3	Count	10	11	21
		% within R Clipping T4	47.6%	52.4%	100.0%
Total		Count	111	12	123
		% within R Clipping T4	90.2%	9.8%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	52.258 ^b	1	0.000	0.000	0.000
Continuity Correction ^a	46.583	1	0.000		
Likelihood Ratio	38.339	1	0.000		
Fisher's Exact Test					
Linear-by-Linear Association	51.834	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 2.05.

R Clipping T4 * UCP Clipping T4

Crosstab

		UCP Clipping T4		Total	
		0	3		
R Clipping T4	0	Count	101	1	102
		% within R Clipping T4	99.0%	1.0%	100.0%
	3	Count	13	8	21
		% within R Clipping T4	61.9%	38.1%	100.0%
Total		Count	114	9	123
		% within R Clipping T4	92.7%	7.3%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	35.373 ^b	1	0.000		
Continuity Correction ^a	30.112	1	0.000		
Likelihood Ratio	25.244	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	35.085	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1.54.

CROSSTABS

```

/TABLES=VClippingT4 BY IPVDClippingT4 UCPClippingT4
/FORMAT= AVALUE TABLES
/STATISTIC=CHISQ
/CELLS= COUNT ROW
/COUNT ROUND CELL .

```

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
V Clipping T4 * IPVD Clipping T4	123	99.2%	1	0.8%	124	100.0%
V Clipping T4 * UCP Clipping T4	123	99.2%	1	0.8%	124	100.0%

V Clipping T4 * IPVD Clipping T4

Crosstab

			IPVD Clipping T4		Total
			0	3	
V Clipping T4	0	Count	108	2	110
		% within V Clipping T4	98.2%	1.8%	100.0%
	3	Count	3	10	13
		% within V Clipping T4	23.1%	76.9%	100.0%
Total		Count	111	12	123
		% within V Clipping T4	90.2%	9.8%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	74.486 ^b	1	0.000		
Continuity Correction ^a	66.200	1	0.000		
Likelihood Ratio	44.606	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	73.880	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1.27.

V Clipping T4 * UCP Clipping T4

Crosstab

			UCP Clipping T4		Total
			0	3	
V Clipping T4	0	Count	109	1	110
		% within V Clipping T4	99.1%	0.9%	100.0%
	3	Count	5	8	13
		% within V Clipping T4	38.5%	61.5%	100.0%
Total		Count	114	9	123
		% within V Clipping T4	92.7%	7.3%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	63.017 ^b	1	0.000		
Continuity Correction ^a	54.394	1	0.000		
Likelihood Ratio	35.679	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	62.505	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 0.95.

```
CROSSTABS
  /TABLES=IPVDclippingT4 BY UCPClippingT4
  /FORMAT= AVALUE TABLES
  /STATISTIC=CHISQ
```

/CELLS= COUNT ROW
/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
IPVD Clipping T4 * UCP Clipping T4	123	99.2%	1	0.8%	124	100.0%

IPVD Clipping T4 * UCP Clipping T4 Crosstabulation

			UCP Clipping T4		Total
			0	3	
IPVD Clipping T4	0	Count	109	2	111
		% within IPVD Clipping T4	98.2%	1.8%	100.0%
	3	Count	5	7	12
		% within IPVD Clipping T4	41.7%	58.3%	100.0%
Total		Count	114	9	123
		% within IPVD Clipping T4	92.7%	7.3%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	51.032 ^b	1	0.000	0.000	0.000
Continuity Correction ^a	43.037	1	0.000		
Likelihood Ratio	28.064	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	50.617	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 0.88.

CROSSTABS

```
/TABLES=BDClippingT5 RClippingT5 BY VClippingT5 IPVDClippint5 UCPClippingT5
/FORMAT= AVALUE TABLES
/STATISTIC=CHISQ
/CELLS= COUNT ROW
/COUNT ROUND CELL .
```

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
BD Clipping T5 * V Clipping T5	123	99.2%	1	0.8%	124	100.0%
BD Clipping T5 * IPVD Clipping T5	123	99.2%	1	0.8%	124	100.0%
BD Clipping T5 * UCP Clipping T5	123	99.2%	1	0.8%	124	100.0%
R Clipping T5 * V Clipping T5	123	99.2%	1	0.8%	124	100.0%
R Clipping T5 * IPVD Clipping T5	123	99.2%	1	0.8%	124	100.0%
R Clipping T5 * UCP Clipping T5	123	99.2%	1	0.8%	124	100.0%

BD Clipping T5 * V Clipping T5

Crosstab

			V Clipping T5		Total
			0	4	
BD Clipping T5	0	Count	116	1	117
		% within BD Clipping T5	99.1%	0.9%	100.0%
	4	Count	1	5	6
		% within BD Clipping T5	16.7%	83.3%	100.0%
Total		Count	117	6	123
		% within BD Clipping T5	95.1%	4.9%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	83.674 ^b	1	0.000		
Continuity Correction ^a	66.842	1	0.000		
Likelihood Ratio	31.025	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	82.993	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 0.29.

BD Clipping T5 * IPVD Clipping T5

Crosstab

			IPVD Clipping T5		Total
			0	4	
BD Clipping T5	0	Count	115	2	117
		% within BD Clipping T5	98.3%	1.7%	100.0%
	4	Count	2	4	6
		% within BD Clipping T5	33.3%	66.7%	100.0%
Total		Count	117	6	123
		% within BD Clipping T5	95.1%	4.9%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	51.899 ^b	1	0.000	0.000	0.000
Continuity Correction ^a	38.844	1	0.000		
Likelihood Ratio	20.068	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	51.477	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 0.29.

BD Clipping T5 * UCP Clipping T5

Crosstab

			UCP Clipping T5		Total
			0	4	
BD Clipping T5	0	Count	117	0	117
		% within BD Clipping T5	100.0%	0.0%	100.0%
	4	Count	2	4	6
		% within BD Clipping T5	33.3%	66.7%	100.0%
Total		Count	119	4	123
		% within BD Clipping T5	96.7%	3.3%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	80.622 ^b	1	0.000	0.000	0.000
Continuity Correction ^a	60.825	1	0.000		
Likelihood Ratio	27.637	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	79.966	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 0.20.

R Clipping T5 * V Clipping T5

Crosstab

			V Clipping T5		Total
			0	4	
R Clipping T5	0	Count	116	0	116
		% within R Clipping T5	100.0%	0.0%	100.0%
	4	Count	1	6	7
		% within R Clipping T5	14.3%	85.7%	100.0%
Total		Count	117	6	123
		% within R Clipping T5	95.1%	4.9%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	104.527 ^b	1	0.000		
Continuity Correction ^a	86.871	1	0.000		
Likelihood Ratio	42.206	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	103.678	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 0.34.

R Clipping T5 * IPVD Clipping T5

Crosstab

			IPVD Clipping T5		Total
			0	4	
R Clipping T5	0	Count	115	1	116
		% within R Clipping T5	99.1%	0.9%	100.0%
	4	Count	2	5	7
		% within R Clipping T5	28.6%	71.4%	100.0%
Total		Count	117	6	123
		% within R Clipping T5	95.1%	4.9%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	70.847 ^b	1	0.000		
Continuity Correction ^a	56.455	1	0.000		
Likelihood Ratio	28.073	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	70.271	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 0.34.

R Clipping T5 * UCP Clipping T5

Crosstab

		UCP Clipping T5		Total	
		0	4		
R Clipping T5	0	Count	116	0	116
		% within R Clipping T5	100.0%	0.0%	100.0%
	4	Count	3	4	7
		% within R Clipping T5	42.9%	57.1%	100.0%
Total		Count	119	4	123
		% within R Clipping T5	96.7%	3.3%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	68.514 ^b	1	0.000		
Continuity Correction ^a	51.555	1	0.000		
Likelihood Ratio	25.715	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	67.957	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 0.23.

CROSSTABS

```

/TABLES=VClippingT5 BY IPVDClippinT5 UCPClippingT5
/FORMAT= AVALUE TABLES
/STATISTIC=CHISQ
/CELLS= COUNT ROW
/COUNT ROUND CELL .
    
```

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
V Clipping T5 * IPVD Clipping T5	123	99.2%	1	0.8%	124	100.0%
V Clipping T5 * UCP Clipping T5	123	99.2%	1	0.8%	124	100.0%

V Clipping T5 * IPVD Clipping T5

Crosstab

			IPVD Clipping T5		Total
			0	4	
V Clipping T5	0	Count	116	1	117
		% within V Clipping T5	99.1%	0.9%	100.0%
	4	Count	1	5	6
		% within V Clipping T5	16.7%	83.3%	100.0%
Total		Count	117	6	123
		% within V Clipping T5	95.1%	4.9%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	83.674 ^b	1	0.000		
Continuity Correction ^a	66.842	1	0.000		
Likelihood Ratio	31.025	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	82.993	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 0.29.

V Clipping T5 * UCP Clipping T5

Crosstab

			UCP Clipping T5		Total
			0	4	
V Clipping T5	0	Count	117	0	117
		% within V Clipping T5	100.0%	0.0%	100.0%
	4	Count	2	4	6
		% within V Clipping T5	33.3%	66.7%	100.0%
Total		Count	119	4	123
		% within V Clipping T5	96.7%	3.3%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	80.622 ^b	1	0.000		
Continuity Correction ^a	60.825	1	0.000		
Likelihood Ratio	27.637	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	79.966	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 0.20.

```
CROSSTABS
  /TABLES=IPVDClippinT5 BY UCPClippingT5
  /FORMAT= AVALUE TABLES
  /STATISTIC=CHISQ
```


/CELLS= COUNT ROW
/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
IPVD Clipping T5 * UCP Clipping T5	123	99.2%	1	0.8%	124	100.0%

IPVD Clipping T5 * UCP Clipping T5 Crosstabulation

			UCP Clipping T5		Total
			0	4	
IPVD Clipping T5	0	Count	116	1	117
		% within IPVD Clipping T5	99.1%	0.9%	100.0%
	4	Count	3	3	6
		% within IPVD Clipping T5	50.0%	50.0%	100.0%
Total		Count	119	4	123
		% within IPVD Clipping T5	96.7%	3.3%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	43.813 ^b	1	0.000		
Continuity Correction ^a	29.585	1	0.000		
Likelihood Ratio	15.442	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	43.456	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 0.20.

CROSSTABS

```
/TABLES=BDClippingT6 RClippingT6 BY VClippingT6 UCPClippingT6
/FORMAT= AVALUE TABLES
/STATISTIC=CHISQ
/CELLS= COUNT ROW
/COUNT ROUND CELL .
```

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
BD Clipping T6 * V Clipping T6	123	99.2%	1	0.8%	124	100.0%
BD Clipping T6 * UCP Clipping T6	123	99.2%	1	0.8%	124	100.0%
R Clipping T6 * V Clipping T6	123	99.2%	1	0.8%	124	100.0%
R Clipping T6 * UCP Clipping T6	123	99.2%	1	0.8%	124	100.0%

BD Clipping T6 * V Clipping T6

Crosstab

			V Clipping T6		Total
			0	5	
BD Clipping T6	0	Count	122	0	122
		% within BD Clipping T6	100.0%	0.0%	100.0%
	5	Count	0	1	1
		% within BD Clipping T6	0.0%	100.0%	100.0%
Total		Count	122	1	123
		% within BD Clipping T6	99.2%	0.8%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	123.000 ^b	1	0.000		
Continuity Correction ^a	30.248	1	0.000		
Likelihood Ratio	11.616	1	0.001		
Fisher's Exact Test				0.008	0.008
Linear-by-Linear Association	122.000	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.01.

BD Clipping T6 * UCP Clipping T6

Crosstab

			UCP Clipping T6		Total
			0	5	
BD Clipping T6	0	Count	120	2	122
		% within BD Clipping T6	98.4%	1.6%	100.0%
	5	Count	0	1	1
		% within BD Clipping T6	0.0%	100.0%	100.0%
Total		Count	120	3	123
		% within BD Clipping T6	97.6%	2.4%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	40.328 ^b	1	0.000	0.024	0.024
Continuity Correction ^a	9.584	1	0.002		
Likelihood Ratio	7.797	1	0.005		
Fisher's Exact Test					
Linear-by-Linear Association	40.000	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.02.

R Clipping T6 * V Clipping T6

Crosstab

			V Clipping T6		Total
			0	5	
R Clipping T6	0	Count	122	0	122
		% within R Clipping T6	100.0%	0.0%	100.0%
	5	Count	0	1	1
		% within R Clipping T6	0.0%	100.0%	100.0%
Total		Count	122	1	123
		% within R Clipping T6	99.2%	0.8%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	123.000 ^b	1	0.000	0.008	0.008
Continuity Correction ^a	30.248	1	0.000		
Likelihood Ratio	11.616	1	0.001		
Fisher's Exact Test					
Linear-by-Linear Association	122.000	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.01.

R Clipping T6 * UCP Clipping T6

Crosstab

			UCP Clipping T6		Total
			0	5	
R Clipping T6	0	Count	120	2	122
		% within R Clipping T6	98.4%	1.6%	100.0%
	5	Count	0	1	1
		% within R Clipping T6	0.0%	100.0%	100.0%
Total		Count	120	3	123
		% within R Clipping T6	97.6%	2.4%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	40.328 ^b	1	0.000	0.024	0.024
Continuity Correction ^a	9.584	1	0.002		
Likelihood Ratio	7.797	1	0.005		
Fisher's Exact Test					
Linear-by-Linear Association	40.000	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.02.

CROSSTABS

/TABLES=VClippingT6 BY UCPClippingT6

/FORMAT= AVALUE TABLES

/STATISTIC=CHISQ

/CELLS= COUNT ROW

/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
V Clipping T6 *	123	99.2%	1	0.8%	124	100.0%
UCP Clipping T6						

V Clipping T6 * UCP Clipping T6 Crosstabulation

				UCP Clipping T6		Total
				0	5	
V Clipping T6	0	Count	120	2	122	
		% within V Clipping T6	98.4%	1.6%	100.0%	
5	Count	0	1	1		
	% within V Clipping T6	0.0%	100.0%	100.0%		
Total	Count	120	3	123		
	% within V Clipping T6	97.6%	2.4%	100.0%		

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	40.328 ^b	1	0.000	0.024	0.024
Continuity Correction ^a	9.584	1	0.002		
Likelihood Ratio	7.797	1	0.005		
Fisher's Exact Test					
Linear-by-Linear Association	40.000	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.02.

```

CROSSTABS
  /TABLES=BDClippingT7 RClippingT7 BY VClippingT7 UCPClippingT7
  /FORMAT= AVALUE TABLES
  /STATISTIC=CHISQ
  /CELLS= COUNT ROW
  /COUNT ROUND CELL .

```

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
BD Clipping T7 * V Clipping T7	123	99.2%	1	0.8%	124	100.0%
BD Clipping T7 * UCP Clipping T7	123	99.2%	1	0.8%	124	100.0%
R Clipping T7 * V Clipping T7	123	99.2%	1	0.8%	124	100.0%
R Clipping T7 * UCP Clipping T7	123	99.2%	1	0.8%	124	100.0%

BD Clipping T7 * V Clipping T7

Crosstab

			V Clipping T7		Total
			0	6	
BD Clipping T7	0	Count	122	0	122
		% within BD Clipping T7	100.0%	0.0%	100.0%
	6	Count	0	1	1
		% within BD Clipping T7	0.0%	100.0%	100.0%
Total		Count	122	1	123
		% within BD Clipping T7	99.2%	0.8%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	123.000 ^b	1	0.000		
Continuity Correction ^a	30.248	1	0.000		
Likelihood Ratio	11.616	1	0.001		
Fisher's Exact Test				0.008	0.008
Linear-by-Linear Association	122.000	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.01.

BD Clipping T7 * UCP Clipping T7

Crosstab

			UCP Clipping T7		Total
			0	6	
BD Clipping T7	0	Count	122	0	122
		% within BD Clipping T7	100.0%	0.0%	100.0%
	6	Count	0	1	1
		% within BD Clipping T7	0.0%	100.0%	100.0%
Total		Count	122	1	123
		% within BD Clipping T7	99.2%	0.8%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	123.000 ^b	1	0.000	0.008	0.008
Continuity Correction ^a	30.248	1	0.000		
Likelihood Ratio	11.616	1	0.001		
Fisher's Exact Test				0.008	0.008
Linear-by-Linear Association	122.000	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.01.

R Clipping T7 * V Clipping T7

Crosstab

			V Clipping T7		Total
			0	6	
R Clipping T7	0	Count	122	0	122
		% within R Clipping T7	100.0%	0.0%	100.0%
	6	Count	0	1	1
		% within R Clipping T7	0.0%	100.0%	100.0%
Total		Count	122	1	123
		% within R Clipping T7	99.2%	0.8%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	123.000 ^b	1	0.000	0.008	0.008
Continuity Correction ^a	30.248	1	0.000		
Likelihood Ratio	11.616	1	0.001		
Fisher's Exact Test				0.008	0.008
Linear-by-Linear Association	122.000	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.01.

R Clipping T7 * UCP Clipping T7

Crosstab

			UCP Clipping T7		Total
			0	6	
R Clipping T7	0	Count	122	0	122
		% within R Clipping T7	100.0%	0.0%	100.0%
	6	Count	0	1	1
		% within R Clipping T7	0.0%	100.0%	100.0%
Total		Count	122	1	123
		% within R Clipping T7	99.2%	0.8%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	123.000 ^b	1	0.000		
Continuity Correction ^a	30.248	1	0.000		
Likelihood Ratio	11.616	1	0.001		
Fisher's Exact Test				0.008	0.008
Linear-by-Linear Association	122.000	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.01.

CROSSTABS

```

/TABLES=VClippingT7 BY UCPClippingT7
/FORMAT= AVALUE TABLES
/STATISTIC=CHISQ
/CELLS= COUNT ROW
/COUNT ROUND CELL .
    
```

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
V Clipping T7 * UCP Clipping T7	123	99.2%	1	0.8%	124	100.0%

V Clipping T7 * UCP Clipping T7 Crosstabulation

			UCP Clipping T7		Total
			0	6	
V Clipping T7	0	Count	122	0	122
		% within V Clipping T7	100.0%	0.0%	100.0%
	6	Count	0	1	1
		% within V Clipping T7	0.0%	100.0%	100.0%
Total		Count	122	1	123
		% within V Clipping T7	99.2%	0.8%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	123.000 ^b	1	0.000		
Continuity Correction ^a	30.248	1	0.000		
Likelihood Ratio	11.616	1	0.001		
Fisher's Exact Test				0.008	0.008
Linear-by-Linear Association	122.000	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.01.

CROSSTABS

/TABLES=BDClippingT8 RClippingT8 BY UCPClippingT8

/FORMAT= AVALUE TABLES

/STATISTIC=CHISQ

/CELLS= COUNT ROW

/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
BD Clipping T8 * UCP Clipping T8	123	99.2%	1	0.8%	124	100.0%
R Clipping T8 * UCP Clipping T8	123	99.2%	1	0.8%	124	100.0%

BD Clipping T8 * UCP Clipping T8

Crosstab

			UCP Clipping T8		Total
			0	7	
BD Clipping T8	0	Count	122	0	122
		% within BD Clipping T8	100.0%	0.0%	100.0%
	7	Count	0	1	1
		% within BD Clipping T8	0.0%	100.0%	100.0%
Total		Count	122	1	123
		% within BD Clipping T8	99.2%	0.8%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	123.000 ^b	1	0.000	0.008	0.008
Continuity Correction ^a	30.248	1	0.000		
Likelihood Ratio	11.616	1	0.001		
Fisher's Exact Test					
Linear-by-Linear Association	122.000	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.01.

R Clipping T8 * UCP Clipping T8

Crosstab

		UCP Clipping T8		Total	
		0	7		
R Clipping T8	0	Count	122	0	122
		% within R Clipping T8	100.0%	0.0%	100.0%
	7	Count	0	1	1
		% within R Clipping T8	0.0%	100.0%	100.0%
Total		Count	122	1	123
		% within R Clipping T8	99.2%	0.8%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	123.000 ^b	1	0.000	0.008	0.008
Continuity Correction ^a	30.248	1	0.000		
Likelihood Ratio	11.616	1	0.001		
Fisher's Exact Test					
Linear-by-Linear Association	122.000	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.01.

CROSSTABS

/TABLES=BDClippingT8 BY RClippingT8

/FORMAT= AVALUE TABLES

/STATISTIC=CHISQ

/CELLS= COUNT ROW

/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
BD Clipping T8 * R Clipping T8	123	99.2%	1	0.8%	124	100.0%

BD Clipping T8 * R Clipping T8 Crosstabulation

			R Clipping T8		Total
			0	7	
BD Clipping T8	0	Count	122	0	122
		% within BD Clipping T8	100.0%	0.0%	100.0%
	7	Count	0	1	1
		% within BD Clipping T8	0.0%	100.0%	100.0%
Total		Count	122	1	123
		% within BD Clipping T8	99.2%	0.8%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	123.000 ^b	1	0.000		
Continuity Correction ^a	30.248	1	0.000		
Likelihood Ratio	11.616	1	0.001		
Fisher's Exact Test				0.008	0.008
Linear-by-Linear Association	122.000	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.01.

CROSSTABS

```

/TABLES=BDNerveResectionT2 BY RNerveResectionT2 VNevrResectionT2
IPVDNerveResectionT2 UCPNerveResectionT2
/FORMAT= AVALUE TABLES
/STATISTIC=CHISQ
/CELLS= COUNT ROW
/COUNT ROUND CELL .

```

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
BD Nerve Resection T2 * R Nerve Resection T2	123	99.2%	1	0.8%	124	100.0%
BD Nerve Resection T2 * V Nerve Resection T2	123	99.2%	1	0.8%	124	100.0%
BD Nerve Resection T2 * IPVD Nerve Resection T2	123	99.2%	1	0.8%	124	100.0%
BD Nerve Resection T2 * UCP Nerve Resection T2	123	99.2%	1	0.8%	124	100.0%

BD Nerve Resection T2 * R Nerve Resection T2

Crosstab

			R Nerve Resection T2		Total
			0	1	
BD Nerve Resection T2	0	Count	108	2	110
		% within BD Nerve Resection T2	98.2%	1.8%	100.0%
	1	Count	3	10	13
		% within BD Nerve Resection T2	23.1%	76.9%	100.0%
Total		Count	111	12	123
		% within BD Nerve Resection T2	90.2%	9.8%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	74.486 ^b	1	0.000		
Continuity Correction ^a	66.200	1	0.000		
Likelihood Ratio	44.606	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	73.880	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1.27.

BD Nerve Resection T2 * V Nerve Resection T2

Crosstab

			V Nerve Resection T2		Total
			0	1	
BD Nerve Resection T2	0	Count % within BD Nerve Resection T2	110 100.0%	0 0.0%	110 100.0%
	1	Count % within BD Nerve Resection T2	3 23.1%	10 76.9%	13 100.0%
Total		Count % within BD Nerve Resection T2	113 91.9%	10 8.1%	123 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	92.103 ^b	1	0.000		
Continuity Correction ^a	82.093	1	0.000		
Likelihood Ratio	55.311	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	91.355	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1.06.

BD Nerve Resection T2 * IPVD Nerve Resection T2

Crosstab

			IPVD Nerve Resection T2			Total
			0	1	12	
BD Nerve Resection T2	0	Count % within BD Nerve Resection T2	104 94.5%	5 4.5%	1 0.9%	110 100.0%
	1	Count % within BD Nerve Resection T2	13 100.0%	0 0.0%	0 0.0%	13 100.0%
Total		Count % within BD Nerve Resection T2	117 95.1%	5 4.1%	1 0.8%	123 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	0.745	2	0.689
Likelihood Ratio	^a	2	0.503
Linear-by-Linear Association	1.376	1	0.631
N of Valid Cases	0.231		

a. 4 cells (66.7%) have expected count less than 5. The minimum expected count is 0.11.

BD Nerve Resection T2 * UCP Nerve Resection T2

Crosstab

			UCP Nerve Resection T2		Total
			0	1	
BD Nerve Resection T2	0	Count % within BD Nerve Resection T2	109 99.1%	1 0.9%	110 100.0%
	1	Count % within BD Nerve Resection T2	7 53.8%	6 46.2%	13 100.0%
Total		Count % within BD Nerve Resection T2	116 94.3%	7 5.7%	123 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	44.343 ^b	1	0.000		
Continuity Correction ^a	36.313	1	0.000		
Likelihood Ratio	24.385	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	43.982	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 0.74.

```
CROSSTABS
  /TABLES=RNerveResectionT2 BY VNevrResectionT2 IPVDNerveResectionT2
  UCPNerveResectionT2
  /FORMAT= AVALUE TABLES
  /STATISTIC=CHISQ
  /CELLS= COUNT ROW
  /COUNT ROUND CELL .
```

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
R Nerve Resection T2 * V Nerve Resection T2	123	99.2%	1	0.8%	124	100.0%
R Nerve Resection T2 * IPVD Nerve Resection T2	123	99.2%	1	0.8%	124	100.0%
R Nerve Resection T2 * UCP Nerve Resection T2	123	99.2%	1	0.8%	124	100.0%

R Nerve Resection T2 * V Nerve Resection T2

Crosstab

			V Nerve Resection T2		Total
			0	1	
R Nerve Resection T2	0	Count % within R Nerve Resection T2	109 98.2%	2 1.8%	111 100.0%
	1	Count % within R Nerve Resection T2	4 33.3%	8 66.7%	12 100.0%
Total		Count % within R Nerve Resection T2	113 91.9%	10 8.1%	123 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	61.003 ^b	1	0.000		
Continuity Correction ^a	52.627	1	0.000		
Likelihood Ratio	34.050	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	60.507	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 0.98.

R Nerve Resection T2 * IPVD Nerve Resection T2

Crosstab

			IPVD Nerve Resection T2			Total
			0	1	12	
R Nerve Resection T2	0	Count % within R Nerve Resection T2	105 94.6%	5 4.5%	1 0.9%	111 100.0%
	1	Count % within R Nerve Resection T2	12 100.0%	0 0.0%	0 0.0%	12 100.0%
Total		Count % within R Nerve Resection T2	117 95.1%	5 4.1%	1 0.8%	123 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	0.682	2	0.711
Likelihood Ratio	^a	2	0.531
Linear-by-Linear Association	1.265	1	0.646
N of Valid Cases	0.211		

a. 4 cells (66.7%) have expected count less than 5. The minimum expected count is 0.10.

R Nerve Resection T2 * UCP Nerve Resection T2

Crosstab

			UCP Nerve Resection T2		Total
			0	1	
R Nerve Resection T2	0	Count % within R Nerve Resection T2	109 98.2%	2 1.8%	111 100.0%
	1	Count % within R Nerve Resection T2	7 58.3%	5 41.7%	12 100.0%
Total		Count % within R Nerve Resection T2	116 94.3%	7 5.7%	123 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	32.065 ^b	1	0.000		
Continuity Correction ^a	25.068	1	0.000		
Likelihood Ratio	17.392	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	31.805	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 0.68.

CROSSTABS

```

/TABLES=VNevrResectionT2 BY IPVDNerveResectionT2 UCPNerveResectionT2
/FORMAT= AVALUE TABLES
/STATISTIC=CHISQ
/CELLS= COUNT ROW
/COUNT ROUND CELL .

```

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
V Nerve Resection T2 * IPVD Nerve Resection T2	123	99.2%	1	0.8%	124	100.0%
V Nerve Resection T2 * UCP Nerve Resection T2	123	99.2%	1	0.8%	124	100.0%

V Nerve Resection T2 * IPVD Nerve Resection T2

Crosstab

			IPVD Nerve Resection T2			Total
			0	1	12	
V Nerve Resection T2	0	Count % within V Nerve Resection T2	107 94.7%	5 4.4%	1 0.9%	113 100.0%
	1	Count % within V Nerve Resection T2	10 100.0%	0 0.0%	0 0.0%	10 100.0%
Total		Count % within V Nerve Resection T2	117 95.1%	5 4.1%	1 0.8%	123 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	0.558	2	0.756
Likelihood Ratio	a	2	0.593
Linear-by-Linear Association	1.044	1	0.677
N of Valid Cases	0.173		

a. 4 cells (66.7%) have expected count less than 5. The minimum expected count is 0.08.

V Nerve Resection T2 * UCP Nerve Resection T2

Crosstab

			UCP Nerve Resection T2		Total
			0	1	
V Nerve Resection T2	0	Count % within V Nerve Resection T2	111 98.2%	2 1.8%	113 100.0%
	1	Count % within V Nerve Resection T2	5 50.0%	5 50.0%	10 100.0%
Total		Count % within V Nerve Resection T2	116 94.3%	7 5.7%	123 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	39.817 ^b	1	0.000		
Continuity Correction ^a	31.337	1	0.000		
Likelihood Ratio	19.757	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	39.493	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 0.57.


```

/TABLES=IPVDNerveResectionT2 BY UCPNerveResectionT2
/FORMAT= AVALUE TABLES
/STATISTIC=CHISQ
/CELLS= COUNT ROW
/COUNT ROUND CELL .

```

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
IPVD Nerve Resection T2 * UCP Nerve Resection T2	123	99.2%	1	0.8%	124	100.0%

IPVD Nerve Resection T2 * UCP Nerve Resection T2 Crosstabulation

			UCP Nerve Resection T2		Total
			0	1	
IPVD Nerve Resection T2	0	Count	110	7	117
		% within IPVD Nerve Resection T2	94.0%	6.0%	100.0%
	1	Count	5	0	5
	% within IPVD Nerve Resection T2	100.0%	0.0%	100.0%	
	12	Count	1	0	1
	% within IPVD Nerve Resection T2	100.0%	0.0%	100.0%	
Total		Count	116	7	123
		% within IPVD Nerve Resection T2	94.3%	5.7%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)
Pearson Chi-Square	0.381 ^a	2	0.827
Likelihood Ratio		2	0.697
Linear-by-Linear Association	0.721	1	0.731
N of Valid Cases	0.118		

a. 4 cells (66.7%) have expected count less than 5. The minimum expected count is 0.06.

CROSSTABS

```

/TABLES=BDNerveResectionT3 BY RNerveResectionT3 VNerveResectionT3
IPVDNerveResectionT3 UCPNerveResectionT3
/FORMAT= AVALUE TABLES
/STATISTIC=CHISQ
/CELLS= COUNT ROW
/COUNT ROUND CELL .

```

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
BD Nerve Resection T3 * R Nerve Resection T3	123	99.2%	1	0.8%	124	100.0%
BD Nerve Resection T3 * V Nerve Resection T3	123	99.2%	1	0.8%	124	100.0%
BD Nerve Resection T3 * IPVD Nerve Resection T3	123	99.2%	1	0.8%	124	100.0%
BD Nerve Resection T3 * UCP Nerve Resection T3	123	99.2%	1	0.8%	124	100.0%

BD Nerve Resection T3 * R Nerve Resection T3

Crosstab

			R Nerve Resection T3		Total
			0	2	
BD Nerve Resection T3	0	Count	82	11	93
		% within BD Nerve Resection T3	88.2%	11.8%	100.0%
	2	Count	3	27	30
		% within BD Nerve Resection T3	10.0%	90.0%	100.0%
Total		Count	85	38	123
		% within BD Nerve Resection T3	69.1%	30.9%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	64.925 ^b	1	0.000		
Continuity Correction ^a	61.315	1	0.000		
Likelihood Ratio	64.977	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	64.397	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 9.27.

BD Nerve Resection T3 * V Nerve Resection T3

Crosstab

			V Nerve Resection T3		Total
			0	2	
BD Nerve Resection T3	0	Count % within BD Nerve Resection T3	90 96.8%	3 3.2%	93 100.0%
	2	Count % within BD Nerve Resection T3	6 20.0%	24 80.0%	30 100.0%
Total		Count % within BD Nerve Resection T3	96 78.0%	27 22.0%	123 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	78.038 ^b	1	0.000		
Continuity Correction ^a	73.621	1	0.000		
Likelihood Ratio	72.937	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	77.403	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 6.59.

BD Nerve Resection T3 * IPVD Nerve Resection T3

Crosstab

			IPVD Nerve Resection T3		Total
			0	2	
BD Nerve Resection T3	0	Count % within BD Nerve Resection T3	79 84.9%	14 15.1%	93 100.0%
	2	Count % within BD Nerve Resection T3	28 93.3%	2 6.7%	30 100.0%
Total		Count % within BD Nerve Resection T3	107 87.0%	16 13.0%	123 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.410 ^b	1	0.235	0.353	0.194
Continuity Correction ^a	0.766	1	0.381		
Likelihood Ratio	1.596	1	0.206		
Fisher's Exact Test					
Linear-by-Linear Association	1.399	1	0.237		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 3.90.

BD Nerve Resection T3 * UCP Nerve Resection T3

Crosstab

			UCP Nerve Resection T3		Total
			0	2	
BD Nerve Resection T3	0	Count	90	3	93
		% within BD Nerve Resection T3	96.8%	3.2%	100.0%
	2	Count	19	11	30
		% within BD Nerve Resection T3	63.3%	36.7%	100.0%
Total		Count	109	14	123
		% within BD Nerve Resection T3	88.6%	11.4%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	25.148 ^b	1	0.000	0.000	0.000
Continuity Correction ^a	21.942	1	0.000		
Likelihood Ratio	21.254	1	0.000		
Fisher's Exact Test					
Linear-by-Linear Association	24.944	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 3.41.

```

CROSSTABS
  /TABLES=RNerveResectionT3 BY VNerveResectionT3 IPVDNerveResectionT3
  UCPNerveResectionT3
  /FORMAT= AVALUE TABLES
  /STATISTIC=CHISQ
  /CELLS= COUNT ROW
  /COUNT ROUND CELL .

```

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
R Nerve Resection T3 * V Nerve Resection T3	123	99.2%	1	0.8%	124	100.0%
R Nerve Resection T3 * IPVD Nerve Resection T3	123	99.2%	1	0.8%	124	100.0%
R Nerve Resection T3 * UCP Nerve Resection T3	123	99.2%	1	0.8%	124	100.0%

R Nerve Resection T3 * V Nerve Resection T3

Crosstab

			V Nerve Resection T3		Total
			0	2	
R Nerve Resection T3	0	Count	82	3	85
		% within R Nerve Resection T3	96.5%	3.5%	100.0%
	2	Count	14	24	38
		% within R Nerve Resection T3	36.8%	63.2%	100.0%
Total		Count	96	27	123
		% within R Nerve Resection T3	78.0%	22.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	54.498 ^b	1	0.000		
Continuity Correction ^a	51.073	1	0.000		
Likelihood Ratio	53.494	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	54.055	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 0 cells (.0%) have expected count less than 5. The minimum expected count is 8.34.

R Nerve Resection T3 * IPVD Nerve Resection T3

Crosstab

			IPVD Nerve Resection T3		Total
			0	2	
R Nerve Resection T3	0	Count % within R Nerve Resection T3	72 84.7%	13 15.3%	85 100.0%
	2	Count % within R Nerve Resection T3	35 92.1%	3 7.9%	38 100.0%
Total		Count % within R Nerve Resection T3	107 87.0%	16 13.0%	123 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.271 ^b	1	0.260	0.386	0.204
Continuity Correction ^a	0.701	1	0.403		
Likelihood Ratio	1.377	1	0.241		
Fisher's Exact Test					
Linear-by-Linear Association	1.260	1	0.262		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 4.94.

R Nerve Resection T3 * UCP Nerve Resection T3

Crosstab

			UCP Nerve Resection T3		Total
			0	2	
R Nerve Resection T3	0	Count % within R Nerve Resection T3	83 97.6%	2 2.4%	85 100.0%
	2	Count % within R Nerve Resection T3	26 68.4%	12 31.6%	38 100.0%
Total		Count % within R Nerve Resection T3	109 88.6%	14 11.4%	123 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	22.238 ^b	1	0.000		
Continuity Correction ^a	19.435	1	0.000		
Likelihood Ratio	20.842	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	22.057	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 4.33.

CROSSTABS

```

/TABLES=VNerveResectionT3 BY IPVDNerveResectionT3 UCPNerveResectionT3
/FORMAT= AVALUE TABLES
/STATISTIC=CHISQ
/CELLS= COUNT ROW
/COUNT ROUND CELL .

```

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
V Nerve Resection T3 * IPVD Nerve Resection T3	123	99.2%	1	0.8%	124	100.0%
V Nerve Resection T3 * UCP Nerve Resection T3	123	99.2%	1	0.8%	124	100.0%

V Nerve Resection T3 * IPVD Nerve Resection T3

Crosstab

			IPVD Nerve Resection T3		Total
			0	2	
V Nerve Resection T3	0	Count	82	14	96
		% within V Nerve Resection T3	85.4%	14.6%	100.0%
	2	Count	25	2	27
		% within V Nerve Resection T3	92.6%	7.4%	100.0%
Total		Count	107	16	123
		% within V Nerve Resection T3	87.0%	13.0%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	0.959	1	0.327	0.519	0.266
Continuity Correction ^a	^b	1	0.512		
Likelihood Ratio	0.430	1	0.301		
Fisher's Exact Test	1.071				
Linear-by-Linear Association		1	0.329		
N of Valid Cases	0.951				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 3.51.

V Nerve Resection T3 * UCP Nerve Resection T3

Crosstab

		UCP Nerve Resection T3		Total
		0	2	
V Nerve Resection T3	0	Count 94 97.9%	Count 2 2.1%	96 100.0%
	2	Count 15 55.6%	Count 12 44.4%	27 100.0%
Total		Count 109 88.6%	Count 14 11.4%	123 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	37.490 ^b	1	0.000	0.000	0.000
Continuity Correction ^a	33.408	1	0.000		
Likelihood Ratio	30.651	1	0.000		
Fisher's Exact Test					
Linear-by-Linear Association	37.186	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 3.07.

CROSSTABS

/TABLES=IPVDNerveResectionT3 BY UCPNerveResectionT3

/FORMAT= AVALUE TABLES

/STATISTIC=CHISQ

/CELLS= COUNT ROW

/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
IPVD Nerve Resection T3 * UCP Nerve Resection T3	123	99.2%	1	0.8%	124	100.0%

IPVD Nerve Resection T3 * UCP Nerve Resection T3 Crosstabulation

			UCP Nerve Resection T3		Total
			0	2	
IPVD Nerve Resection T3	0	Count	93	14	107
		% within IPVD Nerve Resection T3	86.9%	13.1%	100.0%
	2	Count	16	0	16
		% within IPVD Nerve Resection T3	100.0%	0.0%	100.0%
Total		Count	109	14	123
		% within IPVD Nerve Resection T3	88.6%	11.4%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	2.362 ^b	1	0.124		
Continuity Correction ^a	1.243	1	0.265		
Likelihood Ratio	4.162	1	0.041		
Fisher's Exact Test				0.212	0.126
Linear-by-Linear Association	2.343	1	0.126		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1.82.

CROSSTABS

```

/TABLES=BDNerveResectionT4 BY RNerveResectionT4 VNerveResectionT4
IPVDNerveResectionT4 UCPNerveResectionT4
/FORMAT= AVALUE TABLES
/STATISTIC=CHISQ
/CELLS= COUNT ROW
/COUNT ROUND CELL .

```

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
BD Nerve Resection T4 * R Nerve Resection T4	123	99.2%	1	0.8%	124	100.0%
BD Nerve Resection T4 * V Nerve Resection T4	123	99.2%	1	0.8%	124	100.0%
BD Nerve Resection T4 * IPVD Nerve Resection T4	123	99.2%	1	0.8%	124	100.0%
BD Nerve Resection T4 * UCP Nerve Resection T4	123	99.2%	1	0.8%	124	100.0%

BD Nerve Resection T4 * R Nerve Resection T4

Crosstab

			R Nerve Resection T4		Total
			0	3	
BD Nerve Resection T4	0	Count	93	10	103
		% within BD Nerve Resection T4	90.3%	9.7%	100.0%
	3	Count	1	19	20
		% within BD Nerve Resection T4	5.0%	95.0%	100.0%
Total		Count	94	29	123
		% within BD Nerve Resection T4	76.4%	23.6%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	67.617 ^b	1	0.000		
Continuity Correction ^a	62.966	1	0.000		
Likelihood Ratio	60.775	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	67.067	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 4.72.

BD Nerve Resection T4 * V Nerve Resection T4

Crosstab

			V Nerve Resection T4		Total
			0	3	
BD Nerve Resection T4	0	Count % within BD Nerve Resection T4	99 96.1%	4 3.9%	103 100.0%
	3	Count % within BD Nerve Resection T4	3 15.0%	17 85.0%	20 100.0%
Total		Count % within BD Nerve Resection T4	102 82.9%	21 17.1%	123 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	77.834 ^b	1	0.000		
Continuity Correction ^a	72.211	1	0.000		
Likelihood Ratio	61.695	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	77.202	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 3.41.

BD Nerve Resection T4 * IPVD Nerve Resection T4

Crosstab

			IPVD Nerve Resection T4		Total
			0	3	
BD Nerve Resection T4	0	Count % within BD Nerve Resection T4	90 87.4%	13 12.6%	103 100.0%
	3	Count % within BD Nerve Resection T4	19 95.0%	1 5.0%	20 100.0%
Total		Count % within BD Nerve Resection T4	109 88.6%	14 11.4%	123 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	0.964	1	0.326		
Continuity Correction ^a	^b	1	0.550		
Likelihood Ratio	0.357	1	0.284		
Fisher's Exact Test	1.150			0.463	0.293
Linear-by-Linear Association		1	0.328		
N of Valid Cases	0.957				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 2.28.

BD Nerve Resection T4 * UCP Nerve Resection T4

Crosstab

			UCP Nerve Resection T4		Total
			0	3	
BD Nerve Resection T4	0	Count	100	3	103
		% within BD Nerve Resection T4	97.1%	2.9%	100.0%
	3	Count	11	9	20
		% within BD Nerve Resection T4	55.0%	45.0%	100.0%
Total		Count	111	12	123
		% within BD Nerve Resection T4	90.2%	9.8%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	33.695 ^b	1	0.000		
Continuity Correction ^a	29.085	1	0.000		
Likelihood Ratio	23.990	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	33.422	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1.95.

CROSSTABS

```

/TABLES=RNerveResectionT4 BY VNerveResectionT4 IPVDNerveResectionT4
UCPNerveResectionT4
/FORMAT= AVALUE TABLES
/STATISTIC=CHISQ
/CELLS= COUNT ROW
/COUNT ROUND CELL .

```

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
R Nerve Resection T4 * V Nerve Resection T4	123	99.2%	1	0.8%	124	100.0%
R Nerve Resection T4 * IPVD Nerve Resection T4	123	99.2%	1	0.8%	124	100.0%
R Nerve Resection T4 * UCP Nerve Resection T4	123	99.2%	1	0.8%	124	100.0%

R Nerve Resection T4 * V Nerve Resection T4

Crosstab

			V Nerve Resection T4		Total
			0	3	
R Nerve Resection T4	0	Count	92	2	94
		% within R Nerve Resection T4	97.9%	2.1%	100.0%
	3	Count	10	19	29
		% within R Nerve Resection T4	34.5%	65.5%	100.0%
Total		Count	102	21	123
		% within R Nerve Resection T4	82.9%	17.1%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	62.900 ^b	1	0.000		
Continuity Correction ^a	58.502	1	0.000		
Likelihood Ratio	55.712	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	62.388	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 4.95.

R Nerve Resection T4 * IPVD Nerve Resection T4

Crosstab

			IPVD Nerve Resection T4		Total
			0	3	
R Nerve Resection T4	0	Count % within R Nerve Resection T4	82 87.2%	12 12.8%	94 100.0%
	3	Count % within R Nerve Resection T4	27 93.1%	2 6.9%	29 100.0%
Total		Count % within R Nerve Resection T4	109 88.6%	14 11.4%	123 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	0.757	1	0.384	0.516	0.310
Continuity Correction ^a	b	1	0.592		
Likelihood Ratio	0.287	1	0.361		
Fisher's Exact Test	0.835				
Linear-by-Linear Association	0.751	1	0.386		
N of Valid Cases					

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 3.30.

R Nerve Resection T4 * UCP Nerve Resection T4

Crosstab

			UCP Nerve Resection T4		Total
			0	3	
R Nerve Resection T4	0	Count % within R Nerve Resection T4	92 97.9%	2 2.1%	94 100.0%
	3	Count % within R Nerve Resection T4	19 65.5%	10 34.5%	29 100.0%
Total		Count % within R Nerve Resection T4	111 90.2%	12 9.8%	123 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	26.352 ^b	1	0.000		
Continuity Correction ^a	22.805	1	0.000		
Likelihood Ratio	21.923	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	26.138	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 2.83.

CROSSTABS

```

/TABLES=VNerveResectionT4 BY IPVDNerveResectionT4 UCPNerveResectionT4
/FORMAT= AVALUE TABLES
/STATISTIC=CHISQ
/CELLS= COUNT ROW
/COUNT ROUND CELL .

```

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
V Nerve Resection T4 * IPVD Nerve Resection T4	123	99.2%	1	0.8%	124	100.0%
V Nerve Resection T4 * UCP Nerve Resection T4	123	99.2%	1	0.8%	124	100.0%

V Nerve Resection T4 * IPVD Nerve Resection T4

Crosstab

			IPVD Nerve Resection T4		Total
			0	3	
V Nerve Resection T4	0	Count	89	13	102
		% within V Nerve Resection T4	87.3%	12.7%	100.0%
	3	Count	20	1	21
		% within V Nerve Resection T4	95.2%	4.8%	100.0%
Total		Count	109	14	123
		% within V Nerve Resection T4	88.6%	11.4%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.100 ^b	1	0.294		
Continuity Correction ^a	0.451	1	0.502		
Likelihood Ratio	1.321	1	0.250		
Fisher's Exact Test				0.460	0.265
Linear-by-Linear Association	1.091	1	0.296		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 2.39.

V Nerve Resection T4 * UCP Nerve Resection T4

Crosstab

		UCP Nerve Resection T4		Total
		0	3	
V Nerve Resection T4	0	Count 101 99.0%	Count 1 1.0%	102 100.0%
	3	Count 10 47.6%	Count 11 52.4%	21 100.0%
Total		Count 111 90.2%	Count 12 9.8%	123 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	52.258 ^b	1	0.000		
Continuity Correction ^a	46.583	1	0.000		
Likelihood Ratio	38.339	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	51.834	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 2.05.

CROSSTABS

/TABLES=IPVDNerveResectionT4 BY UCPNerveResectionT4

/FORMAT= AVALUE TABLES

/STATISTIC=CHISQ

/CELLS= COUNT ROW

/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
IPVD Nerve Resection T4 * UCP Nerve Resection T4	123	99.2%	1	0.8%	124	100.0%

IPVD Nerve Resection T4 * UCP Nerve Resection T4 Crosstabulation

			UCP Nerve Resection T4		Total
			0	3	
IPVD Nerve Resection T4	0	Count	97	12	109
		% within IPVD Nerve Resection T4	89.0%	11.0%	100.0%
	3	Count	14	0	14
		% within IPVD Nerve Resection T4	100.0%	0.0%	100.0%
Total		Count	111	12	123
		% within IPVD Nerve Resection T4	90.2%	9.8%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.708 ^b	1	0.191		
Continuity Correction ^a	0.686	1	0.407		
Likelihood Ratio	3.062	1	0.080		
Fisher's Exact Test				0.357	0.218
Linear-by-Linear Association	1.694	1	0.193		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 1.37.

CROSSTABS

```

/TABLES=BDNerveResectionT5 BY RNerveResectionT5 VNerveResectionT5
IPVDNerveResectionT5 UCPNerveResectionT5
/FORMAT= AVALUE TABLES
/STATISTIC=CHISQ
/CELLS= COUNT ROW
/COUNT ROUND CELL .

```

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
BD Nerve Resection T5 * R Nerve Resection T5	123	99.2%	1	0.8%	124	100.0%
BD Nerve Resection T5 * V Nerve Resection T5	123	99.2%	1	0.8%	124	100.0%
BD Nerve Resection T5 * IPVD Nerve Resection T5	123	99.2%	1	0.8%	124	100.0%
BD Nerve Resection T5 * UCP Nerve Resection T5	123	99.2%	1	0.8%	124	100.0%

BD Nerve Resection T5 * R Nerve Resection T5

Crosstab

			R Nerve Resection T5		Total
			0	4	
BD Nerve Resection T5	0	Count	113	3	116
		% within BD Nerve Resection T5	97.4%	2.6%	100.0%
	4	Count	0	7	7
		% within BD Nerve Resection T5	0.0%	100.0%	100.0%
Total		Count	113	10	123
		% within BD Nerve Resection T5	91.9%	8.1%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	83.873 ^b	1	0.000		
Continuity Correction ^a	71.338	1	0.000		
Likelihood Ratio	41.504	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	83.191	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 0.57.

BD Nerve Resection T5 * V Nerve Resection T5

Crosstab

			V Nerve Resection T5		Total
			0	4	
BD Nerve Resection T5	0	Count % within BD Nerve Resection T5	113 97.4%	3 2.6%	116 100.0%
	4	Count % within BD Nerve Resection T5	2 28.6%	5 71.4%	7 100.0%
Total		Count % within BD Nerve Resection T5	115 93.5%	8 6.5%	123 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	51.450 ^b	1	0.000		
Continuity Correction ^a	40.752	1	0.000		
Likelihood Ratio	22.965	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	51.032	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 0.46.

BD Nerve Resection T5 * IPVD Nerve Resection T5

Crosstab

			IPVD Nerve Resection T5		Total
			0	4	
BD Nerve Resection T5	0	Count % within BD Nerve Resection T5	112 96.6%	4 3.4%	116 100.0%
	4	Count % within BD Nerve Resection T5	7 100.0%	0 0.0%	7 100.0%
Total		Count % within BD Nerve Resection T5	119 96.7%	4 3.3%	123 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	0.249	1	0.617		
Continuity Correction ^a	^b	1	1.000		
Likelihood Ratio	0.000	1	0.490		
Fisher's Exact Test	0.477			1.000	0.789
Linear-by-Linear Association		1	0.619		
N of Valid Cases	0.247				

a. Computed only for a 2x2 table

b. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 0.23.

BD Nerve Resection T5 * UCP Nerve Resection T5

Crosstab

			UCP Nerve Resection T5		Total
			0	4	
BD Nerve Resection T5	0	Count	114	2	116
		% within BD Nerve Resection T5	98.3%	1.7%	100.0%
	4	Count	5	2	7
		% within BD Nerve Resection T5	71.4%	28.6%	100.0%
Total		Count	119	4	123
		% within BD Nerve Resection T5	96.7%	3.3%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	15.124 ^b	1	0.000		
Continuity Correction ^a	7.794	1	0.005		
Likelihood Ratio	6.693	1	0.010		
Fisher's Exact Test				0.016	0.016
Linear-by-Linear Association	15.001	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 0.23.

CROSSTABS

/TABLES=RNerveResectionT5 BY VNerveResectionT5 IPVDNerveResectionT5
UCPNerveResectionT5

/FORMAT= AVALUE TABLES

/STATISTIC=CHISQ

/CELLS= COUNT ROW

/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
R Nerve Resection T5 * V Nerve Resection T5	123	99.2%	1	0.8%	124	100.0%
R Nerve Resection T5 * IPVD Nerve Resection T5	123	99.2%	1	0.8%	124	100.0%
R Nerve Resection T5 * UCP Nerve Resection T5	123	99.2%	1	0.8%	124	100.0%

R Nerve Resection T5 * V Nerve Resection T5

Crosstab

			V Nerve Resection T5		Total
			0	4	
R Nerve Resection T5	0	Count	112	1	113
		% within R Nerve Resection T5	99.1%	0.9%	100.0%
	4	Count	3	7	10
		% within R Nerve Resection T5	30.0%	70.0%	100.0%
Total		Count	115	8	123
		% within R Nerve Resection T5	93.5%	6.5%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	72.167 ^b	1	0.000		
Continuity Correction ^a	61.249	1	0.000		
Likelihood Ratio	35.529	1	0.000		
Fisher's Exact Test				0.000	0.000
Linear-by-Linear Association	71.581	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 1 cells (25.0%) have expected count less than 5. The minimum expected count is 0.65.

R Nerve Resection T5 * IPVD Nerve Resection T5

Crosstab

			IPVD Nerve Resection T5		Total
			0	4	
R Nevre Resection T5	0	Count % within R Nevre Resection T5	110 97.3%	3 2.7%	113 100.0%
	4	Count % within R Nevre Resection T5	9 90.0%	1 10.0%	10 100.0%
Total		Count % within R Nevre Resection T5	119 96.7%	4 3.3%	123 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	1.575 ^b	1	0.209	0.291	0.291
Continuity Correction ^a	0.106	1	0.745		
Likelihood Ratio	1.082	1	0.298		
Fisher's Exact Test					
Linear-by-Linear Association	1.563	1	0.211		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 0.33.

R Nevre Resection T5 * UCP Nerve Resection T5

Crosstab

			UCP Nerve Resection T5		Total
			0	4	
R Nevre Resection T5	0	Count % within R Nevre Resection T5	112 99.1%	1 0.9%	113 100.0%
	4	Count % within R Nevre Resection T5	7 70.0%	3 30.0%	10 100.0%
Total		Count % within R Nevre Resection T5	119 96.7%	4 3.3%	123 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	24.752 ^b	1	0.000		
Continuity Correction ^a	16.363	1	0.000		
Likelihood Ratio	11.612	1	0.001		
Fisher's Exact Test				0.002	0.002
Linear-by-Linear Association	24.551	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 0.33.

CROSSTABS

/TABLES=VNerveResectionT5 BY IPVDNerveResectionT5 UCPNerveResectionT5

/FORMAT= AVALUE TABLES

/STATISTIC=CHISQ

/CELLS= COUNT ROW

/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
V Nerve Resection T5 * IPVD Nerve Resection T5	123	99.2%	1	0.8%	124	100.0%
V Nerve Resection T5 * UCP Nerve Resection T5	123	99.2%	1	0.8%	124	100.0%

V Nerve Resection T5 * IPVD Nerve Resection T5

Crosstab

			IPVD Nerve Resection T5		Total
			0	4	
V Nerve Resection T5	0	Count	111	4	115
		% within V Nerve Resection T5	96.5%	3.5%	100.0%
	4	Count	8	0	8
		% within V Nerve Resection T5	100.0%	0.0%	100.0%
Total		Count	119	4	123
		% within V Nerve Resection T5	96.7%	3.3%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	0.288	1	0.592		
Continuity Correction ^a	^b	1	1.000		
Likelihood Ratio	0.000	1	0.459		
Fisher's Exact Test	0.547			1.000	0.761
Linear-by-Linear Association		1	0.593		
N of Valid Cases	0.285				

a. Computed only for a 2x2 table

b. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 0.26.

V Nerve Resection T5 * UCP Nerve Resection T5

Crosstab

			UCP Nerve Resection T5		Total
			0	4	
V Nerve Resection T5	0	Count	114	1	115
		% within V Nerve Resection T5	99.1%	0.9%	100.0%
	4	Count	5	3	8
		% within V Nerve Resection T5	62.5%	37.5%	100.0%
Total		Count	119	4	123
		% within V Nerve Resection T5	96.7%	3.3%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	31.898 ^b	1	0.000		
Continuity Correction ^a	21.318	1	0.000		
Likelihood Ratio	13.209	1	0.000		
Fisher's Exact Test				0.001	0.001
Linear-by-Linear Association	31.639	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 2 cells (50.0%) have expected count less than 5. The minimum expected count is 0.26.

CROSSTABS

/TABLES=IPVDNerveResectionT5 BY UCPNerveResectionT5

/FORMAT= AVALUE TABLES

/STATISTIC=CHISQ

/CELLS= COUNT ROW

/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
IPVD Nerve Resection T5 * UCP Nerve Resection T5	123	99.2%	1	0.8%	124	100.0%

IPVD Nerve Resection T5 * UCP Nerve Resection T5 Crosstabulation

			UCP Nerve Resection T5		Total
			0	4	
IPVD Nerve Resection T5	0	Count	115	4	119
		% within IPVD Nerve Resection T5	96.6%	3.4%	100.0%
	4	Count	4	0	4
		% within IPVD Nerve Resection T5	100.0%	0.0%	100.0%
Total		Count	119	4	123
		% within IPVD Nerve Resection T5	96.7%	3.3%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	0.139	1	0.709		
Continuity Correction ^a	b	1	1.000		
Likelihood Ratio	0.000	1	0.604		
Fisher's Exact Test	0.269			1.000	0.875
Linear-by-Linear Association	0.138	1	0.710		
N of Valid Cases					

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.13.

```

CROSSTABS
  /TABLES=BDNerveResectionT6 BY RNerveResectionT6 VNerveResectionT6
  UCPNerveResectionT6
  /FORMAT= AVALUE TABLES
  /STATISTIC=CHISQ
  /CELLS= COUNT ROW
  /COUNT ROUND CELL .

```

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
BD Nerve Resection T6 * R Nerve Resection T6	123	99.2%	1	0.8%	124	100.0%
BD Nerve Resection T6 * V Nerve Resection T6	123	99.2%	1	0.8%	124	100.0%
BD Nerve Resection T6 * UCP Nerve Resection T6	123	99.2%	1	0.8%	124	100.0%

BD Nerve Resection T6 * R Nerve Resection T6

Crosstab

			R Nerve Resection T6		Total
			0	5	
BD Nerve Resection T6	0	Count	122	0	122
		% within BD Nerve Resection T6	100.0%	0.0%	100.0%
	5	Count	0	1	1
		% within BD Nerve Resection T6	0.0%	100.0%	100.0%
Total		Count	122	1	123
		% within BD Nerve Resection T6	99.2%	0.8%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	123.000 ^b	1	0.000		
Continuity Correction ^a	30.248	1	0.000		
Likelihood Ratio	11.616	1	0.001		
Fisher's Exact Test				0.008	0.008
Linear-by-Linear Association	122.000	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.01.

BD Nerve Resection T6 * V Nerve Resection T6

Crosstab

			V Nerve Resection T6		Total
			0	5	
BD Nerve Resection T6	0	Count % within BD Nerve Resection T6	122 100.0%	0 0.0%	122 100.0%
	5	Count % within BD Nerve Resection T6	0 0.0%	1 100.0%	1 100.0%
Total		Count % within BD Nerve Resection T6	122 99.2%	1 0.8%	123 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	123.000 ^b	1	0.000		
Continuity Correction ^a	30.248	1	0.000		
Likelihood Ratio	11.616	1	0.001		
Fisher's Exact Test				0.008	0.008
Linear-by-Linear Association	122.000	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.01.

BD Nerve Resection T6 * UCP Nerve Resection T6

Crosstab

			UCP Nerve Resection T6		Total
			0	5	
BD Nerve Resection T6	0	Count % within BD Nerve Resection T6	121 99.2%	1 0.8%	122 100.0%
	5	Count % within BD Nerve Resection T6	1 100.0%	0 0.0%	1 100.0%
Total		Count % within BD Nerve Resection T6	122 99.2%	1 0.8%	123 100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	0.008	1	0.928		
Continuity Correction ^a	b	1	1.000		
Likelihood Ratio	0.000	1	0.898		
Fisher's Exact Test	0.016			1.000	0.992
Linear-by-Linear Association		1	0.928		
N of Valid Cases	0.008				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.01.

CROSSTABS

/TABLES=RNerveResectionT6 BY VNerveResectionT6 UCPNerveResectionT6

/FORMAT= AVALUE TABLES

/STATISTIC=CHISQ

/CELLS= COUNT ROW

/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
R Nerve Resection T6 * V Nerve Resection T6	123	99.2%	1	0.8%	124	100.0%
R Nerve Resection T6 * UCP Nerve Resection T6	123	99.2%	1	0.8%	124	100.0%

R Nerve Resection T6 * V Nerve Resection T6

Crosstab

			V Nerve Resection T6		Total
			0	5	
R Nerve Resection T6	0	Count	122	0	122
		% within R Nerve Resection T6	100.0%	0.0%	100.0%
	5	Count	0	1	1
		% within R Nerve Resection T6	0.0%	100.0%	100.0%
Total		Count	122	1	123
		% within R Nerve Resection T6	99.2%	0.8%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	123.000 ^b	1	0.000	0.008	0.008
Continuity Correction ^a	30.248	1	0.000		
Likelihood Ratio	11.616	1	0.001		
Fisher's Exact Test					
Linear-by-Linear Association	122.000	1	0.000		
N of Valid Cases	123				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.01.

R Nerve Resection T6 * UCP Nerve Resection T6

Crosstab

			UCP Nerve Resection T6		Total
			0	5	
R Nerve Resection T6	0	Count	121	1	122
		% within R Nerve Resection T6	99.2%	0.8%	100.0%
	5	Count	1	0	1
		% within R Nerve Resection T6	100.0%	0.0%	100.0%
Total		Count	122	1	123
		% within R Nerve Resection T6	99.2%	0.8%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	0.008	1	0.928	1.000	0.992
Continuity Correction ^a	^b	1	1.000		
Likelihood Ratio	0.000	1	0.898		
Fisher's Exact Test	0.016				
Linear-by-Linear Association		1	0.928		
N of Valid Cases	0.008				

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.01.

CROSSTABS

/TABLES=VNerveResectionT6 BY UCPNerveResectionT6

/FORMAT= AVALUE TABLES

/STATISTIC=CHISQ

/CELLS= COUNT ROW

/COUNT ROUND CELL .

Crosstabs

[DataSet1] C:\Users\marialuisa.lugaresi2\Downloads\Q18.sav

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
V Nerve Resection T6 * UCP Nerve Resection T6	123	99.2%	1	0.8%	124	100.0%

V Nerve Resection T6 * UCP Nerve Resection T6 Crosstabulation

			UCP Nerve Resection T6		Total
			0	5	
V Nerve Resection T6	0	Count	121	1	122
		% within V Nerve Resection T6	99.2%	0.8%	100.0%
	5	Count	1	0	1
		% within V Nerve Resection T6	100.0%	0.0%	100.0%
Total		Count	122	1	123
		% within V Nerve Resection T6	99.2%	0.8%	100.0%

Chi-Square Tests

	Value	df	Asymp. Sig. (2-sided)	Exact Sig. (2-sided)	Exact Sig. (1-sided)
Pearson Chi-Square	0.008	1	0.928	1.000	0.992
Continuity Correction ^a	b	1	1.000		
Likelihood Ratio	0.000	1	0.898		
Fisher's Exact Test	0.016				
Linear-by-Linear Association	0.008	1	0.928		
N of Valid Cases					

a. Computed only for a 2x2 table

b. 3 cells (75.0%) have expected count less than 5. The minimum expected count is 0.01.