

Appendix 1 End-of-life attitude questionnaire

The survey consists of 20 questions, with the options for each question ranging from 0 (don't agree at all) to 10 (highly agree).

1. It's hard for me to treat a terminally ill patient.

1	2	3	4	5	6	7	8	9	10
Don't agree									Highly agree

2. Palliative care is only important during the last days of a patient's life.

1	2	3	4	5	6	7	8	9	10
Don't agree									Highly agree

3. I have sufficient knowledge to deal with end-of-life situations.

1	2	3	4	5	6	7	8	9	10
Don't agree									Highly agree

4. My training is sufficient for providing end-of-life care.

1	2	3	4	5	6	7	8	9	10
Don't agree									Highly agree

5. The organization I work for provides me with adequate support for treating terminally ill patients.

1	2	3	4	5	6	7	8	9	10
Don't agree									Highly agree

6. Enough time is provided to express feelings related to supportive care.

1	2	3	4	5	6	7	8	9	10
Don't agree									Highly agree

7. It is important for me to receive emotional support from my workplace when I am treating a terminally ill patient.

1	2	3	4	5	6	7	8	9	10
Don't agree									Highly agree

8. I receive support from family and friends when I'm treating a terminally ill patient.

1	2	3	4	5	6	7	8	9	10
Don't agree									Highly agree

9. My need for emotional support when I'm treating terminally ill patient is high.

1	2	3	4	5	6	7	8	9	10
Don't agree									Highly agree

10. Emotional support is an important factor when one treats terminally ill patients.

1	2	3	4	5	6	7	8	9	10
Don't agree									Highly agree

11. Emotional support is more important than palliative training.

1	2	3	4	5	6	7	8	9	10
Don't agree									Highly agree

12. My workplace provides me with adequate emotional support.

1	2	3	4	5	6	7	8	9	10
Don't agree									Highly agree

13. Group emotional support will help me to provide better care.

1	2	3	4	5	6	7	8	9	10
Don't agree									Highly agree

14. Palliative care is only provided in the final stage of the illness.

1	2	3	4	5	6	7	8	9	10
Don't agree									Highly agree

15. Palliative care is provided only by a multidisciplinary team.

1	2	3	4	5	6	7	8	9	10
Don't agree									Highly agree

16. Adequate time is dedicated to conducting a palliative conversation.

1	2	3	4	5	6	7	8	9	10
Don't agree									Highly agree

17. Palliative conversations should only be conducted by medical staff that is trained for it.

1	2	3	4	5	6	7	8	9	10
Don't agree									Highly agree

18. I am familiar with the law of the Terminally Ill Patient.

1	2	3	4	5	6	7	8	9	10
Don't agree									Highly agree

19. Unnecessary medical treatment is provided to the terminally ill patient at the end-of-life stage.

1	2	3	4	5	6	7	8	9	10
Don't agree									Highly agree

20. There is a need to continue the routine medical treatment for the patient who has been defined as palliative.

1	2	3	4	5	6	7	8	9	10
Don't agree									Highly agree

Appendix 1 End-of-life attitude questionnaire (Hebrew version)

שאלון פליאציה

השאלון שמועבר מכיל עשרה שאלות, כאשר עבור כל שאלה: 0- לא מסכים בכלל, 10- תמיד מסכים. השאלון נכתב בלשון זכר אך מתייחס לכלל המגדרים

1. קשה לי לטפל במטופל סופני.

0 1 2 3 4 5 6 7 8 9 10

לא מסכים תמיד מסכים

2. טיפול פליאטיבי חשוב רק בימיו האחרונים של המטופל.

0 1 2 3 4 5 6 7 8 9 10

לא מסכים תמיד מסכים

3. יש לי ידע מספק על מנת להתמודד עם סיטואציות בסוף החיים.

0 1 2 3 4 5 6 7 8 9 10

לא מסכים תמיד מסכים

4. הבשרתי מספקת לצורך מתן טיפול בסוף חייו של המטופל.

0 1 2 3 4 5 6 7 8 9 10

לא מסכים תמיד מסכים

5. הארגון שבו אני עובד מספק לי תמיכה מספקת לנתן טיפול לחולה הנוטה למות.

0 1 2 3 4 5 6 7 8 9 10

לא מסכים תמיד מסכים

6. אני מקבל מספיק מקום לבטא רגשות שקשורים למתן טיפול תומך

	0	1	2	3	4	5	6	7	8	9	10	
לא מסכים	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	תמיד מסכים

7. חשוב לי לקבל תמיכה רגשית ממקום העבודה כאשר אני מטפל בחולה הנטוה למוות.

	0	1	2	3	4	5	6	7	8	9	10	
לא מסכים	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	תמיד מסכים

8. אני מקבל מספיק תמיכה ממשפחה וחברים כאשר אני מעניק טיפול לחולה סופני.

	0	1	2	3	4	5	6	7	8	9	10	
לא מסכים	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	תמיד מסכים

9. הצורך שלי בתמיכה רגשית כאשר אני מעניק טיפול לחולה סופני הוא גבוה.

	0	1	2	3	4	5	6	7	8	9	10	
לא מסכים	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	תמיד מסכים

10. תמיכה רגשית היא נדבך חשוב במתן טיפול פליאטיבי.

	0	1	2	3	4	5	6	7	8	9	10	
לא מסכים	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	תמיד מסכים

11. תמיכה רגשית חשובה יותר מהכשרה פליאטיבית.

	0	1	2	3	4	5	6	7	8	9	10	
לא מסכים	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	תמיד מסכים

12. מקום העבודה מספק לי תמיכה רגשית.

	0	1	2	3	4	5	6	7	8	9	10	
לא מסכים	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	תמיד מסכים

13. תמיכה רגשית קבוצתית תנזור לי לתת טיפול טוב יותר.

	0	1	2	3	4	5	6	7	8	9	10	
לא מסכים	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	תמיד מסכים

14. טיפול פליאטיבי ניתן רק בשלב המופי של המחלה.

	0	1	2	3	4	5	6	7	8	9	10	
לא מסכים	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	תמיד מסכים

15. טיפול פליאטיבי ניתן על ידי צוות רב מקצועי בלבד.

	0	1	2	3	4	5	6	7	8	9	10	
לא מסכים	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	תמיד מסכים

16. מוקדש מספיק זמן לביצוע שיחה פליאטיבית

	0	1	2	3	4	5	6	7	8	9	10	
לא מסכים	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	תמיד מסכים

17. שיחות פליאטיביות צריכות להתקיים רק על ידי צוות רפואי שהוכשר לכך.

	0	1	2	3	4	5	6	7	8	9	10	
לא מסכים	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	תמיד מסכים

18. אני מכיר את החוק החולה הנגיפה לטות.

0 1 2 3 4 5 6 7 8 9 10
לא מסכים תמיד מסכים

19. ניתן טיפול רפואי מיוחד לטופל נטה לטות בסוף חייו.

0 1 2 3 4 5 6 7 8 9 10
לא מסכים תמיד מסכים

20. יש צורך להמשיך טיפול רפואי שגרתו לטופל שהוגדר פליאטיבי

0 1 2 3 4 5 6 7 8 9 10
לא מסכים תמיד מסכים

Appendix 2 Demographic questionnaire

1. Age _____
2. Marital Status
Married
Single
Divorce
3. Number of children _____
4. Gender
Female
Male
5. Profession _____
6. Years of experience _____
7. Education _____
8. Religious affiliation
Jewish
Muslim
Christian
Druze
Other
9. Level of religiosity
Religious
Traditional
Secular

Appendix 2 Demographic questionnaire (Hebrew version)

1. גיל.
2. מצב משפחתי
נשוי
רווק
גרוש
3. מספר ילדים
4. מגדר
5. מקצוע
6. שנות ותק
7. השכלה
8. מגזר
יהודי
מוסלמי
נוצרי
דרוזי
אחר