

Table S1 Primers for genes used for RT-qPCR

Gene	Direction	Sequence
<i>β-actin</i> ^a	Forward	5'-GAGAAATTGTGCGTGACATCA-3'
	Reverse	5'-CCTGAACCTCTCATTGCCA-3'
<i>DNMT3B</i> ^b	Forward	5'-CGTTACTTCTGGGGCAACCTC-3'
	Reverse	5'-ATGACAGGGATGCTCCAGGAC-3'
<i>BCL2</i> ^c	Forward	5'-TTCCGTGATGGGGTCAACTG-3'
	Reverse	5'-GTGGCAATGTTGTCCACCAG-3'
<i>BCL2L1</i> ^c	Forward	5'-CAGGAGCTGCTAAGTGTGCT-3'
	Reverse	5'-CCCGTTACTGCTGGACATT-3'
<i>TNFSF10</i> ^d	Forward	5'-TGGCCGTCACCTACATCTAC-3'
	Reverse	5'-TCAGCCACTCTGTCTTTGCT-3'
<i>MMP2</i> ^a	Forward	5'-TGAAACAGGAGATTTGGAT-3'
	Reverse	5'-CATTTTGGCTTTCTTGGA-3'
<i>MMP9</i> ^a	Forward	5'-ACCTGGACCGTGCCGTGAT-3'
	Reverse	5'-TGCCTCGCCGCTGTAAAT-3'
<i>Meq</i> ^e	Forward	5'-AAGTCACGACATCCCCAACAGC-3'
	Reverse	5'-TACATAGTCCGTCTGCTTCCTGCG-3'

^a, primer is from Zhao *et al.* [2017] (23); ^b, primer is from Tian *et al.* [2013] (29); ^c, primer is from Subramaniam *et al.* [2013] (27); ^d, primer is from Li *et al.* [2008] (28); ^e, primer is from Heidari *et al.* [2008] (26). RT-qPCR, real-time quantitative polymerase chain reaction.