

Supplementary

Table S1 The medicine of patient with AMI was used after PCI treatment.

ID	Aspirin entericcoated tablets	Ticagrelor Tablets	Atorvastatin calcium	Clopidogrel bisulfate	Rabeprazole	enoxaparin	isosorbide mononit-rate	melbine	Metoprolol succinate	Acarbose	repaglinide	pioglitazone hydrochloride	Glimepiride
patient A2	+	+	+	-	+	+	+	-	-	-	-	-	-
patient B2	+	-	+	+	+	+	+	-	+	-	-	-	-
patient C2	+	+	+	-	+	+	+	+	+	-	-	-	+
patient D2	+	+	+	-	+	+	+	-	+	-	-	-	-
patient E2	+	+	+	+	+	+	+	-	-	-	-	-	-
patient G2	+	-	+	+	+	+	+	-	+	-	+	-	-
patient H2	+	-	+	+	+	-	+	+	+	+	-	-	-
patient K2	+	+	+	+	+	+	-	-	+	-	-	-	-
patient L2	+	+	+	-	+	+	-	-	-	-	-	-	-
patient M2	+	+	+	-	+	+	+	+	-	+	-	-	-
patient P2	+	+	+	-	+	+	-	-	-	-	-	-	-
patient Q2	+	+	+	-	+	+	+	-	+	-	-	-	-
patient R2	+	+	+	-	+	+	+	+	-	+	-	-	-
patient S2	+	+	+	-	+	+	-	-	-	-	-	-	-
patient T2	+	+	+	-	+	+	+	-	+	-	-	-	-
patient U2	+	+	+	-	+	+	-	-	+	-	-	-	-
patient W2	+	+	+	-	+	+	+	-	+	-	-	-	-
patient X2	+	+	+	-	+	+	-	-	+	-	-	-	-
patient Y2	+	+	+	-	+	+	-	-	-	-	-	-	-
patient Z2	+	+	+	-	+	+	-	+	-	-	-	+	+

+: take medicine; - : no take medicine