A survey of current practice patterns of preoperative bowel preparation in colorectal surgery

- 1. What is your gender?
 - o Male
 - o Female
- 2. What is your age?
 - o <40 years
 - o 40–50 years
 - >50 years
- 3. How many years of your work experience?
 - o <10 years
 - o 10–20 years
 - o >20 years
- 4. Your medical specialty?
 - o Gastrointestinal surgery
 - o Anorectal surgery
 - o General surgery
- 5. What's your hospital setting?
 - o General
 - o Specialized
- 6. What's your department volume?
 - o <50
 - 0 50-100
 - 0 101-150
 - 0 >150
- 7. Number of operations you perform per month?
 - 0 < 100
 - 0 100-200
 - o >200
- 8. Which of the following reasons do you think bowel preparation is necessary? (Multiple choice)
 - o Preventing SSI
 - Avoiding anastomotic leakage
 - Reducing risk of postoperative bleeding
 - o Other
- 9. Which of the following methods do you choose?
 - o Laxatives
 - o Laxatives and oral antibiotics
 - o Laxatives, oral antibiotics and enema
 - o Enema
 - o Oral antibiotics
 - o Other
- 10. Which of the following agents do you often choose? (Multiple choice)
 - o PEG-ELS
 - o Mannitol
 - o NaP
 - o MgSO₄
 - o Other