

Supplementary

Table S1 Patient Global Impression of Change (PGI-C)

Compared to the condition before treatment, which of the following options best suits your current situation?	One month after treatment	Three months after treatment	Six months after treatment
Significantly improved after treatment			
Improved after treatment			
Slightly improved after treatment			
Unimproved after treatment			
Slightly worsened after treatment			
Worsened after treatment			
Significantly worsened after treatment			

Table S2 Clinical effectiveness score sheet for non-neoplastic epithelial disorders of the vulva

Score	Scored items				
	Itch	Pain	Skin elasticity	Skin colour	Percentage of lesion area in the vulva
0	No	No	Good	Normal	0
1	Transient pruritus	Mild and tolerable	Moderate	Hypopigmentation	<30%
2	Pruritus	Moderate pain that may require analgesia	Poor	Pink	30–50%
3	Severe pruritus	Severe pain that requires analgesia	Chapped skin	White	>50%

Note: Transient pruritus: itch occasionally. Patients may not need to scratch the lesions, or they scratch the lesions when they occasionally feel itchy but do not leave scratch marks in the skin. Pruritus: itching occurs more frequently, and patients scratch the lesions to stop the itching and leave scratch marks in the skin. Severe pruritus: itching occurs very frequently, patients scratch the lesions frequently and leave many scratch marks in the skin, and patients can be restless in some extreme conditions.