

Supplementary




Figure S1 Gray value of the Western blotting binds. (A) Grayscale values of the protein bands in *Figure 3D*. (B) Grayscale values of the protein bands in *Figure 5D*. DDB2, damage specific DNA binding protein 2.




Figure S2 Expression level of *DDB2* is dominantly reduced in metastasis niches compared to primary tissues. CRC, colorectal cancer; DDB2, damage specific DNA binding protein 2.

Table S1 Primer sequences for qRT-PCR

Gene	Forward primer (5'-3')	Reverse primer (5'-3')
miRNA125a-5p	AGCCGCTTAAAGGGTCT	GTGCAGGGTCCGAGGT
miRNA125b-1-5p	AGCCGCTCACAAAGTTAG	GTGCAGGGTCCGAGGT
miRNA125b-2-5p	AGCCGCAAGAGCCTGAC	GTGCAGGGTCCGAGGT
<i>U6</i>	CTCGCTTCGGCAGCACA	AACGCTTCACGAATTGCGT
<i>DDB2</i>	AGGACCCTCCACCAGCATAA	CAGGCTGCCCTTGATGA
<i>GAPDH</i>	GAGAAGGCTGGGGCTCATTT	AGTGATGGCATGGACTGTGG

DDB2, damage specific DNA binding protein 2; GAPDH, glyceraldehyde 3-phosphate dehydrogenase; qRT-PCR, quantitative real-time polymerase chain reaction.