

**Appendix 1**

1. McGowan J, Sampson M, Salzwedel DM, et al. PRESS Peer Review of Electronic Search Strategies: 2015 Guideline Statement. *J Clin Epidemiol.* 2016;75:40-46. doi:10.1016/j.jclinepi.2016.01.021
2. Page MJ, McKenzie JE, Bossuyt PM, et al. The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. *BMJ.* Published online March 29, 2021:n71. doi:10.1136/bmj.n71
3. Hutchison I, Lawlor M, Skinner D. ABC of major trauma. Major maxillofacial injuries. *BMJ.* 1990;301(6752):595-599.
4. Lee SS, Huang SH, Wu SH, et al. A review of intraoperative airway management for midface facial bone fracture patients. *Ann Plast Surg.* 2009;63(2):162-166.
5. Sittitavornwong S, Mostofi P, DiLuzio K, et al. Does the Retromolar Area Provide Adequate Space for an Oral Endotracheal Tube Without Interfering With Intermaxillary Fixation? *J Oral Maxillofac Surg.* 2021;79(12):2455-2461.
6. Zhang X, Wang X, Gu Q, et al. Evaluation of alternative airway management strategies in surgical repair of severe crano-maxillofacial trauma. *Minerva Chir.* 2016;71(6):372-376.
7. Daniels JS, Albakry I, Braimah RO, et al. Experience with Airway Management and Sequencing of Repair of Panfacial Fractures: A Single Tertiary Healthcare Appraisal in Najran, Kingdom of Saudi Arabia - A Retrospective Study. *Ann Maxillofac Surg.* 2020;10(2):402-408.
8. Raval CB, Rashiduddin M. Airway management in patients with maxillofacial trauma - A retrospective study of 177 cases. *Saudi J Anaesth.* 2011;5(1):9-14.
9. Vadepally AK, Sinha R, Kumar A. Retrograde intubation through nasal route in patients with limited mouth opening undergoing oral and maxillofacial surgery. *J Oral Biol Craniofac Res.* 2018;8(1):30-34.
10. Sun Y, Jiang H, Zhu Y, Xu H, et al. Blind intubation device for nasotracheal intubation in 100 oral and maxillofacial surgery patients with anticipated difficult airways: a prospective evaluation. *Eur J Anaesthesiol.* 2009;26(9):746-751.
11. Gibbons AJ, Hope DA, Silvester KC. Oral endotracheal intubation in the management of midfacial fractures. *Br J Oral Maxillofac Surg.* 2003;41(4):259-260.
12. McHugh R, Kumar M, Sprung J, et al. Transtracheal jet ventilation in management of the difficult airway. *Anaesth Intensive Care.* 2007;35(3):406-408.
13. Pierre EJ, McNeer RR, Shamir MY. Early Management of the Traumatized Airway. *Anesthesiol Clin.* 2007;25(1):1-11. doi:10.1016/j.anclin.2006.11.001
14. Curran JE. Anaesthesia for facial trauma. *Anaesth Intensive Care Med.* 2008;9(8):338-343. doi:10.1016/j.mpaic.2008.06.010
15. Kellman RM, Losquadro WD. Comprehensive airway management of patients with maxillofacial trauma. *Craniomaxillofacial Trauma Reconstr.* 2008;1(1):39-47.
16. Krausz AA, El-Naaj IA, Barak M. Maxillofacial trauma patient: coping with the difficult airway. *World J Emerg Surg.* 2009;4:21.
17. Mohan R, Iyer R, Thaller S. Airway management in patients with facial trauma. *J Craniofac Surg.* 2009;20(1):21-23.
18. Sahu S, Agarwal A, Rana A, et al. Emergency intubation using a light wand in patients with facial trauma. *J Emerg Trauma Shock.* 2009;2(1):51-53.
19. Lock R. Managing the difficult airway in craniomaxillofacial trauma. *Craniomaxillofacial Trauma Reconstr.* 2010;3(3):151-159.
20. Agrawal P, Gupta B, D'Souza N, et al. Fiberoptic bronchoscope assisted difficult airway management in maxillofacial trauma. *Ann Maxillofac Surg.* 2011;1(1):95-96.
21. Castilla DM, Dinh CT, Younis R. Pediatric airway management in craniofacial trauma. *J Craniofac Surg.* 2011;22(4):1175-1178. doi:10.1097/SCS.0b013e31821c00c3
22. Jain S, Bhadani U. Lightwand: a useful aid in faciomaxillary trauma. *J Anesth.* 2011;25(2):291-293.
23. Watkins TA, Opie NJ, Norman A. Airway choices in maxillofacial trauma. *Trends Anaesth Crit Care.* 2011;1(4):179-190. doi:10.1016/j.tacc.2011.05.005
24. Vidya B, Cariappa KM, Kamath AT. Current perspectives in intra operative airway management in maxillofacial trauma. *J Maxillofac Oral Surg.* 2012;11(2):138-143.
25. Ray BR, Baidya DK, Goswami D, et al. Anaesthetic management of maxillofacial trauma. *Trends Anaesth Crit Care.* 2013;3(5):231-237. doi:10.1016/j.tacc.2013.07.001
26. Robertson CG, Doucet JC. Helping anesthesiologists understand facial fractures. *Oral Maxillofac Surg Clin N Am.*

- 2013;25(4):561-572.
- 27. Ghabach MB, Abou Roushail MA, Roumoulian CE, et al. Airway management in a patient with Le Fort III Fracture. *Saudi J Anaesth.* 2014;8(1):128-130.
  - 28. Barak M, Bahouth H, Leiser Y, et al. Airway Management of the Patient with Maxillofacial Trauma: Review of the Literature and Suggested Clinical Approach. *BioMed Res Int.* 2015;2015:724032.
  - 29. Glasheen J, Hennelly D, Cusack S. Maxillofacial Injury-Not Always a Difficult Airway. *Prehospital Disaster Med.* 2015;30(4):421-424.
  - 30. Gupta B, Prasad A, Ramchandani S, et al. Facing the airway challenges in maxillofacial trauma: A retrospective review of 288 cases at a level i trauma center. *Anesth Essays Res.* 2015;9(1):44-50.
  - 31. Jacomet A, Tasman AJ. Airway Management in Facial Trauma Patients. *Facial Plast Surg.* 2015;31(4):319-324.
  - 32. Jaisani MR, Pradhan L, Bhattacharai B, et al. Intubation techniques: preferences of maxillofacial trauma surgeons. *J Maxillofac Oral Surg.* 2015;14(2):501-505.
  - 33. Keller MW, Han PP, Galarneau MR, et al. Airway Management in Severe Combat Maxillofacial Trauma. *Otolaryngol Head Neck Surg.* 2015;153(4):532-537.
  - 34. Osinaike BB, Gbolahan OO, Olusanya AA. Intra-Operative Airway Management in Patients with Maxillofacial Trauma having Reduction and Immobilization of Facial Fractures. *Niger J Surg.* 2015;21(1):26-30.
  - 35. Jose A, Nagori SA, Agarwal B, et al. Management of maxillofacial trauma in emergency: An update of challenges and controversies. *J Emerg Trauma Shock.* 2016;9(2):73-80. doi:10.4103/0974-2700.179456
  - 36. Loh PS, Ng KWS. Combining glidescope and fiber-optic for intubation in oral maxillofacial surgery. *J Anaesthesiol Clin Pharmacol.* 2017;33(2):254-255.
  - 37. Viviano SL, Hoppe IC, Halsey JN, et al. Pediatric Facial Fractures: An Assessment of Airway Management. *J Craniofac Surg.* 2017;28(8):2004-2006.
  - 38. Khan K, Bibi J, Qayyum MU. Intubation concerns in maxillofacial trauma patients. *Anaesth Pain Intensive Care.* 2018;22:S109-S112. doi:10.35975/APIC.V22I1.1199
  - 39. Kovacs G, Sowers N. Airway Management in Trauma. *Emerg Med Clin North Am.* 2018;36(1):61-84.
  - 40. Le TMT, Oleck NC, Khan W, et al. Implications of Facial Fracture in Airway Management of the Adult Population: What Is the Most Effective Management Strategy? *Ann Plast Surg.* 2019;82(4S Suppl 3):S179-S184. doi:10.1097/SAP.0000000000001883
  - 41. Lovich-Sapola J, Johnson F, Smith CE. Anesthetic Considerations for Oral, Maxillofacial, and Neck Trauma. *Otolaryngol Clin North Am.* 2019;52(6):1019-1035.
  - 42. Kumpf D, Saadi R, Lighthall JG. The difficult airway in severe facial trauma. *Oper Tech Otolaryngol - Head Neck Surg.* 2020;31(2):175-182. doi:10.1016/j.otot.2020.04.014
  - 43. Kolte VS, Shenoi RS, Ingole PD, et al. Finding a way for airway: a retrospective study. *Minerva Surg.* 2021;76(2):173-178.
  - 44. Patel A, Saadi R, Lighthall JG. Securing the Airway in Maxillofacial Trauma Patients: A Systematic Review of Techniques. *Craniomaxillofacial Trauma Reconstr.* 2021;14(2):100-109.
  - 45. Saini S, Singhal S, Prakash S. Airway management in maxillofacial trauma. *J Anaesthesiol Clin Pharmacol.* 2021;37(3):319-327.
  - 46. Sasaki R, Togashi C, Miyamoto NS, et al. Airway Compromise in Mandibular Fracture. *J Craniofac Surg.* 2022;33(4):e385-e386.
  - 47. Yang J, Trivedi A, Alvarez Z, et al. Predicting Difficult Airway Intubation Based on Maxillofacial Trauma: A Retrospective Study. *Cureus.* 2022;14(5):e24844.
  - 48. Tsakiris P, Cleaton-Jones PE, Lownie MA. Airway status in civilian maxillofacial gunshot injuries in Johannesburg, South Africa. *South African Medical Journal Suid-Afrikaanse Tydskrif Vir Geneeskunde.* 2002;92(10):803-806.
  - 49. Glapa M, Kourie JF, Doll D, et al. Early management of gunshot injuries to the face in civilian practice. *World Journal of Surgery.* 2007;31(11):2104-2110.
  - 50. Orthopoulos G, Sideris A, Velmahos E, et al. Gunshot wounds to the face: emergency interventions and outcomes. *World Journal of Surgery.* 2013;37(10):2348-2352.
  - 51. Breeze J, Tong D, Gibbons A. Contemporary management of maxillofacial ballistic trauma. *British Journal of Oral and Maxillofacial Surgery.* 2017;55(7):661-665. doi:10.1016/j.bjoms.2017.05.001
  - 52. Singh AK, Dhungel S, Bhattacharai K, et al. Do the Benefits of Systemic Corticosteroids Outweigh Adverse Effects During

- Maxillofacial Trauma Surgery? A Systematic Review and Meta-Analysis. *Journal of Oral & Maxillofacial Surgery*. 2021;79(7):1530.e1-1530.e21.
- 53. Haapanen A, Thoren H, Tornwall J, et al. Postoperative nausea and vomiting in facial fracture patients: a randomised and controlled trial on the effect of dexamethasone. *International journal of oral and maxillofacial surgery*. 2017;46:260-261. doi:10.1016/j.ijom.2017.02.878
  - 54. Epstein SK. Corticosteroids to prevent postextubation upper airway obstruction: The evidence mounts. *Critical Care*. 2007;11(4). doi:10.1186/cc5976
  - 55. Roberts I, Yates D, Sandercock P, et al. Effect of intravenous corticosteroids on death within 14 days in 10,008 adults with clinically significant head injury (MRC CRASH trial): randomised placebo-controlled trial. *Lancet*. 2004;364(9442):1321-1328. doi:10.1016/S0140-6736(04)17188-2
  - 56. Bertuit M, Rapido F, Ly H, et al. Bilateral mandibular block improves pain relief and morphine consumption in mandibular osteotomies: a prospective, randomized, double-blind, placebo-controlled clinical trial. *Regional Anesthesia & Pain Medicine*. 2021;46(4):322-327.
  - 57. Mesgarzadeh AH, Afsari H, Pourkhamne S, et al. Efficacy of bilateral mental nerve block with bupivacaine for postoperative pain control in mandibular parasympysis fractures. *Journal of Dental Research Dental Clinics Dental Prospects*. 2014;8(3):172-175.
  - 58. Jain AD, Vsm R, Ksn SB, et al. A Comparative Assessment of Postoperative Analgesic Efficacy of Lornoxicam versus Tramadol after Open Reduction and Internal Fixation of Mandibular Fractures. *Craniomaxillofacial trauma and reconstruction*. 2016;(no pagination). doi:10.1055/s-0037-1600901
  - 59. Nezafati S, Khiavi RK, Mirinejad SS, et al. Comparison of Pain Relief from Different Intravenous Doses of Ketorolac after Reduction of Mandibular Fractures. *J Clin Diagn Res*. 2017;11(9):PC06-PC10. doi:10.7860/JCDR/2017/30946.10558
  - 60. Eftekharian HR, Ilkhani Pak H. Effect of Intravenous Ketorolac on Postoperative Pain in Mandibular Fracture Surgery; A Randomized, Double-Blind, Placebo-Controlled Trial. *Bulletin of Emergency & Trauma*. 2017;5(1):13-17.
  - 61. Roberts I, Shakur H, Coats T, et al. The CRASH-2 trial: a randomized controlled trial and economic evaluation of the effects of tranexamic acid on death, vascular occlusive events and transfusion requirement in bleeding trauma patients. *Health Technol Assess*. 2013;17(10):1-79. doi:10.3310/hta17100
  - 62. Effects of tranexamic acid on death, disability, vascular occlusive events and other morbidities in patients with acute traumatic brain injury (CRASH-3): a randomised, placebo-controlled trial. *The Lancet*. 2019;394(10210):1713-1723. doi:10.1016/S0140-6736(19)32233-0
  - 63. Dakir A, Ramalingam B, Ebenezer V, et al. Efficacy of Tranexamic acid in reducing blood loss during maxillofacial trauma surgery-A pilot study. *Journal of clinical and diagnostic research*. 2014;8(5):6-8. doi:10.7860/JCDR/2014/8680.4313
  - 64. Dougherty WM, Christopel JJ, Park SS. Evidence-Based Medicine in Facial Trauma. *Facial Plastic Surgery Clinics of North America*. 2017;25(4):629-643. doi:10.1016/j.fsc.2017.06.013
  - 65. Habib AM, Wong AD, Schreiner GC, et al. Postoperative prophylactic antibiotics for facial fractures: A systematic review and meta-analysis. *Laryngoscope*. 2019;129(1):82-95.
  - 66. Lee JH, Woo SS, Shin SH, et al. Effect of sedation using Ketamine for primary closure of pediatric facial laceration. *Medicine*. 2022;101(32):e29924.
  - 67. Abbas H, Kumar L. Effect of 4% nebulized lignocaine versus 2% nebulized lignocaine for awake fibreoptic nasotracheal intubation in maxillofacial injuries in emergency department. *Critical care (London, England)*. 2018;22. doi:10.1186/s13054-018-1973-5
  - 68. I Alizadeh A, Kayalha H, Yazdi Z, et al. Comparison of the Effects of Dexmedetomidine and Labetalol on Controlled Hypotension in Maxillofacial Surgery. *Journal of Ardabil University of Medical Sciences*. 2020;20(1):49-58. doi:10.29252/jarums.20.1.49
  - 69. Rahman AU, Noor M, Ishaq Y, et al. Evaluation of Efficacy of Post-Operative Antibiotic Prophylaxis in Mandibular Fractures. *Pakistan Journal of Medical and Health Sciences*. 2022;16(1):309-310. doi:10.53350/pjmhs22161309
  - 70. Meena K, Singh A, Meena RK, et al. Comparison of two doses of magnesium sulphate as sedative during awake fiberoptic intubation for patients undergoing maxillofacial surgery: A prospective RCT. *Anaesthesia, Pain and Intensive Care*. 2020;24(2):175-182. doi:10.35975/apic.v24i2.1254
  - 71. Barak M, Yoav L, Abu El-Naaj I. Hypotensive anesthesia versus normotensive anesthesia during major maxillofacial surgery: A

- review of the literature. *Scientific World Journal*. 2015;2015. doi:10.1155/2015/480728
72. Aires CCG, de Souza RRL, Amorim JA, et al. Malignant hyperthermia in maxillofacial surgery: Literature review supported by case presentation. *Special Care in Dentistry*. 2022;06:06.
73. Dean NR, Ledgard JP, Katsaros J. Massive hemorrhage in facial fracture patients: Definition, incidence, and management. *Plastic and Reconstructive Surgery*. 2009;123(2):680-690. doi:10.1097/PRS.0b013e31819565da
74. Ciftci T, Erbatur S, Ak M. Comparison of the effects of dexmedetomidine and remifentanil on potential extreme haemodynamic and respiratory response following mask ventilation and laryngoscopy in patients with mandibular fractures. *European Review for Medical & Pharmacological Sciences*. 2015;19(22):4427-4433.
75. Sinha SK, Joshiraj B, Chaudhary L, et al. A comparison of dexmedetomidine plus ketamine combination with dexmedetomidine alone for awake fiberoptic nasotracheal intubation: A randomized controlled study. *J Anaesthesiol Clin Pharmacol*. 2014;30(4):514-519. doi:10.4103/0970-9185.142846
76. Kim JC, Kim J, Kwak H, et al. Premedication with dexmedetomidine to reduce emergence agitation: a randomized controlled trial. *BMC Anesthesiology*. 2019;19(1):144.
77. Peisker A, Meissner W, Raschke GF, et al. Quality of Postoperative Pain Management After Maxillofacial Fracture Repair. *Journal of Craniofacial Surgery*. 2018;29(3):720-725.
78. Yee R, Chay PL, Tham LP. Safety and effectiveness of intramuscular ketamine sedation in the management of children with oro-dental trauma in a paediatric emergency department. *Dental Traumatology*. 2020;36(1):19-24.
79. Moussa N, Ogle OE. Acute Pain Management. *Oral & Maxillofacial Surgery Clinics of North America*. 2022;34(1):35-47.
80. Chandra A, Ranjan R, Kumar J, et al. The effects of intravenous dexmedetomidine premedication on intraocular pressure and pressor response to laryngoscopy and intubation. *Journal of Anaesthesia Clinical Pharmacology*. 2016;32(2):198-202.
81. Shin KJ, Lee DG, Park HM, et al. The merits of mannitol in the repair of orbital blowout fracture. *Archives of Plastic Surgery*. 2013;40(6):721-727.
82. Kyung H, Choi JI, Song SH, et al. Comparison of Postoperative Outcomes Between Monitored Anesthesia Care and General Anesthesia in Closed Reduction of Nasal Fracture. *Journal of Craniofacial Surgery*. 2018;29(2):286-288.
83. Lee K, Yoo BH, Yon JH, et al. General anesthesia versus monitored anesthetic care with dexmedetomidine for closed reduction of nasal bone fracture. *Korean journal of anesthesiology*. 2013;65(3):209-214.
84. Kim YS, Chae YK, Choi YS, et al. A comparative study of emergence agitation between sevoflurane and propofol anesthesia in adults after closed reduction of nasal bone fracture. *Korean Journal of Anesthesiology*. 2012;63(1):48-53.
85. Lee SJ, Sung TY, Cho CK. Comparison of emergence agitation between succinylcholine and rocuronium-sugammadex in adults following closed reduction of a nasal bone fracture: a prospective randomized controlled trial. *BMC Anesthesiology*. 2019;19(1):228.
86. Kim HS, Lee HK, Jeong HS, et al. Decreased postoperative pain after reduction of fractured nasal bones using a nerve block of the anterior ethmoidal nerve. *International Journal of Oral & Maxillofacial Surgery*. 2013;42(6):727-731.
87. Perez-Garcia A, Esteban-Vico JR, Lorca-Garcia C, et al. Endonasal Infiltrative Anesthesia for Nasal Fracture Reduction. *Plastic Surgical Nursing*. 2019;39(1):22-24.
88. Jeon YR, Jung JH, Song JH, et al. Antibiotic use in nasal bone fracture: a nationwide population-based cohort study in Korea. *Archives of Craniofacial Surgery*. 2021;22(5):254-259.
89. Jung JH, Jeon YR, Song JH, et al. Antibiotic use in nasal bone fracture: a single-center retrospective study. *Archives of Craniofacial Surgery*. 2021;22(6):319-323.
90. Hollins A, Pyfer B, Breeze J, et al. Closed reduction of nasoseptal fractures: key concepts for predictable results. *Br J Oral Maxillofac Surg*. 2023;61(5):344-350. doi:10.1016/j.bjoms.2023.03.014
91. Sohrabpour S, Safaeyan M, Aghazadeh K, et al. Can Acetaminophen Pretreatment Decrease the Pain Associated With Closed Nasal Bone Reduction? A Triple-Blind Randomized Clinical Trial. *Journal of Oral & Maxillofacial Surgery*. 2021;79(4):894.e1-894.e5.
92. Zhu J, Liu J, Shen G, et al. Comparison of Efficacy Outcomes of Lidocaine Spray, Topical Lidocaine Injection, and Lidocaine General Anesthesia in Nasal Bone Fractures Surgeries: A Randomized, Controlled Trial. *Medical Science Monitor*. 2018;24:4386-4394.
93. Akhondzadeh R, Olapour A, Rashidi M, Elyasinia F. Comparison of Sedation with Dexmedetomidine Alfentanil Versus Ketamine-Alfentanil in Patients Undergoing Closed Reduction of Nasal Fractures. *Anesthesiology & Pain Medicine*.

- 2020;10(4):e102946.
94. Jung JW, Kim YH, Lee KH, et al. Effect of dexmedetomidine on emergence agitation in male patients undergoing closed reduction of a nasal bone fracture. *Rawal Medical Journal*. 2015;40(2):191-196.
  95. Kim KS, Yu SC, Han JW, et al. Effect of fentanyl nasal packing treatment on patients with acute postoperative pain after closed reduction of nasal bone fracture: a randomized double-blind controlled trial. *Journal of Plastic Surgery and Hand Surgery*. 2019;53(3):167-172.
  96. Ayatollahi V, Vafaiyan M, Hatami M, et al. Two Different Concentrations of Ketofol for Procedural Sedation and Analgesia in Closed Reduction of Nasal Fracture. *Journal of Craniofacial Surgery*. 2016;27(4):996-1000.
  97. Hoshijima H, Mihara T, Nagumo T, et al. Nasal protection strategy reduces the incidence of nasal pressure injuries during nasotracheal intubation: Meta-analysis with trial sequential analysis. *Medicine (United States)*. 2022;101(40):E30638. doi:10.1097/MD.00000000000030638
  98. Guoyong Y, Chunyan G, Juan C. Prevention of Nasal Ala Pressure Injuries With Use of Hydroactive Dressings in Patients With Nasotracheal Intubation of Orthognathic Surgery: a Randomized Controlled Trial. *Journal of wound, ostomy, and continence nursing*. 2020;47(5):484-488. doi:10.1097/won.0000000000000675
  99. Koshika K, Hoshino T, Shibata Y, et al. New Device for Securing Nasotracheal Intubation Tube During Oral and Maxillofacial Surgery. *Bulletin of Tokyo Dental College*. 2020;61(4):275-279.
  100. Donohue C, Sohanpal I. Reducing nasal trauma from nasal intubation-a survey of current practice. *Anaesthesia*. 2014;69:71-. doi:10.1111/anae.12765
  101. Wong A, Subar P, Witherell H, et al. Reducing nasopharyngeal trauma: the urethral catheter-assisted nasotracheal intubation technique. *Anesthesia Progress*. 2011;58(1):26-30.
  102. Hosseinzadeh H, Taheri Talesh K, Golzari SE, et al. Warming Endotracheal Tube in Blind Nasotracheal Intubation throughout Maxillofacial Surgeries. *Journal of Cardiovascular & Thoracic Research*. 2013;5(4):147-151.
  103. Ersoy B, Gursoy T, Celebiler O, et al. A complication of nasotracheal intubation after mandibular subcondylar fracture. *Journal of Craniofacial Surgery*. 2011;22(4):1527-1529.
  104. Mesgarzadeh AH, Zanjani F. Difficult nasoendotracheal intubation in a patient with severe maxillofacial trauma. *Journal of Emergencies Trauma & Shock*. 2012;5(3):243-245.
  105. Piroli A, Cutilli T, Lupi E, et al. Different Solutions for Damaged Nasotracheal Tube during Maxillofacial Surgery: A Case Series. *Advances in Therapy*. 2019;36(7):1812-1816.
  106. Yamamoto R, Fujishima S, Sasaki J. Nasal intubation for trauma patients and increased in-hospital mortality. *European Journal of Trauma & Emergency Surgery*. 2022;48(4):2795-2802.
  107. Altemir FH. The submental route for endotracheal intubation: A new technique. *Journal of Maxillofacial Surgery*. 1986;14:64-65. doi:10.1016/S0301-0503(86)80261-2
  108. Goh EZ, Loh NHW, Loh JSP. Submental intubation in oral and maxillofacial surgery: a systematic review 1986-2018. *British Journal of Oral & Maxillofacial Surgery*. 2020;58(1):43-50.
  109. Lim D, Ma BC, Parumo R, et al. Thirty years of submental intubation: a review. *International Journal of Oral & Maxillofacial Surgery*. 2018;47(9):1161-1165.
  110. Ramalingam B, Ebenezer V, Dakir A. Lateral submental intubation in panfacial trauma review of five cases. *Biosciences Biotechnology Research Asia*. 2014;11(2):901-906. doi:10.13005/bbra/1356
  111. Gadre KS, Waknis PP. Transmylohyoid/Submental intubation: review, analysis, and refinements. *Journal of Craniofacial Surgery*. 2010;21(2):516-519.
  112. Taglialatela Scafati C, Maio G, Aliberti F, et al. Submento-submandibular intubation: is the subperiosteal passage essential? Experience in 107 consecutive cases. *British Journal of Oral & Maxillofacial Surgery*. 2006;44(1):12-14.
  113. Hanamoto H, Morimoto Y, Niwa H, et al. A new modification for safer submental orotracheal intubation. *Journal of Anesthesia*. 2011;25(5):781-783.
  114. Saheb SM, Nath VN, Kumar KP, et al. A novel method using Seldinger's technique for submental intubation in major craniomaxillofacial fractures: A case series. *Indian Journal of Anaesthesia*. 2014;58(1):48-50.
  115. Jung I, Yoo BH, Ju JY, et al. Novel alternative for submental intubation - A case report. *Anesthesia & Pain Medicine*. 2020;15(2):247-250.

116. Saravanan P, Arrowsmith JE. Retrograde submental intubation after faciomaxillary trauma. *Anesthesia & Analgesia*. 2005;101(6):1892-1893.
117. Arya VK, Kumar A, Makkar SS, et al. Retrograde submental intubation by pharyngeal loop technique in a patient with faciomaxillary trauma and restricted mouth opening. *Anesthesia & Analgesia*. 2005;100(2):534-537.
118. Kapoor D, Gupta A, Thapa D, et al. Two point fixation of endotracheal tube in submentotracheal intubation during craniomaxillofacial surgeries-our experience! *Aнаesthesia, Pain and Intensive Care*. 2012;16(3):273-275.
119. Ali S, Athar M, Ahmed SM, et al. A Randomized Control Trial of Awake Oral to Submental Conversion versus Asleep Technique in Maxillofacial Trauma. *Annals of Maxillofacial Surgery*. 2017;7(2):202-206.
120. Biglioli F, Mortini P, Goisisi M, et al. Submental Orotracheal Intubation: An Alternative to Tracheotomy in Transfacial Cranial Base Surgery. *Skull Base: An Interdisciplinary Approach*. 2003;13(4):189-195.
121. Sharma RK, Tuli P, Cyriac C, et al. Submental tracheal intubation in oromaxillofacial surgery. *Indian Journal of Plastic Surgery*. 2008;41(1):15-19.
122. de Toledo GL, Bueno SC, Mesquita RA, et al. Complications from submental endotracheal intubation: a prospective study and literature review. *Dental Traumatology*. 2013;29(3):197-202.
123. Neha S, Karthick KS. Inadvertent strangulation of inflation line of the pilot balloon during submental endotracheal intubation: a rare complication. *Journal of Clinical Monitoring & Computing*. 2021;35(3):449-451.
124. Yoon KB, Choi BH, Chang HS, et al. Management of detachment of pilot balloon during intraoral repositioning of the submental endotracheal tube. *Yonsei Medical Journal*. 2004;45(4):748-750.
125. Emara TA, El-Anwar MW, Omara TA, et al. Submental intubation versus tracheostomy in maxillofacial fractures. *Oral & Maxillofacial Surgery*. 2019;23(3):337-341.
126. Schutz P, Hamed HH. Submental intubation versus tracheostomy in maxillofacial trauma patients. *Journal of Oral & Maxillofacial Surgery*. 2008;66(7):1404-1409.
127. Ramalingam B, Prabhu NP, Senthilnathan R. Submental intubation versus tracheostomy in panfacial trauma patients. *Research Journal of Pharmaceutical, Biological and Chemical Sciences*. 2016;7(1):625-627.
128. Nwoku AL, Al-Balawi SA, Al-Zahrani SA. A modified method of submental oroendotracheal intubation. *Saudi Medical Journal*. 2002;23(1):73-76.
129. Lima Jr SM, Asprino L, Fernandes Moreira RW, et al. A retrospective analysis of submental intubation in maxillofacial trauma patients. *Journal of Oral and Maxillofacial Surgery*. 2011;69(7):2001-2005. doi:10.1016/j.joms.2010.10.017
130. Oshima N, Shiraishi T, Kawauchi T, et al. A Simple and Reliable Submental Intubation Technique for Maxillofacial Fractures. *Journal of Craniofacial Surgery*. 2018;29(7):1952-1955.
131. Mittal G, Mittal RK, Katyal S, et al. Airway management in maxillofacial trauma: do we really need tracheostomy/submental intubation. *Journal of Clinical and Diagnostic Research JCDR*. 2014;8(3):77-79.
132. Gonzalez-Magana F, Malagon-Hidalgo HO, Garcia-Cano E, et al. Airway management through submental derivation: a safe and easily reproduced alternative for patients with complex facial trauma. *Journal of the Korean Association of Oral & Maxillofacial Surgeon*. 2018;44(1):12-17.
133. Szantyr A, Szuta M, Zapala J. Airway management using submental intubation in head and neck surgery. *Folia Medica Cracoviensia*. 2016;56(3):79-85.
134. Khan I, Sybil D, Singh A, et al. Airway management using transmylohyoid oroendotracheal (submental) intubation in maxillofacial trauma. *National Journal of Maxillofacial Surgery*. 2014;5(2):138-141.
135. Kim KF, Doriot R, Morse MA, et al. Alternative to tracheostomy: submental intubation in craniomaxillofacial trauma. *Journal of Craniofacial Surgery*. 2005;16(3):498-500.
136. Bhola N, Jadhav A, Kala A, et al. Anterior Submandibular Approach for Transmylohyoid Endotracheal Intubation: A Reappraisal with Prospective Study in 206 Cases of Craniomaxillofacial Fractures. *Craniomaxillofacial Trauma & Reconstruction*. 2017;10(4):255-262.
137. Kumar KA, Kumar BP, Mohan AP, et al. Assessment of the Efficacy of Submental Intubation in the Management of Midfacial and Panfacial Trauma Patients. *Journal of Maxillofacial & Oral Surgery*. 2015;14(3):674-681.
138. Hassanein AG, Abdel Mabood AM. Can Submandibular Tracheal Intubation Be an Alternative to Tracheotomy During Surgery for Major Maxillofacial Fractures? *Journal of Oral & Maxillofacial Surgery*. 2017;75(3):508.e1-508.e7.

- 139.Jacob DD, Tuncer FB, Kashan DL, et al. Clinical Anatomy of Submental Intubation: A Review of the Indications, Technique, and a Modified Approach. *Annals of Plastic Surgery*. 2020;84(2):232-237.
- 140.Balakrishnan R, Ebenezer V, Prabhu NP, et al. Comparison between nasotracheal intubation and submental intubation in pan facial trauma. *Biomedical and Pharmacology Journal*. 2015;8SE:821-823. doi:10.13005/bpj/790
- 141.Eisemann B, Eisemann M, Rizvi M, et al. Defining the role for submental intubation. *Journal of Clinical Anesthesia*. 2014;26(3):238-242.
- 142.Kita R, Kikuta T, Takahashi M, et al. Efficacy and complications of submental tracheal intubation compared with tracheostomy in maxillofacial trauma patients. *Journal of Oral Science*. 2016;58(1):23-28.
- 143.Singaram M, Ganesan I, Kannan R, et al. Evaluation of safety and usefulness of submental intubation in panfacial trauma surgery. *Journal of the Korean Association of Oral & Maxillofacial Surgeon*. 2016;42(2):99-104.
- 144.Amin M, Dill-Russell P, Manisali M, et al. Facial fractures and submental tracheal intubation. *Anaesthesia*. 2002;57(12):1195-1199.
- 145.Samieirad S, Khalife H, Noroozi M, et al. How to Overcome the Challenges of Non-Detachable Connector Tubes in Submental Intubation for Panfacial Fractures. *Archives of Iranian Medicine*. 2017;20(8):481-486.
- 146.Meyer C, Valfrey J, Kjartansdottir T, et al. Indication for and technical refinements of submental intubation in oral and maxillofacial surgery. *Journal of Cranio-Maxillo-Facial Surgery*. 2003;31(6):383-388.
- 147.Jin H, Patil PM. Midline submental intubation might be the preferred alternative to oral and nasal intubation in elective oral and craniomaxillofacial surgery when indicated. *Journal of Oral & Maxillofacial Surgery*. 2015;73(1):39-46.
- 148.Agrawal M, Kang LS. Midline Submental Orotracheal Intubation in Maxillofacial Injuries: A Substitute to Tracheostomy Where Postoperative Mechanical Ventilation is not Required. *Journal of Anaesthesiology Clinical Pharmacology*. 2010;26(4):498-502.
- 149.Ujam A, Perry M. Minimally traumatic submental intubation: a novel dilational technique. *European Journal of Trauma & Emergency Surgery*. 2017;43(3):359-362.
- 150.Mahmood S, Lello GE. Oral endotracheal intubation: median submental (retrogenial) approach. *Journal of Oral & Maxillofacial Surgery*. 2002;60(4):473-474.
- 151.Luqman U, Qayyum MU, Tasneem S, et al. Our experience of submental intubation: A reliable alternative to elective tracheostomy in maxillofacial trauma. *Anaesthesia, Pain and Intensive Care*. 2018;22:S113-S117. doi:10.35975/APIC.V22I1.1200
- 152.Lazaridis N, Zouloumis L, Tilaveridis I, et al. Retrotuberosity versus submentosubmandibular and median submental intubation: patients with maxillofacial surgery. *Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology*. 2012;114(5 Suppl):S209-15.
- 153.Anandh B, Jimson S, Lokesh B, et al. Role of submental intubation during the management of airway in midface and Pan Facial Fractures. *Biomedical and Pharmacology Journal*. 2015;8SE:229-232. doi:10.13005/bpj/680
- 154.Shivpuri A. Sub-mental Intubation in Oral and Maxillofacial Trauma Patients. *Indian Journal of Surgery*. 2015;77(Suppl 3):1450-1452.
- 155.Anwer HM, Zeitoun IM, Shehata EA. Submandibular approach for tracheal intubation in patients with panfacial fractures. *British Journal of Anaesthesia*. 2007;98(6):835-840.
- 156.Banerjee PK, Jain A, Behera B. Submandibular intubation as an alternative for intra-operative airway management in maxillofacial fractures - our institutional experience. *Indian Journal of Anaesthesia*. 2016;60(8):573-577.
- 157.Junior JM, Kluppel LE, Pereira Stabile CL, et al. Submental endotracheal intubation as an alternative to tracheostomy in selected cases of facial fracture: literature review and technique report. *Ulusal Travma ve Acil Cerrahi Dergisi = Turkish Journal of Trauma & Emergency Surgery: TJTES*. 2012;18(6):545-548.
- 158.de Melo WM, Breda MA Jr, Pereira-Santos D, et al. Submental endotracheal intubation: a valuable resource for the management of panfacial fractures. *Journal of Craniofacial Surgery*. 2012;23(6):1851-1853.
- 159.Luce EA, Alvarez SM. Submental Intubation. *Plastic and Reconstructive Surgery - Global Open*. 2018;6(9):e1896.
- 160.Ebenezer V, Ahamed W. Submental intubation an alternative to tracheostomy-A review. *European Journal of Molecular and Clinical Medicine*. 2020;7(4):1578-1583.
- 161.Valsa A, Kumar L, Sumir G, et al. Submental intubation for airway management of patients with complex caniomaxillofacial injuries: Our experience. *Anesthesia: Essays and Researches*. 2012;6(2):161-166.
- 162.Rodrigues WC, de Melo WM, de Almeida RS, et al. Submental Intubation in Cases of Panfacial Fractures: A Retrospective Study. *Anesthesia Progress*. 2017;64(3):153-161.

163. Davis C. Submental intubation in complex craniomaxillofacial trauma. *ANZ Journal of Surgery*. 2004;74(5):379-381.
164. Surman K, Duffy N, Anwar Z, et al. Submental intubation in craniomaxillofacial surgery. *Anaesthesia Critical Care and Pain Medicine*. 2021;40(1). doi:10.1016/j.accpm.2020.100796
165. Ascani G, Rizzi M, Mancini P, et al. Submental intubation in major maxillofacial trauma. *Minerva Anestesiologica*. 2022;88(4):319-320.
166. Rahpeyma A, Ahmadi SK. Submental intubation in maxillofacial trauma patients. *Iranian Journal of Otorhinolaryngology*. 2013;25(70):17-22.
167. Caubi AF, Vasconcelos BC, Vasconcellos RJ, et al. Submental intubation in oral maxillofacial surgery: review of the literature and analysis of 13 cases. *Medicina Oral, Patología Oral y Cirugía Bucal*. 2008;13(3):E197-200.
168. Garg M, Rastogi B, Jain M, et al. Submental intubation in panfacial injuries: our experience. *Dental Traumatology*. 2010;26(1):90-93.
169. Cheong Y, Kang SS, Kim M, et al. Submental Intubation in Patients with Complex Maxillofacial Injuries. *Journal of Lifestyle Medicine*. 2016;6(2):68-71.
170. Shetty PM, Yadav SK, Upadhyay M. Submental intubation in patients with panfacial fractures: A prospective study. *Indian Journal of Anaesthesia*. 2011;55(3):299-304.
171. Zouche I, Elleuch S, Briki S, et al. Submental intubation in traumatic maxillofacial surgery. *Trends in Anaesthesia and Critical Care*. 2019;29:13-15. doi:10.1016/j.tacc.2019.09.003
172. Yadav SK, Deo G. Submental intubation including extubation: airway complications of maxillomandibular fixation. *Case Reports in Anesthesiology*. 2012;2012:841051.
173. Adelson RT. Submental intubation to facilitate the management of maxillofacial trauma. *Ear, Nose, & Throat Journal*. 2011;90(9):412-414.
174. Kim KJ, Lee JS, Kim HJ, et al. Submental intubation with reinforced tube for intubating laryngeal mask airway. *Yonsei Medical Journal*. 2005;46(4):571-574.
175. Das S, Das T, Ghosh P. Submental intubation: A journey over the last 25 years. *Journal of Anaesthesiology Clinical Pharmacology*. 2012;28(3):291-303. doi:10.4103/0970-9185.98320
176. Gandhi M, Ved BK. Submental intubation: a new approach in panfacial trauma. *Journal of the Indian Medical Association*. 2014;112(1):54-55.
177. O'Connell JE, Kearns GJ. Submental intubation: a retrospective review of 45 cases. *Irish Journal of Medical Science*. 2013;182(3):309-313.
178. Vashishta A, Sharma S, Chugh A, et al. Submental intubation: A useful adjunct in panfacial trauma. *National Journal of Maxillofacial Surgery*. 2010;1(1):74-77.
179. Kumar RR, Vyloppilli S, Sayd S, et al. Submental intubation: alternative short-term airway management in maxillofacial trauma. *Journal of the Korean Association of Oral & Maxillofacial Surgeon*. 2016;42(3):151-156.
180. Kar C, Mukherjee S. Submental intubation: an alternative and cost-effective technique for complex maxillofacial surgeries. *Journal of Maxillofacial & Oral Surgery*. 2010;9(3):266-269.
181. Kaiser A, Semanoff A, Christensen L, et al. Submental Intubation: an Underutilized Technique for Airway Management in Patients With Panfacial Trauma. *Journal of Craniofacial Surgery*. 2018;29(5):1349-1351.
182. Navaneetham A, Vinod Thangaswamy S, Rao N. Submental intubation: our experience. *Journal of Maxillofacial & Oral Surgery*. 2010;9(1):64-67.
183. Koudstaal MJ, Van Der Wal KGH, Mallios C, et al. Submental intubation: Surgical and anaesthesiological aspects. *Anestesiologie a Intenzivni Medicina*. 2004;15(5):224-228.
184. Mishra R, Yadav D, Tripathi S, et al. Submental Intubations in Panfacial Fractures. *Clinical Cosmetic & Investigational Dentistry*. 2020;12:41-48.
185. Bradford BD, Inman JC, Ardeshirpour F. Submental Orotracheal Intubation-A Technique for Airway Management in Severe Facial Trauma. *JAMA Facial Plastic Surgery*. 2016;18(3):228-229.
186. Chandra PM, Ali FM, Singhai A, et al. Submental orotracheal intubation: A better alternative to tracheostomy in panfacial fractures. *Anesthesia: Essays and Researches*. 2013;7(3):415-417.
187. Shenoi RS, Badjate SJ, Budhraja NJ. Submental orotracheal intubation: Our experience and review. *Annals of Maxillofacial*

- Surgery. 2011;1(1):37-41.
188. Malhotra N. Submento-tracheal intubation. *Journal of Anaesthesiology Clinical Pharmacology*. 2012;28(3):287-290. doi:10.4103/0970-9185.98319
189. Malhotra N. Submentotracheal intubation: An alternative to tracheostomy. *Egyptian Journal of Anaesthesia*. 2004;20(4):443-447.
190. Tidke AS, Borle RM, Madan RS, et al. Transmylohyoid/Submental Endotracheal Intubation in Pan-facial Trauma: A Paradigm Shift in Airway Management with Prospective Study of 35 Cases. *Indian Journal of Otolaryngology & Head & Neck Surgery*. 2013;65(3):255-259.
191. Badjate SJ, Shenoi SR, Budhraja NJ, et al. Transmylohyoid orotracheal intubation: case series and review. *Journal of Clinical Anesthesia*. 2012;24(6):460-464.
192. Wiles MD. Airway management in patients with suspected or confirmed traumatic spinal cord injury: a narrative review of current evidence. *Anaesthesia*. 2022;77(10):1120-1128.
193. Milby AH, Halpern CH, Guo W, et al. Prevalence of cervical spinal injury in trauma. *Neurosurgical Focus*. 2008;25(5):E10. doi:10.3171/FOC.2008.25.11.E10
194. Dutta K, Sriganesh K, Chakrabarti D, et al. Cervical Spine Movement During Awake Orotracheal Intubation With Fiberoptic Scope and McGrath Videolaryngoscope in Patients Undergoing Surgery for Cervical Spine Instability: A Randomized Control Trial. *Journal of Neurosurgical Anesthesiology*. 2020;32(3):249. doi:10.1097/ANA.0000000000000595
195. Agarwal A, Mathur P, Singh H, et al. Awake intubation using lightwand in patients with cervical spine injuries: a comparison of nasal and oral routes. *Journal of anaesthesiology, clinical pharmacology*. 2010;26(1):19-22.
196. Sut EY, Gunal S, Yazar MA, et al. Comparison of effectiveness of intubation by way of "Gum Elastic Bougie" and "Intubating Laryngeal Mask Airway" in endotracheal intubation of patients with simulated cervical trauma. *Revista brasileira de anestesiologia*. 2017;67(3):238-245. doi:10.1016/j.bjan.2016.12.002
197. King D, Collins-Yoder A. Perioperative Considerations in Patients With Concussion. *AANA Journal*. 2019;87(2):97-104.
198. Audu P, Aboagye VO, Trivedi K. Anesthetic Care for the Post-concussive Patient: There Are More Questions Than Answers. *Current Anesthesiology Reports*. 2020;10(1):56-60. doi:10.1007/s40140-020-00365-x
199. Abcejo AS, Pasternak JJ. Concussion: a Primer for the Anesthesiologist. *Current Anesthesiology Reports*. 2018;8(3):245-251. doi:10.1007/s40140-018-0280-7
200. Brain Trauma Foundation, American Association of Neurological Surgeons, Congress of Neurological Surgeons, et al. Guidelines for the management of severe traumatic brain injury. VIII. Intracranial pressure thresholds. *J Neurotrauma*. 2007;24 Suppl 1:S55-58. doi:10.1089/neu.2007.9988
201. Jung JY. Airway management of patients with traumatic brain injury/C-spine injury. *Korean Journal of Anesthesiology*. 2015;68(3):213-219. doi:10.4097/kjae.2015.68.3.213
202. Lee DS, Park CM, Carriere KC, et al. Classification and regression tree model for predicting tracheostomy in patients with traumatic cervical spinal cord injury. *European Spine Journal*. 2017;26(9):2333-2339. doi:10.1007/s00586-017-5104-9
203. Abcejo AS, Savica R, Lanier WL, et al. Exposure to Surgery and Anesthesia After Concussion Due to Mild Traumatic Brain Injury. *Mayo Clinic Proceedings*. 2017;92(7):1042-1052. doi:10.1016/j.mayocp.2017.03.012
204. Schaefer SD. Management of acute blunt and penetrating external laryngeal trauma. *Laryngoscope*. 2014;124(1):233-244.
205. Mercer SJ, Lewis SE, Wilson SJ, et al. Creating airway management guidelines for casualties with penetrating airway injuries. *Journal of the Royal Army Medical Corps*. 2010;156(4 Suppl 1):355-360.
206. Harvin JA, Taub EA, Cotton BA, et al. Airway management following repair of cervical tracheal injuries: A retrospective, multicenter study. *The Journal of Trauma and Acute Care Surgery*. 2016;80(3):366-370; discussion 370.
207. Tallon JM, Ahmed JM, Sealy B. Airway management in penetrating neck trauma at a Canadian tertiary trauma centre. *CJEM Canadian Journal of Emergency Medical Care*. 2007;9(2):101-104.
208. Randall DR, Rudmik LR, Ball CG, et al. External laryngotracheal trauma: Incidence, airway control, and outcomes in a large Canadian center. *Laryngoscope*. 2014;124(4):E123-33.
209. Wu JC, Chen HY, Liao CH, et al. Maxillofacial Fractures Associated With Laryngeal Injury: A Craniofacial Surgeon Should be Alert. *Annals of Plastic Surgery*. 2019;82(1S Suppl 1):S72-S76.
210. Dillon JK, Christensen B, Fairbanks T, et al. The emergent surgical airway: Cricothyrotomy vs tracheotomy. *International Journal of Oral and Maxillofacial Surgery*. 2013;42(2):204-208. doi:10.1016/j.ijom.2012.10.021

- 211.Jean YK, Potnuru P, Diez C. Airway Management of Near-Complete Tracheal Transection by Through-the-Wound Intubation: A Case Report. *A&A Practice*. 2018;11(11):312-314.
- 212.Unal D, Sumak Hazir M. Airway Management in Pediatric Patients With Burn Contractures of the Face and Neck. *Journal of Burn Care & Research*. 2022;43(5):1186-1202.
- 213.Huang RY, Chen SJ, Hsiao YC, et al. Positive signs on physical examination are not always indications for endotracheal tube intubation in patients with facial burn. *BMC Emergency Medicine*. 2022;22(1):36.
- 214.Badulak JH, Schurr M, Sauaia A, et al. Defining the criteria for intubation of the patient with thermal burns. *Burns*. 2018;44(3):531-538.
- 215.Assi P, Quiroga L, Gerold K, et al. Endotracheal Tube Fixation in Patients With Facial Burns, What Are the Options? *Eplasty [Electronic Resource]*. 2018;18:ic19.
- 216.Davis C. Endotracheal tube fixation to the maxilla in patients with facial burns. *Plastic & Reconstructive Surgery*. 2004;113(3):982-984.
- 217.Fleissig Y, Rushinek H, Regev E. Intermaxillary fixation screw for endotracheal tube fixation in the edentulous patient with facial burns. *International Journal of Oral & Maxillofacial Surgery*. 2014;43(10):1257-1258.
- 218.Kanno T, Mitsugi M, Furuki Y, et al. Endotracheal tube stabilization using an orthodontic skeletal anchor in a patient with facial burns. *International Journal of Oral & Maxillofacial Surgery*. 2008;37(4):386-387.
- 219.Gray RM, Rode H. Intra-operative endotracheal tube stabilisation for facial burns. *Burns*. 2010;36(4):572-575.
- 220.Enomoto A, Shimoide T, Kinoshita Y, et al. Application of an oral appliance for endotracheal tube fixation in facial burn patients. *British Journal of Oral & Maxillofacial Surgery*. 2021;59(1):127-128.
- 221.Bell RB, Verschueren DS, Dierks EJ. Management of laryngeal trauma. *Oral & Maxillofacial Surgery Clinics of North America*. 2008;20(3):415-430.
- 222.Chatterjee D, Agarwal R, Bajaj L, et al. Airway management in laryngotracheal injuries from blunt neck trauma in children. *Paediatric Anaesthesia*. 2016;26(2):132-138.
- 223.Chhabra A, Rudingwa P, Panneer Selvam SR. Pathophysiology and management of Airway Trauma. *Trends in Anaesthesia and Critical Care*. 2013;3(4):216-219. doi:10.1016/j.tacc.2013.02.004
- 224.Elmargahy CA, Tanna N, Wiet GJ, et al. Endoscopic management of blunt pediatric laryngeal trauma. *Annals of Otolaryngology, Rhinology & Laryngology*. 2007;116(3):192-194.
- 225.Hernandez DJ, Jatana KR, Hoff SR, et al. Emergency Airway Management for Pediatric Blunt Neck Trauma. *Clinical Pediatric Emergency Medicine*. Published online 2014. doi:10.1016/j.cpem.2014.07.002
- 226.Holmgren EP, Bagheri S, Bell RB, et al. Utilization of tracheostomy in craniomaxillofacial trauma at a level-1 trauma center. *Journal of Oral & Maxillofacial Surgery*. 2007;65(10):2005-2010.
- 227.Humenansky KM, Harris TM, Hoffman DM. Laryngotracheal separation following blunt neck trauma. *American Journal of Emergency Medicine*. 2017;35(4):669.e5-669.e7.
- 228.Keogh IJ, Rowley H, Russell J. Critical airway compromise caused by neck haematoma. *Clinical Otolaryngology & Allied Sciences*. 2002;27(4):244-245.
- 229.Koltka K, Sungur Z, Ilhan M, et al. Airway management of major blunt tracheal and esophageal injury: A case report. *Ulusal Travma ve Acil Cerrahi Dergisi = Turkish Journal of Trauma & Emergency Surgery: TJTES*. 2022;28(1):120-123.
- 230.Li H, Li Z, Zhao J, et al. Management of paediatric laryngotracheal trauma. *Journal of Laryngology & Otology*. 2022;136(11):1125-1129.
- 231.Milne B, Kandasamy G. Awake tracheal intubation for blunt airway trauma. *Anaesthesia Reports*. 2019;7(1):39-42.
- 232.Nitta K, Hamano Y, Kamijo H, et al. Complete cervical tracheal transection due to blunt trauma. *Acute Medicine & Surgery*. 2016;3(4):376-379.
- 233.Reeve NH, Kim Y, Kahane JB, et al. Management of traumatic laryngotracheal separation: Case series and review. *The Journal of Trauma and Acute Care Surgery*. 2021;90(6):e132-e137.
- 234.Renganathan RS, Palaniappan H. Laryngotracheal Trauma—Etiology, Treatment, and Outcome: An Indian Scenario. *Otorhinolaryngology Clinics*. 2021;13(3):82-86. doi:10.5005/jp-journals-10003-1388
- 235.Ribeiro-Costa N, Carneiro Sousa P, Abreu Pereira D, et al. Laryngeal Fracture after Blunt Cervical Trauma in Motorcycle Accident and Its Management. *Case Reports in Otolaryngology Print*. 2017;2017:9321975.

236. Santiago-Rosado LM, Sigmon DF, Lewison CS. Tracheal Trauma. StatPearls Publishing. 2021;01:01.
237. Sippel M, Putensen C, Hirner A, et al. Tracheal rupture after endotracheal intubation: experience with management in 13 cases. *Thoracic & Cardiovascular Surgeon*. 2006;54(1):51-56.
238. Smith DF, Rasmussen S, Peng A, et al. Complete traumatic laryngotracheal disruption--a case report and review. *International Journal of Pediatric Otorhinolaryngology*. 2009;73(12):1817-1820.
239. Teo N, Garrahy A. Elective surgical cricothyroidotomy in oral and maxillofacial surgery. *British Journal of Oral and Maxillofacial Surgery*. 2013;51(8):779-782. doi:10.1016/j.bjoms.2013.04.002
240. Wasif M, Dhanani R, Ghaloo SK, et al. Management of Laryngotracheal trauma: A review of current trends and future Directions. *JPMA - Journal of the Pakistan Medical Association*. 2020;70(Suppl 1)(2):S60-S64.
241. Youssef N, Raymer KE. Airway management of an open penetrating neck injury. *CJEM Canadian Journal of Emergency Medical Care*. 2015;17(1):89-93.
242. Caruso TJ, Janik LS, Fuzaylov G. Airway management of recovered pediatric patients with severe head and neck burns: a review. *Paediatric Anaesthesia*. 2012;22(5):462-468.
243. Esnault P, Prunet B, Cotte J, et al. Tracheal intubation difficulties in the setting of face and neck burns: myth or reality? *American Journal of Emergency Medicine*. 2014;32(10):1174-1178.
244. Freno D, Sahawneh J, Harrison S, et al. Determining the role of nasolaryngoscopy in the initial evaluation for upper airway injury in patients with facial burns. *Burns*. 2018;44(3):539-543.
245. Gravvanis AI, Tsoutsos DA, Iconomou TG, et al. Percutaneous versus Conventional Tracheostomy in Burned Patients with Inhalation Injury. *World Journal of Surgery*. 2005;29(12):1571-1575.
246. Han TH, Teissler H, Han RJ, et al. Managing difficult airway in patients with post-burn mentosternal and circumoral scar contractures. *International Journal of Burns & Trauma*. 2012;2(2):80-85.
247. Matsumura K, Yamamoto R, Kamagata T, et al. A novel scale for predicting delayed intubation in patients with inhalation injury. *Burns*. 2020;46(5):1201-1207.
248. Sakata S, Hallett KB, Brandon MS, et al. Easy come, easy go: a simple and effective orthodontic enamel anchor for endotracheal tube stabilization in a child with extensive facial burns. *Burns*. 2009;35(7):983-986.
249. Tracy LF, Shehan J, Grillone GA. Upper Airway Burn Injury. *Operative Techniques in Otolaryngology - Head and Neck Surgery*. 2020;31(4):295-300. doi:10.1016/j.otot.2020.10.006
250. Spurrier EJ, Johnston AM. Use of nasogastric tubes in trauma patients--a review. *Journal of the Royal Army Medical Corps*. 2008;154(1):10-13.
251. Al Shetawi AH, Golden L, Turner M. Anesthetic Complication during Maxillofacial Trauma Surgery: A Case Report of Intraoperative Tension Pneumothorax. *Craniomaxillofacial Trauma & Reconstruction*. 2016;9(3):251-254.
252. Casap N, Alterman M, Lieberman S, et al. Enigma of missing teeth in maxillofacial trauma. *Journal of Oral & Maxillofacial Surgery*. 2011;69(5):1421-1429.
253. Romito JW, Atem FD, Manjunath A, et al. Comparison of Bispectral Index Monitor Data Between Standard Frontal-Temporal Position and Alternative Nasal Dorsum Position in the Intensive Care Unit: A Pilot Study. *Journal of Neuroscience Nursing*. 2022;54(1):30-34.
254. Aziz MF, Brambrink AM, Healy DW, et al. Success of Intubation Rescue Techniques after Failed Direct Laryngoscopy in Adults. *Anesthesiology*. 2016;125(4):656-666.
255. Gupta N, Gupta A, Sarma R, et al. Video laryngoscopy vs. Direct laryngoscopy for nasotracheal intubation in oromaxillofacial surgery: A systematic review and meta-analysis of randomized controlled trials. *Korean Journal of Anesthesiology*. 2021;74(5):439-448.
256. Tabrizi R, Dahi M, Moshari MR, et al. Video Laryngoscopy or Macintosh Laryngoscopy: Which One Is More Successful in Patients With Bilateral Mandibular Fractures? *Journal of Oral & Maxillofacial Surgery*. 2018;76(9):1864-1868.
257. Barkhuysen R, Merkx MA, van Damme PA, et al. Acute upper airway failure and mediastinal emphysema following a wire-guided percutaneous cricothyrotomy in a patient with severe maxillofacial trauma. *Oral & Maxillofacial Surgery*. 2008;12(1):35-38.
258. Chang CC, Steinbacher DM. Novel splint allowing concurrent midface and occlusal control during orotracheal intubation. *Journal of Craniofacial Surgery*. 2012;23(2):571-572.
259. Chaudhuri K, Malham GM, Rosenfeld JV. Survival of trauma patients with coma and bilateral fixed dilated pupils. *Injury*.

- 2009;40(1):28-32.
260. Genu PR, de Oliveira DM, Vasconcellos RJ, et al. Inadvertent intracranial placement of a nasogastric tube in a patient with severe craniofacial trauma: a case report. *Journal of Oral & Maxillofacial Surgery*. 2004;62(11):1435-1438.
261. Martin JE, Mehta R, Aarabi B, et al. Intracranial insertion of a nasopharyngeal airway in a patient with craniofacial trauma. *Military Medicine*. 2004;169(6):496-497.
262. Sheehan W, Wilde C. Transorbital endotracheal intubation in a case of severe facial trauma. *Resuscitation*. 2011;82(3):243.
263. Srivastava VK, Agrawal S, Kumar R, et al. Bradycardia and hypotension during laryngoscopy for intubation in maxillofacial trauma. *Saudi Journal of Anaesthesia*. 2012;6(4):436-437.
264. Yoo JJ, Gishen KE, Thaller SR. The Oculocardiac Reflex: Its Evolution and Management. *Journal of Craniofacial Surgery*. 2021;32(1):e80-e83.
265. Aziz MF, Healy D, Kheterpal S, et al. Routine clinical practice effectiveness of the Glidescope in difficult airway management: an analysis of 2,004 Glidescope intubations, complications, and failures from two institutions. *Anesthesiology*. 2011;114(1):34-41.
266. Scholtis MP, Stoudt RS, Gavel TR. A Randomized, Blinded, Clinical Study of Injury Incidence During Endotracheal Intubation: Comparison of GlideScope Video Laryngoscopy and Direct Laryngoscopy. *AANA Journal*. 2017;85(6):445-451.
267. Jaber S, Rolle A, Jung B, et al. Effect of endotracheal tube plus stylet versus endotracheal tube alone on successful first-attempt tracheal intubation among critically ill patients: the multicentre randomised STYLETO study protocol. *BMJ Open*. 2020;10(10):e036718.
268. Nct. Efficacy of Piroxicam as a Perioperative Analgesic for Patients Undergoing Fixation of Maxillofacial Fractures. <https://clinicaltrials.gov/show/NCT04062591>. Published online 2019. <https://www.cochranelibrary.com/central/doi/10.1002/central/CN-01983593/full>
269. Nct. Effect of Perioperative Tranexemic Acid on Blood Loss During Management of Maxillofacial Trauma. <https://clinicaltrials.gov/show/NCT04494126>. Published online 2020. <https://www.cochranelibrary.com/central/doi/10.1002/central/CN-02137546/full>
270. Nct. Flexible Laryngeal Mask Airway Versus Tracheal Intubation in Nasal Bone Fracture. <https://clinicaltrials.gov/show/NCT04520555>. Published online 2020. <https://www.cochranelibrary.com/central/doi/10.1002/central/CN-02148001/full>