

## Clinical information of TCGA samples

ID	PR	ER	HER2	Age	Gender	time	status	T	N	M	Stage	ESM1
TCGA-3C-AAAU	Positive	Positive	Negative	55	FEMALE	4047	0	T X	NX	M X	NA	490.19 62
TCGA-3C-AALI	Positive	Positive	Positive	50	FEMALE	4005	0	T 2	N1	M 0	Stage II	560.17 2
TCGA-3C-AALJ	Positive	Positive	Indeterminate	62	FEMALE	1474	0	T 2	N1	M 0	Stage II	761.22 36
TCGA-3C-AALK	Positive	Positive	Positive	52	FEMALE	1448	0	T 1	N0	M 0	Stage I	243.23 12
TCGA-4H-AAAK	Positive	Positive	Equivocal	50	FEMALE	348	0	T 2	N2	M 0	Stage III	837.67 03
TCGA-5L-AATO	Positive	Positive	Negative	42	FEMALE	1477	0	T 2	N0	M 0	Stage II	309.21 79
TCGA-5L-AAT1	Positive	Positive	Equivocal	63	FEMALE	1471	0	T 2	N0	M 1	Stage IV	253.25 92
TCGA-5T-A9QA	Negative	Positive	Equivocal	52	FEMALE	303	0	T 2	NX	M X	Stage II	273.90 96
TCGA-A1-AOSB	Negative	Positive	Negative	70	FEMALE	259	0	T 1	N0	M 0	Stage I	132.38 16
TCGA-A1-AOSD	Positive	Positive	Negative	59	FEMALE	437	0	T 2	N0	M 0	Stage II	489.75 88
TCGA-A1-AOSE	Positive	Positive	Negative	56	FEMALE	1321	0	T 1	N0	M 0	Stage I	422.65 5
TCGA-A1-AOSF	Positive	Positive	Negative	54	FEMALE	1463	0	T 2	N0	M 0	Stage II	30.430 85
TCGA-A1-AOSG	Positive	Positive	Negative	61	FEMALE	434	0	T 2	N1	M 0	Stage II	272.97 1
TCGA-A1-AOSH	Positive	Negative	Equivocal	39	FEMALE	1437	0	T 2	N0	M 0	Stage II	676.85 61
TCGA-A1-AOSI	Positive	Positive	Negative	52	FEMALE	635	0	T 2	N1	M 0	Stage II	777.59 32
TCGA-A1-AOSJ	Positive	Positive	Equivocal	39	FEMALE	416	0	T 3	N1	M 0	Stage III	408.50 48
TCGA-A1-AOSK	Negative	Negative	Negative	54	FEMALE	967	1	T 2	N0	M 0	Stage II	697.22 15
TCGA-A1-AOSM	Negative	Positive	Positive	77	MALE	242	0	T 2	N0	M 0	Stage II	686.61 83
TCGA-A1-AOSN	Positive	Positive	Positive	50	FEMALE	1196	0	T 1	N1	M X	Stage II	440.81 26

TCGA-A1-					FEMA					M	Stage	90.611
AOSO	Negative	Negative	Equivocal	67	LE	852	0	2	N1	0	II	44
TCGA-A1-					FEMA					M	Stage	242.20
AOSP	Negative	Negative	Negative	40	LE	584	0	2	NO	0	II	37
TCGA-A1-					FEMA					M	Stage	556.24
AOSQ	Positive	Positive	Negative	45	LE	554	0	2	N1	X	II	77
TCGA-A2-					FEMA					M	Stage I	1162.6
A04N	Positive	Positive	Not Evaluated	66	LE	4354	0	1	NO	0		07
TCGA-A2-					FEMA					M	Stage	1368.7
A04P	Negative	Negative	Not Evaluated	36	LE	548	1	2	N3	0	III	32
TCGA-A2-					FEMA					M	Stage I	261.22
A04Q	Negative	Negative	Equivocal	48	LE	2385	0	1	NO	0		27
TCGA-A2-					FEMA					M	Stage I	1222.4
A04R	Positive	Positive	Equivocal	36	LE	3709	0	1	NO	0		97
TCGA-A2-					FEMA					M	Stage	238.76
A04T	Negative	Negative	Equivocal	62	LE	2246	0	2	NO	0	II	85
TCGA-A2-					FEMA					M	Stage	893.26
A04U	Negative	Negative	Negative	47	LE	2654	0	2	NO	0	II	13
TCGA-A2-					FEMA					M	Stage	750.91
A04V	Positive	Positive	Equivocal	39	LE	1920	1	2	NO	0	II	29
TCGA-A2-					FEMA					M	Stage	591.34
A04W	Negative	Negative	Positive	50	LE	3102	0	2	N1	0	II	26
TCGA-A2-					FEMA					M	Stage	832.77
A04X	Positive	Positive	Positive	34	LE	1686	0	2	NO	0	II	21
TCGA-A2-					FEMA					M	Stage	223.46
A04Y	Positive	Positive	Negative	53	LE	1099	0	2	N1	0	II	97
TCGA-A2-					FEMA					M	Stage	463.27
A0CK	Positive	Positive	Negative	60	LE	4159	0	3	N2	0	III	73
TCGA-A2-					FEMA					M	Stage	134.93
A0CL	Positive	Positive	Negative	37	LE	3015	0	3	N2	0	III	41
TCGA-A2-					FEMA					M	Stage	280.48
A0CM	Negative	Negative	Negative	40	LE	754	1	2	NO	0	II	25
TCGA-A2-					FEMA					M	Stage	178.45
A0CO	Positive	Positive	Negative	85	LE	1468	0	3	NO	0	II	65
TCGA-A2-					FEMA					M	Stage I	745.70
A0CP	Positive	Positive	Not Evaluated	60	LE	2813	0	1	NO	0		24
TCGA-A2-					FEMA					M	Stage I	209.11
A0CQ	Positive	Positive	Equivocal	62	LE	2695	0	1	NO	0		7
TCGA-A2-					FEMA					M	Stage	104.47
A0CR	Positive	Positive	Negative	54	LE	3283	0	3	NO	0	II	86
TCGA-A2-					FEMA					M	Stage	589.45
A0CS	Positive	Positive	Equivocal	73	LE	2348	1	4	N3	1	IV	25
TCGA-A2-					FEMA					M	Stage	1237.6
A0CT	Negative	Positive	Equivocal	71	LE	2289	0	2	NO	0	II	84

TCGA-A2- AOCU	Positive	Positive	Equivocal	73	FEMA LE	158	1	T NO	M 0	Stage II	283.99 07
TCGA-A2- AOCV	Positive	Positive	Negative	41	FEMA LE	3011	0	T 2	N1 0	M II	242.04 49
TCGA-A2- AOCW	Positive	Positive	Equivocal	67	FEMA LE	3283	0	T 2	N1 0	M II	253.61 96
TCGA-A2- AOCX	Negative	Positive	Positive	52	FEMA LE	1728	0	T 2	NO 0	M II	2551.0 36
TCGA-A2- AOCY	Positive	Positive	Negative	63	FEMA LE	1673	0	T 2	N1 0	M II	1286.3 4
TCGA-A2- AOCZ	Positive	Positive	Negative	46	FEMA LE	1616	0	T 2	NO 0	M II	400.53 36
TCGA-A2- AODO	Negative	Negative	Negative	60	FEMA LE	2048	0	T 2	NO 0	M II	260.21 34
TCGA-A2- AOD1	Negative	Negative	Positive	76	FEMA LE	1051	0	T 2	NO 0	M II	2092.4 26
TCGA-A2- AOD2	Negative	Negative	Negative	45	FEMA LE	1027	0	T 2	NO 0	M II	250.35 08
TCGA-A2- AOD3	Positive	Positive	Negative	42	FEMA LE	1873	0	T 1	NO 0	M Stage I	238.98 41
TCGA-A2- AOD4	Positive	Positive	Negative	37	FEMA LE	767	0	T 2	N1 0	M II	393.89 12
TCGA-A2- AOEM	Positive	Positive	Not Evaluated	73	FEMA LE	3094	0	T 1	NO 0	M Stage I	863.68 2
TCGA-A2- AOEN	Positive	Positive	Equivocal	70	FEMA LE	4088	0	T 2	NO 0	M II	648.38 93
TCGA-A2- AOEO	Positive	Positive	Negative	54	FEMA LE	2442	0	T 1	NO 0	M Stage I	430.40 2
TCGA-A2- AOEP	Negative	Positive	Negative	56	FEMA LE	3603	0	T 1	NO 0	M Stage I	182.56 64
TCGA-A2- AOEQ	Negative	Negative	Positive	64	FEMA LE	2426	0	T 2	NO 0	M II	271.74 83
TCGA-A2- AOER	Positive	Positive	Equivocal	63	FEMA LE	2263	0	T 1	N1 0	M Stage I	128.21 38
TCGA-A2- AOES	Positive	Positive	Negative	52	FEMA LE	2190	0	T 2	NO 0	M II	166.73 48
TCGA-A2- AOET	Positive	Positive	Equivocal	58	FEMA LE	1066	0	T 2	N2 0	M III	530.38 96
TCGA-A2- AOEU	Positive	Positive	Negative	79	FEMA LE	1043	0	T 1	NO 0	M Stage I	1194.5 87
TCGA-A2- AOEV	Positive	Positive	Negative	80	FEMA LE	968	0	T 1	NO 0	M Stage I	184.48 34
TCGA-A2- AOEW	Positive	Positive	Negative	53	FEMA LE	1884	1	T 1	N3 0	M III	292.70 31

TCGA-A2- AOEX	Positive	Positive	Negative	46	FEMA LE	752	0	T 3	NO	M 0	Stage II	381.96 16
TCGA-A2- AOEY	Negative	Positive	Positive	62	FEMA LE	1925	0	T 2	N1	M 0	Stage II	278.47 88
TCGA-A2- AOST	Negative	Negative	Not Evaluated	62	FEMA LE	3017	0	T 1	N1	M 0	Stage II	135.45 47
TCGA-A2- AOSU	Positive	Positive	Negative	66	FEMA LE	1662	0	T 2	NO	M 0	Stage II	592.57 73
TCGA-A2- AOSV	Positive	Positive	Equivocal	63	FEMA LE	825	1	T 2	N2	M 1	Stage IV	281.86 11
TCGA-A2- AOSW	Negative	Positive	Not Evaluated	82	FEMA LE	1365	1	T 2	N2	M 1	Stage IV	296.14 86
TCGA-A2- AOSX	Negative	Negative	Negative	48	FEMA LE	1534	0	T 1	NO	M 0	Stage I	151.02 52
TCGA-A2- AOSY	Positive	Positive	Not Evaluated	62	FEMA LE	1347	0	T 3	N1	M 0	Stage III	327.39 4
TCGA-A2- AOTO	Negative	Negative	Negative	59	FEMA LE	533	0	T 2	N1	M 0	Stage II	2087.4 2
TCGA-A2- AOT1	Negative	Negative	Positive	55	FEMA LE	521	0	T 3	N3	M 0	Stage III	1192.6 03
TCGA-A2- AOT2	Negative	Negative	Negative	66	FEMA LE	255	1	T 3	N3	M 1	Stage IV	1764.8 09
TCGA-A2- AOT3	Positive	Positive	Equivocal	37	FEMA LE	1516	0	T 1	N1	M 0	Stage I	651.15 64
TCGA-A2- AOT4	Positive	Positive	Equivocal	62	FEMA LE	624	0	T 2	NO	M 0	Stage II	384.97 33
TCGA-A2- AOT5	Positive	Positive	Negative	39	FEMA LE	531	0	T 2	NO	M 0	Stage II	650.91 36
TCGA-A2- AOT6	Positive	Positive	Negative	50	FEMA LE	575	0	T 3	NO	M 0	Stage II	491.01 3
TCGA-A2- AOT7	Positive	Positive	Negative	51	FEMA LE	631	0	T 2	NO	M 0	Stage II	265.87 9
TCGA-A2- AOYC	Positive	Positive	Not Evaluated	59	FEMA LE	990	0	T 2	N1	M 0	Stage II	1015.1 55
TCGA-A2- AOYD	Positive	Positive	Not Evaluated	63	FEMA LE	769	0	T 3	NO	M 0	Stage II	597.92 43
TCGA-A2- AOYE	Negative	Negative	Negative	48	FEMA LE	554	0	T 2	N1	M 0	Stage II	476.05 56
TCGA-A2- AOYF	Negative	Positive	Negative	67	FEMA LE	1535	0	T 1	NO	M 0	Stage I	902.40 01
TCGA-A2- AOYG	Positive	Positive	Positive	63	FEMA LE	666	0	T 2	N3	M 0	Stage III	731.60 86
TCGA-A2- AOYH	Positive	Positive	Negative	53	FEMA LE	659	0	T 2	N2	M 0	Stage III	603.25 32

TCGA-A2- A0YI	Positive	Positive	Negative	62	FEMA LE	1505	0	T 1	NO	M 0	Stage I	246.85 43
TCGA-A2- A0YJ	Negative	Positive	Negative	39	FEMA LE	566	0	T 3	N2	M 0	Stage III	718.97 84
TCGA-A2- A0YK	Negative	Positive	Negative	61	FEMA LE	588	0	T 2	NO	M 0	Stage II	345.13 94
TCGA-A2- A0YL	Positive	Positive	Negative	48	FEMA LE	1474	0	T 3	N2	M 0	Stage III	215.42 91
TCGA-A2- A0YM	Negative	Negative	Not Evaluated	67	FEMA LE	965	0	T 2	NO	M 0	Stage II	389.57 61
TCGA-A2- A0YT	Negative	Positive	Not Evaluated	56	FEMA LE	723	1	T 4	N2	M 0	Stage III	176.92 6
TCGA-A2- A1FV	Positive	Positive	Negative	74	FEMA LE	714	0	T 3	NO	M 0	Stage II	1108.3 3
TCGA-A2- A1FW	Negative	Positive	Negative	62	FEMA LE	528	0	T 3	N2	M 0	Stage III	64.291 88
TCGA-A2- A1FX	Positive	Positive	Not Evaluated	61	FEMA LE	1847	0	T 3	N2	M 0	Stage III	325.59 5
TCGA-A2- A1FZ	Positive	Positive	Negative	63	FEMA LE	683	0	T 2	NO	M 0	Stage II	197.51 74
TCGA-A2- A1G0	Positive	Positive	Equivocal	49	FEMA LE	616	0	T 2	N1	M 0	Stage II	205.06 76
TCGA-A2- A1G1	Negative	Negative	Equivocal	85	FEMA LE	584	0	T 2	N1	M 0	Stage II	868.51
TCGA-A2- A1G4	Positive	Positive	Negative	71	FEMA LE	595	0	T 3	N1	M 0	Stage III	552.58 55
TCGA-A2- A1G6	Negative	Negative	Negative	50	FEMA LE	501	0	T 2	N2	M 0	Stage III	52.923 43
TCGA-A2- A259	Positive	Positive	Negative	70	FEMA LE	1596	0	T 1	NO	M 0	Stage I	477.74 49
TCGA-A2- A25A	Positive	Positive	Equivocal	44	FEMA LE	3276	0	T 2	NO	M 0	Stage II	166.80 44
TCGA-A2- A25B	Positive	Positive	Equivocal	39	FEMA LE	1291	0	T 2	N1	M 0	Stage II	1048.7 78
TCGA-A2- A25C	Positive	Positive	Negative	50	FEMA LE	523	0	T 2	N1	M 0	Stage II	524.52 98
TCGA-A2- A25D	Negative	Positive	Negative	90	FEMA LE	0	0	T 2	N3	M 0	Stage III	1160.2 26
TCGA-A2- A25E	Positive	Positive	Equivocal	34	FEMA LE	3204	0	T 2	N2	M 0	Stage III	195.56 04
TCGA-A2- A25F	Positive	Negative	Negative	66	FEMA LE	322	0	T 2	NO	M 0	Stage II	155.82 35
TCGA-A2- A3KC	Positive	Positive	Equivocal	55	FEMA LE	1102	0	T 2	N1	M 0	Stage II	455.40 63

TCGA-A2-A3KD	Positive	Positive	Negative	47	FEMA LE	1206	0	T 3	N1	M 0	Stage III	145.41 47
TCGA-A2-A3XS	Negative	Negative	Not Evaluated	62	FEMA LE	1032	1	T 1	N2	M 0	Stage III	333.67 24
TCGA-A2-A3XT	Negative	Negative	Negative	45	FEMA LE	2770	0	T 2	N1	M 0	Stage II	458.33 67
TCGA-A2-A3XU	Negative	Negative	Not Evaluated	35	FEMA LE	912	1	T 2	N1	M 0	Stage II	446.31 23
TCGA-A2-A3XV	Negative	Positive	Equivocal	46	FEMA LE	996	0	T 2	N0	M 0	Stage II	1288.2 77
TCGA-A2-A3XW	Negative	Positive	Negative	42	FEMA LE	1712	0	T 2	N1	M 0	Stage II	29.352 62
TCGA-A2-A3XX	Negative	Negative	Negative	49	FEMA LE	1439	1	T 2	N0	M 0	Stage II	481.48 94
TCGA-A2-A3XY	Negative	Negative	Negative	49	FEMA LE	1093	1	T 2	N1	M 0	Stage II	913.10 21
TCGA-A2-A3XZ	Negative	Negative	Positive	46	FEMA LE	1532	0	T 1	N0	M 0	Stage I	212.40 05
TCGA-A2-A3Y0	Negative	Positive	Negative	57	FEMA LE	1546	0	T 2	N1	M 0	Stage II	677.59 42
TCGA-A2-A4RW	Positive	Positive	Negative	49	FEMA LE	222	0	T 2	N3	M 0	Stage III	283.08 09
TCGA-A2-A4RX	Positive	Positive	Negative	67	FEMA LE	742	0	T 2	N0	M 0	Stage II	220.25 22
TCGA-A2-A4RY	Positive	Positive	Negative	46	FEMA LE	648	0	T 3	N3	M 0	Stage III	82.397 06
TCGA-A2-A4S0	Positive	Positive	Negative	77	FEMA LE	706	0	T 2	N0	M 0	Stage II	1394.9 42
TCGA-A2-A4S1	Negative	Positive	Negative	66	FEMA LE	820	0	T 2	N0	M 0	Stage II	629.36 27
TCGA-A2-A4S2	Positive	Positive	Negative	62	FEMA LE	643	0	T 3	N2	M 0	Stage III	524.35 42
TCGA-A2-A4S3	Positive	Positive	Negative	59	FEMA LE	666	0	T 2	N1	M 0	Stage II	280.56 11
TCGA-A7-A0CD	Positive	Positive	Equivocal	66	FEMA LE	1165	0	T 1	N0	M 0	Stage I	804.30 97
TCGA-A7-A0CE	Negative	Negative	Equivocal	57	FEMA LE	1074	0	T 2	N0	M 0	Stage II	439.34 36
TCGA-A7-A0CG	Negative	Positive	Negative	78	FEMA LE	1043	0	T 2	N0	M 0	Stage II	270.01 26
TCGA-A7-A0CH	Not Evaluated	Not Evaluated	Not Evaluated	79	FEMA LE	1079	0	T 2	N0	M 0	Stage II	353.89 92
TCGA-A7-A0CJ	Positive	Positive	Negative	57	FEMA LE	931	0	T 2	N0	M 0	Stage II	1894.4 69

TCGA-A7-AOD9	Negative	Positive	Negative	37	FEMA LE	1139	0	T NO	M 0	Stage II	559.37 2
TCGA-A7-AODA	Negative	Negative	Negative	62	FEMA LE	1085	0	T 2	M 0	Stage II	1092.8 82
TCGA-A7-AODB	Positive	Positive	Negative	56	FEMA LE	1007	0	T 2	M 0	Stage II	268.64 72
TCGA-A7-AODB	Positive	Positive	Negative	56	FEMA LE	1007	0	T 2	M 0	Stage II	226.11 72
TCGA-A7-AODB	Positive	Positive	Negative	56	FEMA LE	1007	0	T 2	M 0	Stage II	220.48 51
TCGA-A7-AODC	Negative	Positive	Negative	63	FEMA LE	906	0	T 1	M 0	Stage I	1492.3 01
TCGA-A7-AODC	Negative	Positive	Negative	63	FEMA LE	906	0	T 1	M 0	Stage I	590.19 63
TCGA-A7-A13D	Positive	Negative	Equivocal	46	FEMA LE	965	0	T 2	M 0	Stage II	1013.8 71
TCGA-A7-A13D	Positive	Negative	Equivocal	46	FEMA LE	965	0	T 2	M 0	Stage II	4700.1 97
TCGA-A7-A13D	Positive	Negative	Equivocal	46	FEMA LE	965	0	T 2	M 0	Stage II	3797.5 79
TCGA-A7-A13E	Negative	Positive	Equivocal	62	FEMA LE	614	1	T 2	M X	Stage II	391.42 75
TCGA-A7-A13E	Negative	Positive	Equivocal	62	FEMA LE	614	1	T 2	M X	Stage II	248.25 48
TCGA-A7-A13E	Negative	Positive	Equivocal	62	FEMA LE	614	1	T 2	M X	Stage II	342.89 21
TCGA-A7-A13F	Positive	Positive	Equivocal	44	FEMA LE	765	0	T 3	M 0	Stage III	511.48 31
TCGA-A7-A13G	Positive	Positive	Negative	79	FEMA LE	718	0	T 2	M X	Stage II	222.40 64
TCGA-A7-A13H	Positive	Positive	Equivocal	61	FEMA LE	899	0	T 2	M X	Stage II	75.787 96
TCGA-A7-A26E	Positive	Positive	Negative	71	FEMA LE	954	0	T 3	M X	Stage III	251.78 08
TCGA-A7-A26E	Positive	Positive	Negative	71	FEMA LE	954	0	T 3	M X	Stage III	360.93 88
TCGA-A7-A26E	Positive	Positive	Negative	71	FEMA LE	954	0	T 3	M X	Stage III	429.93 91
TCGA-A7-A26F	Negative	Negative	Equivocal	55	FEMA LE	738	0	T 1	M 0	Stage I	281.82 78
TCGA-A7-A26G	Negative	Negative	Negative	50	FEMA LE	722	0	T 2	M 0	Stage II	316.33 16
TCGA-A7-A26H	Negative	Positive	Equivocal	72	FEMA LE	724	0	T 1	M 0	Stage II	231.18 88

TCGA-A7-A26I	Negative	Negative	Equivocal	65	FEMA LE	661	0	T NO	M 0	Stage II	816.98 71
TCGA-A7-A26J	Positive	Positive	Negative	49	FEMA LE	627	0	T 2	M 0	Stage II	88.766 59
TCGA-A7-A26J	Positive	Positive	Negative	49	FEMA LE	627	0	T 2	M 0	Stage II	382.38 04
TCGA-A7-A26J	Positive	Positive	Negative	49	FEMA LE	627	0	T 2	M 0	Stage II	445.50 81
TCGA-A7-A2KD	Positive	Positive	Positive	53	FEMA LE	679	0	T 2	M X	Stage III	501.55 09
TCGA-A7-A31Y	Positive	Positive	Negative	71	FEMA LE	345	0	T 1	M 0	Stage I	2008.9 77
TCGA-A7-A31Z	Negative	Positive	Equivocal	62	FEMA LE	322	0	T 2	M 0	Stage II	1236.3 02
TCGA-A7-A3J0	Positive	Positive	Negative	62	FEMA LE	313	0	T 2	M 0	Stage II	641.17 47
TCGA-A7-A3J1	Positive	Positive	Negative	63	FEMA LE	343	0	T 1	M X	Stage I	119.34 42
TCGA-A7-A3RF	Positive	Positive	Negative	79	FEMA LE	408	0	T 2	M 0	Stage II	1573.0 28
TCGA-A7-A425	Positive	Positive	Indeterminate	70	FEMA LE	447	0	T 3	M X	Stage III	44.213 08
TCGA-A7-A426	Positive	Positive	Negative	50	FEMA LE	364	0	T 3	M X	Stage III	57.843 81
TCGA-A7-A4SA	Negative	Positive	Negative	40	FEMA LE	454	0	T 2	M 0	Stage II	184.53 31
TCGA-A7-A4SB	Positive	Positive	Negative	56	FEMA LE	418	0	T 3	M 0	Stage III	187.50 54
TCGA-A7-A4SC	Negative	Positive	Equivocal	62	FEMA LE	446	0	T 3	M X	Stage II	245.85 31
TCGA-A7-A4SD	Negative	Negative	Equivocal	52	FEMA LE	441	0	T 2	M 0	Stage II	375.85 23
TCGA-A7-A4SE	Negative	Negative	Negative	54	FEMA LE	644	0	T 2	M 0	Stage II	1165.2 71
TCGA-A7-A4SF	Negative	Positive	Positive	54	FEMA LE	545	0	T 2	M 0	Stage II	168.18 55
TCGA-A7-A56D	Positive	Positive	Negative	84	FEMA LE	448	0	T 2	M 0	Stage II	499.97 3
TCGA-A7-A5ZV	Negative	Negative	Equivocal	62	FEMA LE	368	0	T 2	M 0	Stage II	560.23 46
TCGA-A7-A5ZW	Positive	Positive	Negative	47	FEMA LE	326	0	T 1	M 0	Stage II	352.66 62
TCGA-A7-A5ZX	Positive	Positive	Negative	48	FEMA LE	336	0	T 2	M 0	Stage III	162.21



TCGA-A7-					FEMA			T		M	Stage	947.59
A6VV	Negative	Negative	Negative	51	LE	313	0	NO	0	0	II	73
TCGA-A7-					FEMA			T		M	Stage	240.79
A6VW	Negative	Negative	Negative	48	LE	285	0	NO	0	0	II	13
TCGA-A7-					FEMA			T		M	Stage	655.41
A6VX	Positive	Positive	Negative	68	LE	317	0	NO	0	0	II	58
TCGA-A7-					FEMA			T		M	Stage	1270.3
A6VY	Negative	Negative	Negative	48	LE	266	0	N1	0	0	II	52
TCGA-A8-					FEMA			T		M	Stage	623.22
A06N	Negative	Positive	Negative	66	LE	0	0	NO	0	0	III	41
TCGA-A8-					FEMA			T		M	Stage I	259.00
A06O	Positive	Positive	Negative	60	LE	396	0	NO	0	0	Stage I	5
TCGA-A8-					FEMA			T		M	Stage	404.81
A06P	Positive	Positive	Negative	63	LE	396	0	N2	0	0	III	85
TCGA-A8-					FEMA			T		M	Stage	69.335
A06Q	Positive	Positive	Negative	63	LE	31	0	N2	0	0	III	58
TCGA-A8-					FEMA			T		M	Stage	5612.5
A06R	Negative	Positive	Positive	69	LE	547	0	N1	0	0	II	56
TCGA-A8-					FEMA			T		M	Stage	708.77
A06T	Positive	Positive	Positive	75	LE	1614	0	N1	0	0	III	47
TCGA-A8-					FEMA			T		M	Stage	419.48
A06U	Positive	Positive	Positive	80	LE	883	1	N1	0	0	II	75
TCGA-A8-					FEMA			T		M	Stage	347.42
A06X	Negative	Positive	Positive	77	LE	943	1	NO	0	0	II	5
TCGA-A8-					FEMA			T		M	Stage	1578.8
A06Y	Positive	Positive	Negative	66	LE	791	0	NO	0	0	II	72
TCGA-A8-					FEMA			T		M	Stage	2109.6
A06Z	Positive	Positive	Negative	84	LE	31	0	NO	0	0	II	78
TCGA-A8-					FEMA			T		M	Stage	804.65
A075	Positive	Positive	Positive	42	LE	518	0	N1	0	0	II	92
TCGA-A8-					FEMA			T		M	Stage	253.12
A076	Positive	Positive	Positive	66	LE	1642	0	NO	0	0	II	66
TCGA-A8-					FEMA			T		M	Stage	99.328
A079	Positive	Positive	Negative	69	LE	274	0	N3	0	0	III	26
TCGA-A8-					FEMA			T		M	Stage	2257.9
A07B	Positive	Positive	Positive	69	LE	1308	0	NO	0	0	II	34
TCGA-A8-					FEMA			T		M	Stage	311.45
A07C	Negative	Negative	Negative	57	LE	1034	0	NO	0	0	II	23
TCGA-A8-					FEMA			T		M	Stage X	668.82
A07E	Positive	Positive	Negative	81	LE	608	0	N3	X	0	Stage X	73
TCGA-A8-					FEMA			T		M	Stage	684.54
A07F	Positive	Positive	Negative	65	LE	577	0	N1	0	0	II	15
TCGA-A8-					FEMA			T		M	Stage	644.31
A07G	Positive	Positive	Negative	65	LE	577	0	N1	0	0	II	77

TCGA-A8-A07I	Negative	Positive	Positive	69	FEMA LE	426	0	T 2	N2	M 0	Stage III	388.37 36
TCGA-A8-A07J	Positive	Positive	Negative	35	FEMA LE	365	0	T 2	N1	M 0	Stage II	368.44 88
TCGA-A8-A07L	Positive	Positive	Negative	58	FEMA LE	975	0	T 3	N1	M 0	Stage III	576.89 23
TCGA-A8-A07O	Negative	Negative	Negative	51	FEMA LE	304	0	T 2	NO	M 0	Stage II	699.94 88
TCGA-A8-A07P	Positive	Positive	Positive	68	FEMA LE	334	0	T 2	N1	M 0	Stage II	480.50 66
TCGA-A8-A07R	Negative	Negative	Positive	80	FEMA LE	273	0	T 2	N3	M 0	Stage III	505.43 13
TCGA-A8-A07S	Negative	Positive	Negative	73	FEMA LE	243	0	T 2	NO	M 0	Stage II	459.13 08
TCGA-A8-A07U	Positive	Negative	Negative	66	FEMA LE	760	0	T 2	N2	M 0	Stage III	779.85 51
TCGA-A8-A07W	Positive	Positive	Negative	76	FEMA LE	304	0	T 2	NX	M 1	Stage IV	328.34 31
TCGA-A8-A07Z	Positive	Positive	Negative	85	FEMA LE	1371	0	T 2	NO	M 0	Stage II	459.24 46
TCGA-A8-A081	Positive	Positive	Negative	80	FEMA LE	0	0	T 2	NO	M 0	Stage II	159.25 5
TCGA-A8-A082	Positive	Positive	Negative	58	FEMA LE	549	0	T 2	N1	M 0	Stage II	307.30 97
TCGA-A8-A083	Positive	Positive	Negative	67	FEMA LE	0	0	T 3	NO	M 0	Stage II	1982.4 6
TCGA-A8-A084	Negative	Positive	Negative	81	FEMA LE	458	0	T 2	N1	M 0	Stage II	736.39 6
TCGA-A8-A085	Positive	Positive	Negative	44	MALE	1124	0	T 2	N1	M 0	Stage II	1929.1 7
TCGA-A8-A086	Positive	Positive	Negative	59	FEMA LE	396	0	T 1	N1	M 0	Stage II	1201.7 38
TCGA-A8-A08A	Positive	Positive	Negative	89	FEMA LE	30	0	T 1	NO	M 0	Stage I	234.32 76
TCGA-A8-A08B	Negative	Positive	Positive	52	FEMA LE	1156	0	T 2	NO	M 0	Stage II	293.73 63
TCGA-A8-A08C	Positive	Positive	Positive	65	FEMA LE	881	0	T 2	NO	M 0	Stage II	447.86 3
TCGA-A8-A08F	Positive	Positive	Negative	59	FEMA LE	1004	0	T 2	N3	M 0	Stage III	423.77 82
TCGA-A8-A08G	Positive	Positive	Positive	41	FEMA LE	607	0	T 2	NO	M 0	Stage II	169.00 24
TCGA-A8-A08H	Positive	Positive	Positive	66	FEMA LE	0	0	T 2	NO	M 0	Stage II	188.63 37

TCGA-A8-A08I	Positive	Positive	Negative	53	FEMA LE	365	0	T 2	NO	M 0	Stage II	249.77 77
TCGA-A8-A08J	Negative	Positive	Negative	52	FEMA LE	1127	1	T 4	N3	M 1	Stage IV	560.83 73
TCGA-A8-A08L	Negative	Positive	Negative	89	FEMA LE	30	1	T 3	N2	M 0	Stage III	939.82 02
TCGA-A8-A08O	Positive	Positive	Negative	45	FEMA LE	943	0	T 2	N3	M 1	Stage IV	218.71 31
TCGA-A8-A08P	Positive	Positive	Positive	70	FEMA LE	943	0	T 2	N2	M 0	Stage III	386.04 86
TCGA-A8-A08R	Negative	Negative	Negative	52	FEMA LE	30	0	T 2	N1	M 0	Stage II	274.51 35
TCGA-A8-A08S	Positive	Positive	Positive	71	FEMA LE	1004	0	T 1	N1	M 0	Stage II	565.64 89
TCGA-A8-A08T	Positive	Positive	Positive	64	FEMA LE	3409	1	T 2	N1	M 1	Stage IV	1400.9 55
TCGA-A8-A08X	Negative	Negative	Positive	43	FEMA LE	1308	0	T 4	N3	M 0	Stage III	830.44 93
TCGA-A8-A090	Positive	Positive	Positive	74	FEMA LE	0	0	T 2	NO	M 0	Stage II	535.55 04
TCGA-A8-A091	Negative	Positive	Negative	61	FEMA LE	1004	0	T 2	NO	M 0	Stage II	792.12 77
TCGA-A8-A092	Positive	Positive	Negative	48	FEMA LE	942	0	T 2	N2	M 0	Stage III	203.75 97
TCGA-A8-A093	Positive	Positive	Negative	61	FEMA LE	546	0	T 2	NO	M 0	Stage II	611.90 06
TCGA-A8-A094	Negative	Positive	Negative	75	FEMA LE	0	0	T 2	NO	M 0	Stage II	1060.8 15
TCGA-A8-A095	Positive	Positive	Negative	45	FEMA LE	1277	0	T 1	NO	M 0	Stage I	289.13 84
TCGA-A8-A096	Positive	Positive	Negative	73	FEMA LE	0	0	T 2	NO	M 0	Stage II	684.75 47
TCGA-A8-A097	Positive	Positive	Positive	65	FEMA LE	365	0	T 2	N1	M 0	Stage II	333.40 27
TCGA-A8-A099	Positive	Positive	Positive	76	FEMA LE	304	0	T 4	N3	M X	Stage X	292.48 76
TCGA-A8-A09A	Positive	Positive	Negative	40	FEMA LE	304	0	T 2	NX	M 0	Stage X	495.97 65
TCGA-A8-A09B	Positive	Positive	Negative	58	FEMA LE	365	0	T 4	N1	M 0	Stage III	201.58 45
TCGA-A8-A09D	Positive	Positive	Negative	47	FEMA LE	1522	0	T 2	N1	M 0	Stage II	283.40 38
TCGA-A8-A09E	Positive	Positive	Positive	73	FEMA LE	1492	0	T 4	N1	M 0	Stage III	96.344 95

TCGA-A8-A09G	Negative	Positive	Positive	79	FEMA LE	0 0	0 3	T N3	M 0	Stage III	754.04 13
TCGA-A8-A09I	Positive	Positive	Positive	84	FEMA LE	1371 0	0 2	T NO	M 0	Stage II	506.37 29
TCGA-A8-A09K	Positive	Positive	Negative	68	FEMA LE	912 0	0 1	T N1	M 0	Stage II	9.4074 37
TCGA-A8-A09M	Positive	Positive	Negative	75	FEMA LE	1006 0	0 2	T N3	M 0	Stage III	136.41 34
TCGA-A8-A09N	Positive	Positive	Positive	57	FEMA LE	31 0	0 2	T N3	M 0	Stage III	362.55 75
TCGA-A8-A09Q	Positive	Positive	Negative	83	FEMA LE	761 0	0 4	T N2	M 0	Stage III	429.01 22
TCGA-A8-A09R	Positive	Positive	Negative	82	FEMA LE	273 0	0 2	T N1	M 0	Stage II	990.81 42
TCGA-A8-A09V	Positive	Positive	Negative	51	FEMA LE	457 0	0 2	T NO	M 0	Stage II	419.36 31
TCGA-A8-A09W	Positive	Positive	Negative	70	FEMA LE	30 0	0 2	T N3	M 0	Stage III	333.20 6
TCGA-A8-A09X	Negative	Negative	Negative	62	FEMA LE	426 1	1 2	T N3	M 0	Stage III	292.96 36
TCGA-A8-A09Z	Negative	Positive	Negative	83	FEMA LE	0 0	0 3	T NO	M 0	Stage II	693.74 11
TCGA-A8-A0A1	Positive	Positive	Negative	84	FEMA LE	365 0	0 2	T NO	M 0	Stage II	177.84 86
TCGA-A8-A0A2	Positive	Positive	Negative	66	FEMA LE	579 0	0 2	T NO	M 0	Stage II	340.47 87
TCGA-A8-A0A4	Positive	Positive	Negative	73	FEMA LE	396 0	0 2	T NO	M 0	Stage II	38.703 47
TCGA-A8-A0A6	Positive	Positive	Negative	64	FEMA LE	640 0	0 2	T N3	M 0	Stage III	938.53 77
TCGA-A8-A0A7	Negative	Negative	Positive	57	FEMA LE	30 0	0 2	T N1	M 0	Stage II	105.69 85
TCGA-A8-A0A9	Positive	Positive	Negative	80	FEMA LE	822 0	0 2	T NO	M 0	Stage II	289.93 61
TCGA-A8-A0AB	Positive	Positive	Positive	54	FEMA LE	518 0	0 2	T NO	M 0	Stage II	444.49 54
TCGA-A8-A0AD	Positive	Positive	Negative	83	FEMA LE	1157 0	0 1	T NO	M 0	Stage I	660.69 81
TCGA-AC-A23C	Positive	Positive	Positive	62	FEMA LE	585 0	0 2	T N1	M X	Stage II	120.38 6
TCGA-AC-A23E	Positive	Positive	Not Evaluated	50	FEMA LE	698 0	0 2	T N1	M X	Stage II	2635.8 07
TCGA-AC-A23G	Positive	Positive	Positive	76	FEMA LE	2248 0	0 1	T N1	M X	Stage II	343.11 57

TCGA-AC-A23H	Negative	Positive	Positive	90	FEMA LE	0 0	0 2	T NX	M 0	Stage II	855.57 35
TCGA-AC-A2B8	Positive	Positive	Negative	84	FEMA LE	677 0	0 3	T NO	M 0	Stage II	250.05 58
TCGA-AC-A2BK	Negative	Negative	Negative	78	FEMA LE	2222 0	0 2	T N2	M X	Stage III	253.41 74
TCGA-AC-A2BM	Positive	Positive	Not Evaluated	41	FEMA LE	3022 0	0 2	T N1	M X	Stage II	153.30 88
TCGA-AC-A2FB	Positive	Positive	Positive	65	FEMA LE	1234 0	0 2	T NO	M X	Stage II	511.61 02
TCGA-AC-A2FE	Positive	Positive	Not Evaluated	62	FEMA LE	2636 1	1 3	T N3	M X	Stage III	457.22 8
TCGA-AC-A2FF	Positive	Positive	Not Evaluated	40	FEMA LE	2759 0	0 2	T N1	M X	Stage II	159.40 63
TCGA-AC-A2FG	Negative	Positive	Not Evaluated	79	FEMA LE	1853 0	0 2	T N1	M X	Stage II	221.76 41
TCGA-AC-A2FK	Positive	Positive	Not Evaluated	45	FEMA LE	2650 0	0 2	T N3	M 0	Stage III	195.69 01
TCGA-AC-A2FM	Not Evaluated	Not Evaluated	Not Evaluated	87	FEMA LE	792 1	1 2	T N1	M 0	Stage II	1256.8 7
TCGA-AC-A2FO	Negative	Positive	Negative	65	FEMA LE	2255 0	0 2	T N1	M X	Stage II	221.61 43
TCGA-AC-A2QH	Negative	Negative	Negative	58	FEMA LE	1005 0	0 3	T NO	M X	Stage II	431.22 49
TCGA-AC-A2QI	Negative	Positive	Negative	76	FEMA LE	588 0	0 3	T N1	M X	Stage III	456.40 32
TCGA-AC-A2QJ	Negative	Negative	Negative	48	FEMA LE	446 1	1 4	T NO	M 0	Stage III	210.88 49
TCGA-AC-A3BB	Positive	Positive	Negative	46	FEMA LE	987 0	0 3	T N2	M X	Stage III	380.51 59
TCGA-AC-A3EH	Negative	Positive	Negative	79	FEMA LE	197 1	1 3	T N3	M 0	Stage III	803.34 66
TCGA-AC-A3HN	Positive	Positive	Negative	87	FEMA LE	496 0	0 2	T N1	M X	Stage II	585.71 68
TCGA-AC-A3OD	Positive	Positive	Negative	68	FEMA LE	451 0	0 2	T N1	M X	Stage II	101.43 67
TCGA-AC-A3QP	Positive	Positive	Equivocal	79	FEMA LE	675 0	0 2	T N1	M X	Stage II	415.10 03
TCGA-AC-A3QQ	Positive	Positive	Positive	54	FEMA LE	734 0	0 1	T NO	M X	Stage I	140.37 05
TCGA-AC-A3TM	Positive	Positive	Equivocal	50	FEMA LE	762 0	0 3	T N1	M 0	Stage III	212.85 52
TCGA-AC-A3TN	Positive	Positive	Positive	75	FEMA LE	456 0	0 3	T NO	M X	Stage II	579.43 49

TCGA-AC-A3W5	Positive	Positive	Not Evaluated	65	FEMA LE	504	0	T 2	NO	M X	Stage II	1776.4 3
TCGA-AC-A3W6	Positive	Positive	Negative	90	FEMA LE	0	0	T 3	N1	M X	Stage III	384.08 17
TCGA-AC-A3W7	Negative	Positive	Negative	66	FEMA LE	471	0	T 2	N1	M X	Stage II	281.76 53
TCGA-AC-A3YI	Positive	Positive	Positive	74	FEMA LE	707	0	T 1	N3	M X	Stage III	183.78 71
TCGA-AC-A3YJ	Positive	Positive	Not Available	66	FEMA LE	754	0	T 2	NO	M X	Stage II	2145.4 09
TCGA-AC-A4ZE	Positive	Positive	Positive	63	FEMA LE	890	0	T 3	NO	M 0	Stage II	127.03 65
TCGA-AC-A5EH	Negative	Positive	Negative	76	FEMA LE	511	0	T 2	N1	M X	Stage II	1313.9 57
TCGA-AC-A5XS	Positive	Positive	Negative	74	FEMA LE	588	0	T 2	NO	M X	Stage II	229.20 25
TCGA-AC-A5XU	Positive	Positive	Negative	74	FEMA LE	455	0	T 3	NO	M X	Stage II	1396.1 16
TCGA-AC-A62V	Positive	Positive	Not Evaluated	58	MALE	348	1	T 2	N1	M 1	Stage IV	324.60 47
TCGA-AC-A62X	Negative	Positive	Not Evaluated	72	FEMA LE	417	0	T 2	NO	M X	Stage II	2809.8 97
TCGA-AC-A62Y	Positive	Positive	Negative	79	FEMA LE	530	0	T 2	N1	M X	Stage II	592.18 27
TCGA-AC-A6IV	Positive	Positive	Equivocal	47	FEMA LE	568	0	T 2	N1	M X	Stage II	364.27 02
TCGA-AC-A6IW	Negative	Negative	Negative	73	FEMA LE	413	0	T 2	NO	M X	Stage II	164.89 73
TCGA-AC-A6IX	Positive	Positive	Not Evaluated	49	FEMA LE	373	0	T 2	N3	M X	Stage III	410.16 77
TCGA-AC-A6NO	Positive	Positive	Negative	43	FEMA LE	51	0	T 2	N1	M X	Stage II	390.14 61
TCGA-AC-A7VB	Negative	Positive	Not Evaluated	51	FEMA LE	250	0	T 1	N1	M X	Stage II	651.63 19
TCGA-AC-A7VC	Negative	Negative	Negative	56	FEMA LE	1	0	T 3	NO	M X	Stage II	378.80 43
TCGA-AC-A80P	Positive	Positive	Indeterminate	72	FEMA LE	614	0	T 1	NO	M X	Stage I	601.10 09
TCGA-AC-A80Q	Negative	Negative	Indeterminate	72	FEMA LE	34	0	T 2	N1	M X	Stage II	549.48 42
TCGA-AC-A80R	Positive	Positive	Negative	75	FEMA LE	40	0	T 1	NO	M X	Stage I	742.46 68
TCGA-AC-A80S	Positive	Positive	Positive	71	FEMA LE	70	0	T 2	NO	M X	Stage II	101.84 54

TCGA-AN-A03X	Positive	Positive	Positive	74	FEMA LE	10 0	0 2	T NO	M 0	Stage II	767.18 36
TCGA-AN-A03Y	Positive	Positive	Negative	66	FEMA LE	10 0	0 2	T NO	M 0	Stage II	271.43 16
TCGA-AN-A041	Negative	Positive	Positive	29	FEMA LE	7 0	0 2	T N1	M 0	Stage II	1924.5 17
TCGA-AN-A046	Positive	Positive	Negative	68	FEMA LE	10 0	0 2	T NO	M 0	Stage II	272.60 99
TCGA-AN-A049	Positive	Positive	Negative	62	FEMA LE	19 0	0 2	T NO	M 0	Stage II	470.31 17
TCGA-AN-A04A	Positive	Positive	Negative	36	FEMA LE	90 0	0 2	T N2	M 0	Stage III	779.92 93
TCGA-AN-A04C	Negative	Negative	Positive	51	FEMA LE	54 0	0 2	T N1	M 0	Stage II	568.99 8
TCGA-AN-A04D	Negative	Negative	Negative	58	FEMA LE	52 0	0 2	T N1	M 0	Stage II	143.98 79
TCGA-AN-A0AJ	Positive	Positive	Positive	79	FEMA LE	303 0	0 3	T NO	M 0	Stage II	760.46 51
TCGA-AN-A0AK	Negative	Positive	Positive	76	FEMA LE	224 0	0 2	T NO	M 0	Stage II	325.63 27
TCGA-AN-A0AL	Negative	Negative	Negative	41	FEMA LE	227 0	0 4	T NO	M 0	Stage III	1039.9 88
TCGA-AN-A0AM	Negative	Positive	Negative	56	FEMA LE	5 0	0 2	T NO	M 0	Stage II	252.31 88
TCGA-AN-A0AR	Negative	Negative	Negative	55	FEMA LE	10 0	0 2	T NO	M 0	Stage II	381.26 25
TCGA-AN-A0AS	Negative	Positive	Negative	70	FEMA LE	10 0	0 2	T N2	M 0	Stage III	1032.7 72
TCGA-AN-A0AT	Negative	Negative	Negative	62	FEMA LE	10 0	0 2	T NO	M 0	Stage II	204.66 95
TCGA-AN-A0FD	Positive	Positive	Positive	71	FEMA LE	196 0	0 2	T NO	M 0	Stage II	1853.4 96
TCGA-AN-A0FF	Positive	Positive	Negative	32	FEMA LE	172 0	0 1	T NO	M 0	Stage I	319.76 35
TCGA-AN-A0FJ	Negative	Positive	Positive	59	FEMA LE	242 0	0 2	T N2	M 1	Stage IV	1223.2 81
TCGA-AN-A0FK	Positive	Positive	Positive	88	FEMA LE	213 0	0 4	T NO	M 0	Stage III	1312.2 8
TCGA-AN-A0FL	Negative	Negative	Positive	62	FEMA LE	231 0	0 2	T NO	M 0	Stage II	4673.8 73
TCGA-AN-A0FN	Positive	Positive	Positive	61	FEMA LE	218 0	0 1	T NO	M 0	Stage I	1911.5 07
TCGA-AN-A0FS	Negative	Positive	Positive	55	FEMA LE	210 0	0 1	T NO	M 0	Stage I	572.14 69

TCGA-AN-AOFT	Positive	Positive	Positive	63	FEMA LE	214	0	T 2	N1	M 0	Stage II	984.51 84
TCGA-AN-AOFV	Negative	Negative	Positive	58	FEMA LE	10	0	T 2	NO	M 0	Stage II	2344.2 66
TCGA-AN-AOFW	Indeterminate	Positive	Negative	67	FEMA LE	11	0	T 2	N2	M 0	Stage III	71.349 72
TCGA-AN-AOFX	Negative	Negative	Positive	52	FEMA LE	10	0	T 2	NO	M 0	Stage II	1042.2 75
TCGA-AN-AOFY	Positive	Positive	Negative	55	FEMA LE	10	0	T 1	NO	M 0	Stage I	781.44 18
TCGA-AN-AOFZ	Negative	Positive	Positive	45	FEMA LE	10	0	T 2	N2	M 0	Stage III	897.40 95
TCGA-AN-AOGO	Negative	Negative	Negative	56	FEMA LE	16	0	T 2	NO	M 0	Stage II	362.08 89
TCGA-AN-AOXL	Positive	Positive	Negative	61	FEMA LE	163	0	T 2	NO	M 0	Stage II	464.65 81
TCGA-AN-AOXN	Positive	Negative	Negative	68	FEMA LE	10	0	T 2	N2	M 0	Stage III	1928.0 25
TCGA-AN-AOXO	Negative	Positive	Negative	59	FEMA LE	375	0	T 2	N2	M 0	Stage III	1845.8 43
TCGA-AN-AOXP	Positive	Positive	Positive	69	FEMA LE	9	0	T 2	N2	M 0	Stage III	1602.4 61
TCGA-AN-AOXR	Negative	Positive	Negative	55	FEMA LE	10	0	T 2	N2	M 0	Stage III	1255.1 35
TCGA-AN-AOXS	Positive	Negative	Negative	63	FEMA LE	10	0	T 2	N2	M 0	Stage III	497.62 17
TCGA-AN-AOXT	Negative	Positive	Negative	54	FEMA LE	10	0	T 2	N2	M 0	Stage III	2370.9 82
TCGA-AN-AOXU	Negative	Negative	Negative	54	FEMA LE	10	0	T 2	NO	M 0	Stage II	290.06 65
TCGA-AN-AOXV	Positive	Positive	Positive	67	FEMA LE	162	0	T 2	N2	M 0	Stage III	292.07 71
TCGA-AN-AOXW	Positive	Positive	Positive	36	FEMA LE	170	0	T 2	N2	M 0	Stage III	1068.7 58
TCGA-AO-AO3L	Positive	Positive	Positive	34	FEMA LE	2442	0	T 3	N2	M 0	Stage III	149.64 02
TCGA-AO-AO3M	Positive	Positive	Negative	29	FEMA LE	1866	0	T 1	NO	M 0	Stage I	383.93 13
TCGA-AO-AO3N	Positive	Positive	Negative	59	FEMA LE	2031	0	T 2	N1	M 0	Stage II	5830.6 17
TCGA-AO-AO3O	Positive	Positive	Negative	69	FEMA LE	2483	1	T 2	NO	M 0	Stage II	839.40 62
TCGA-AO-AO3P	Positive	Positive	Negative	54	FEMA LE	2911	1	T 2	N1	M 0	Stage II	2499.6 67



TCGA-AO-A03R	Positive	Positive	Negative	57	FEMA LE	2091	0	T 2	N1	M 0	Stage II	282.33 43
TCGA-AO-A03T	Positive	Positive	Negative	42	FEMA LE	2124	0	T 2	N1	M 0	Stage II	276.63 08
TCGA-AO-A03U	Negative	Negative	Negative	31	FEMA LE	1793	1	T 1	NO	M 0	Stage I	555.45 51
TCGA-AO-A03V	Positive	Positive	Negative	41	FEMA LE	1351	0	T 1	NO	M 0	Stage I	635.13 77
TCGA-AO-A0J2	Negative	Negative	Equivocal	41	FEMA LE	997	0	T 1	NO	M 0	Stage I	365.54 08
TCGA-AO-A0J3	Positive	Positive	Equivocal	67	FEMA LE	651	0	T 2	N1	M 0	Stage II	305.33 84
TCGA-AO-A0J4	Negative	Negative	Negative	41	FEMA LE	1587	0	T 1	NO	M 0	Stage I	375.55 38
TCGA-AO-A0J5	Negative	Positive	Equivocal	48	FEMA LE	792	1	T 4	N1	M 1	Stage IV	312.57 86
TCGA-AO-A0J6	Negative	Negative	Negative	61	FEMA LE	1140	0	T 2	NO	M 0	Stage II	275.90 38
TCGA-AO-A0J7	Positive	Positive	Negative	71	FEMA LE	618	0	T 2	N1	M 0	Stage II	431.89 68
TCGA-AO-A0J8	Positive	Positive	Negative	61	FEMA LE	680	0	T 2	NO	M 0	Stage II	575.78 62
TCGA-AO-A0J9	Positive	Positive	Not Evaluated	61	FEMA LE	1613	0	T 2	N3	M 0	Stage III	181.88 64
TCGA-AO-A0JA	Positive	Positive	Negative	36	FEMA LE	655	0	T 2	N3	M 0	Stage III	508.01 54
TCGA-AO-A0JB	Positive	Positive	Negative	50	FEMA LE	1542	0	T 3	N1	M 0	Stage III	214.71 41
TCGA-AO-A0JC	Positive	Positive	Negative	64	FEMA LE	1547	0	T 2	NO	M 0	Stage II	234.17 98
TCGA-AO-A0JD	Positive	Positive	Negative	59	FEMA LE	2190	0	T 3	N1	M 0	Stage III	832.07 27
TCGA-AO-A0JE	Negative	Negative	Positive	53	FEMA LE	2335	0	T 2	N2	M 0	Stage III	981.61 72
TCGA-AO-A0JF	Positive	Positive	Negative	68	FEMA LE	1980	0	T 1	N1	M 0	Stage II	997.20 64
TCGA-AO-A0JG	Positive	Positive	Negative	49	FEMA LE	798	0	T 2	N2	M 0	Stage III	1932.7 84
TCGA-AO-A0JI	Negative	Positive	Negative	56	FEMA LE	1528	0	T 1	N1	M 0	Stage II	135.43 42
TCGA-AO-A0JJ	Positive	Positive	Negative	54	FEMA LE	1887	0	T 2	N1	M 0	Stage II	336.22 46
TCGA-AO-A0JL	Negative	Negative	Negative	59	FEMA LE	1683	0	T 2	N2	M 0	Stage III	3284.0 09

TCGA-AO-AOJM	Positive	Positive	Positive	40	FEMA LE	2184	0	T 2	N1	M 0	Stage II	567.47 76
TCGA-AO-A124	Negative	Negative	Negative	38	FEMA LE	3506	0	T 2	NO	M 0	Stage II	674.39 87
TCGA-AO-A125	Positive	Positive	Negative	72	FEMA LE	3456	0	T 2	NO	M 0	Stage II	4335.1 03
TCGA-AO-A126	Positive	Positive	Negative	39	FEMA LE	3307	0	T 2	NO	M 0	Stage II	543.56 65
TCGA-AO-A128	Negative	Negative	Negative	61	FEMA LE	3248	0	T 2	NO	M 0	Stage II	344.93 81
TCGA-AO-A129	Negative	Negative	Negative	29	FEMA LE	3286	0	T 2	N1	M 0	Stage II	586.03 57
TCGA-AO-A12A	Positive	Positive	Negative	47	FEMA LE	3112	0	T 2	NO	M 0	Stage II	706.20 88
TCGA-AO-A12B	Positive	Positive	Negative	63	FEMA LE	2989	0	T 2	NO	M 0	Stage II	2016.6 35
TCGA-AO-A12C	Positive	Positive	Positive	42	FEMA LE	2372	0	T 2	N1	M 0	Stage II	1395.3 72
TCGA-AO-A12D	Negative	Negative	Positive	43	FEMA LE	2515	0	T 1	N1	M 0	Stage II	981.48 2
TCGA-AO-A12E	Positive	Positive	Negative	51	FEMA LE	2142	0	T 3	NO	M 0	Stage II	157.43 73
TCGA-AO-A12F	Negative	Negative	Negative	36	FEMA LE	1842	0	T 2	NO	M 0	Stage II	893.48 35
TCGA-AO-A12G	Positive	Positive	Positive	75	FEMA LE	1639	0	T 2	NO	M 0	Stage II	886.72 03
TCGA-AO-A12H	Positive	Positive	Negative	69	FEMA LE	1234	0	T 2	NO	M 0	Stage II	958.08 25
TCGA-AO-A1KO	Positive	Positive	Negative	46	FEMA LE	622	0	T 3	NO	M 0	Stage II	168.85 09
TCGA-AO-A1KP	Positive	Positive	Negative	77	FEMA LE	2953	0	T 1	N1	M 0	Stage II	468.17 4
TCGA-AO-A1KQ	Positive	Positive	Negative	84	MALE	1882	0	T 4	N1	M 0	Stage III	414.88 79
TCGA-AO-A1KR	Negative	Negative	Negative	51	FEMA LE	2513	0	T 2	NO	M 0	Stage II	2282.1 26
TCGA-AO-A1KS	Positive	Positive	Equivocal	69	FEMA LE	350	0	T 2	NO	M 0	Stage II	718.90 35
TCGA-AO-A1KT	Positive	Positive	Equivocal	78	FEMA LE	541	0	T 1	N1	M 0	Stage II	1148.3 94
TCGA-AQ-A04H	Positive	Positive	Indeterminate	61	FEMA LE	754	0	T 2	N2	M X	Stage III	592.56 55
TCGA-AQ-A04J	Negative	Negative	Negative	45	FEMA LE	819	0	T 2	NO	M 0	Stage II	1354.1 38

TCGA-AQ-A04L	Negative	Positive	Positive	48	FEMA LE	3957	0	T 2	NO	M X	Stage II	1123.0 34
TCGA-AQ-A0Y5	Positive	Positive	Positive	70	FEMA LE	172	1	T 2	N2	M X	Stage III	6436.8 6
TCGA-AQ-A1H2	Positive	Positive	Indeterminate	84	FEMA LE	475	0	T 2	N2	M X	Stage III	401.24 83
TCGA-AQ-A1H3	Positive	Positive	Negative	49	FEMA LE	989	0	T 2	N3	M X	Stage III	370.35 15
TCGA-AQ-A54N	Negative	Negative	Equivocal	51	FEMA LE	78	0	T 2	NO	M 0	Stage II	860.40 88
TCGA-AQ-A54O	Positive	Positive	Negative	51	MALE	1001	0	T 2	NO	M 0	Stage II	144.44 77
TCGA-AQ-A7U7	Positive	Positive	Negative	55	FEMA LE	584	1	T 2	N2	M 0	Stage III	444.64 08
TCGA-AR-A0TP	Negative	Positive	Negative	43	FEMA LE	4275	0	T 2	NO	M 0	Stage II	1410.7 68
TCGA-AR-A0TQ	Negative	Positive	Equivocal	27	FEMA LE	2991	0	T 3	N1	M 0	Stage III	172.15 45
TCGA-AR-A0TR	Positive	Positive	Equivocal	68	FEMA LE	160	1	T 2	N1	M 0	Stage II	10.148 62
TCGA-AR-A0TS	Negative	Negative	Negative	46	FEMA LE	2558	0	T 2	N1	M 0	Stage II	144.88 63
TCGA-AR-A0TT	Negative	Positive	Negative	53	FEMA LE	3316	0	T 2	N2	M 0	Stage III	385.06 2
TCGA-AR-A0TU	Negative	Negative	Negative	35	FEMA LE	709	0	T 2	NO	M 0	Stage II	724.49 5
TCGA-AR-A0TV	Positive	Positive	Equivocal	66	FEMA LE	2288	0	T 2	NO	M 0	Stage II	281.66 95
TCGA-AR-A0TW	Positive	Positive	Equivocal	50	FEMA LE	3009	0	T 3	N1	M 0	Stage III	591.86 21
TCGA-AR-A0TX	Positive	Positive	Positive	64	FEMA LE	1972	0	T 1	N1	M 0	Stage II	539.73 49
TCGA-AR-A0TY	Negative	Positive	Negative	54	FEMA LE	1699	1	T 2	NO	M 0	Stage II	313.27 34
TCGA-AR-A0U0	Negative	Negative	Not Evaluated	73	FEMA LE	1988	0	T 2	N1	M 0	Stage II	1144.3 34
TCGA-AR-A0U2	Positive	Positive	Negative	47	FEMA LE	2551	1	T 2	N2	M 0	Stage III	107.64 12
TCGA-AR-A0U3	Positive	Positive	Negative	59	FEMA LE	4080	0	T 2	N1	M 0	Stage II	370.44 25
TCGA-AR-A0U4	Negative	Negative	Negative	54	FEMA LE	3261	0	T 2	NO	M 0	Stage II	440.84 64
TCGA-AR-A1AH	Negative	Positive	Negative	51	FEMA LE	3807	0	T 2	N1	M 0	Stage II	547.84 36

TCGA-AR-A1AI	Negative	Negative	Equivocal	47	FEMA LE	3296	0	T NO	M 0	Stage II	396.58 3
TCGA-AR-A1AJ	Negative	Positive	Negative	83	FEMA LE	2383	0	T 1	M 0	Stage I	416.28 68
TCGA-AR-A1AK	Positive	Positive	Negative	70	FEMA LE	3159	0	T 1	M 0	Stage I	213.63 96
TCGA-AR-A1AL	Positive	Positive	Negative	60	FEMA LE	2971	0	T 3	M 0	Stage III	198.96 66
TCGA-AR-A1AM	Positive	Positive	Equivocal	52	FEMA LE	2991	0	T 3	M 0	Stage III	209.30 85
TCGA-AR-A1AN	Positive	Positive	Negative	46	FEMA LE	2920	0	T 2	M 0	Stage II	199.27 81
TCGA-AR-A1AO	Negative	Positive	Negative	47	FEMA LE	2618	0	T 1	M 0	Stage II	143.10 28
TCGA-AR-A1AP	Positive	Positive	Equivocal	80	FEMA LE	2856	0	T 1	M 0	Stage I	454.20 52
TCGA-AR-A1AQ	Negative	Negative	Equivocal	49	FEMA LE	3021	0	T 2	M 0	Stage II	874.21 56
TCGA-AR-A1AR	Negative	Negative	Negative	50	FEMA LE	524	1	T 1	M 0	Stage III	389.31 62
TCGA-AR-A1AS	Positive	Positive	Negative	54	FEMA LE	1150	0	T 2	M 0	Stage II	1001.4 76
TCGA-AR-A1AT	Positive	Positive	Positive	62	FEMA LE	1272	1	T 2	M 0	Stage II	648.49 21
TCGA-AR-A1AU	Positive	Positive	Equivocal	39	FEMA LE	2868	0	T 2	M 0	Stage III	457.50 13
TCGA-AR-A1AV	Positive	Positive	Negative	68	MALE	1864	0	T 2	M 0	Stage II	771.87 97
TCGA-AR-A1AW	Positive	Positive	Equivocal	65	FEMA LE	2632	0	T 2	M 0	Stage II	80.582 93
TCGA-AR-A1AX	Positive	Positive	Positive	64	FEMA LE	2629	0	T 1	M 0	Stage I	115.99 38
TCGA-AR-A1AY	Negative	Negative	Negative	65	FEMA LE	1026	0	T 1	M 0	Stage I	653.29 54
TCGA-AR-A24H	Positive	Positive	Negative	65	FEMA LE	4894	0	T 2	M 0	Stage II	139.82 25
TCGA-AR-A24K	Positive	Positive	Equivocal	46	FEMA LE	1548	0	T 2	M 0	Stage II	598.18 98
TCGA-AR-A24L	Positive	Positive	Equivocal	26	FEMA LE	2866	1	T 2	M 0	Stage II	1498.1 26
TCGA-AR-A24M	Positive	Positive	Negative	38	FEMA LE	3660	0	T 2	M 0	Stage III	954.33 99
TCGA-AR-A24N	Positive	Positive	Equivocal	54	FEMA LE	3035	0	T 1	M 0	Stage I	370.75 69

TCGA-AR-A240	Positive	Positive	Negative	43	FEMA LE	3607	0	T 3	N2	M 0	Stage III	758.72 7
TCGA-AR-A24P	Positive	Positive	Equivocal	47	FEMA LE	84	0	T 1	NO	M 0	Stage I	648.08 09
TCGA-AR-A24Q	Negative	Positive	Negative	49	FEMA LE	3172	0	T 3	NO	M 0	Stage II	1193.4 37
TCGA-AR-A24R	Positive	Positive	Negative	45	FEMA LE	3430	0	T 1	N2	M 0	Stage III	104.28 14
TCGA-AR-A24S	Positive	Positive	Negative	61	FEMA LE	2976	0	T 1	NO	M 0	Stage I	384.31 39
TCGA-AR-A24T	Positive	Positive	Equivocal	46	FEMA LE	3202	0	T 3	N3	M 0	Stage III	693.93 03
TCGA-AR-A24U	Negative	Negative	Positive	47	FEMA LE	3128	0	T 1	N1	M 0	Stage II	356.49 09
TCGA-AR-A24V	Positive	Positive	Negative	52	FEMA LE	3203	0	T 2	N1	M 0	Stage II	3309.0 25
TCGA-AR-A24W	Positive	Positive	Negative	55	FEMA LE	1550	0	T 2	N1	M 0	Stage II	233.51 64
TCGA-AR-A24X	Positive	Positive	Equivocal	52	FEMA LE	3004	0	T 2	NO	M 0	Stage II	541.50 41
TCGA-AR-A24Z	Positive	Positive	Negative	57	FEMA LE	3001	0	T 2	NO	M 0	Stage II	777.59 53
TCGA-AR-A250	Negative	Positive	Equivocal	58	FEMA LE	2707	0	T 2	NO	M 0	Stage II	2332.3 61
TCGA-AR-A251	Negative	Positive	Equivocal	51	FEMA LE	3030	0	T 2	N2	M 0	Stage III	461.58 15
TCGA-AR-A252	Positive	Positive	Negative	50	FEMA LE	2838	0	T 1	NO	M 0	Stage I	516.89 72
TCGA-AR-A254	Positive	Positive	Positive	50	FEMA LE	2605	0	T 2	N2	M 0	Stage III	708.42 16
TCGA-AR-A255	Positive	Positive	Positive	62	FEMA LE	2161	0	T 1	NO	M 0	Stage I	292.10 81
TCGA-AR-A256	Negative	Negative	Negative	45	FEMA LE	2854	1	T 2	NO	M 0	Stage II	692.21 25
TCGA-AR-A2LE	Negative	Positive	Not Evaluated	69	FEMA LE	5062	0	T 1	NO	M 0	Stage I	1100.6 64
TCGA-AR-A2LH	Negative	Negative	Equivocal	55	FEMA LE	616	1	T 3	N3	M 0	Stage III	210.31 89
TCGA-AR-A2LJ	Positive	Positive	Positive	40	FEMA LE	2632	0	T 3	N1	M X	Stage III	236.36 2
TCGA-AR-A2LK	Positive	Positive	Equivocal	62	FEMA LE	1649	1	T 3	N2	M 0	Stage III	204.17 99
TCGA-AR-A2LL	Positive	Positive	Equivocal	70	FEMA LE	2012	0	T 3	NO	M 0	Stage II	226.35 85

TCGA-AR- A2LM	Positive	Positive	Not Evaluated	49	FEMA LE	1935	0	T 1	N1	M 0	Stage II	229.83 84
TCGA-AR- A2LN	Positive	Positive	Negative	65	FEMA LE	1161	0	T 2	NO	M 0	Stage II	177.63 15
TCGA-AR- A2LO	Positive	Positive	Equivocal	46	FEMA LE	1198	0	T 2	N1	M 0	Stage II	366.79 92
TCGA-AR- A2LQ	Positive	Positive	Negative	59	FEMA LE	1233	0	T 3	NO	M 0	Stage II	30.326 15
TCGA-AR- A2LR	Negative	Negative	Negative	49	FEMA LE	1742	0	T 1	NO	M 0	Stage I	591.62 19
TCGA-AR- A5QM	Positive	Positive	Equivocal	62	FEMA LE	2231	0	T 2	NO	M 0	Stage II	268.87 46
TCGA-AR- A5QN	Positive	Positive	Positive	68	FEMA LE	1013	0	T 2	N3	M 0	Stage III	120.07 23
TCGA-AR- A5QP	Positive	Positive	Equivocal	54	FEMA LE	1185	0	T 2	N1	M 0	Stage II	199.33 37
TCGA-AR- A5QQ	Negative	Negative	Negative	68	FEMA LE	322	1	T 3	N1	M 0	Stage III	636.99 84
TCGA-B6- A0I1	Negative	Negative	Not Evaluated	73	FEMA LE	2361	1	T 2	NO	M 0	Stage II	640.50 57
TCGA-B6- A0I2	Not Evaluated	Not Evaluated	Not Evaluated	45	FEMA LE	4361	0	T 1	NO	M 0	Stage I	432.08 01
TCGA-B6- A0I5	Positive	Positive	Not Evaluated	49	FEMA LE	8556	0	T 2	N1	M 0	Stage II	497.79
TCGA-B6- A0I6	Negative	Negative	Not Evaluated	49	FEMA LE	991	1	T 1	N1	M 0	Stage II	384.05 56
TCGA-B6- A0I8	Not Evaluated	Not Evaluated	Not Evaluated	46	FEMA LE	749	1	T 1	NX	M 0	Stage X	86.161 56
TCGA-B6- A0I9	Positive	Indetermin ate	Not Evaluated	62	FEMA LE	362	1	T 3	NX	M 1	Stage IV	593.34 7
TCGA-B6- A0IA	Positive	Positive	Not Evaluated	51	FEMA LE	8391	0	T 2	NO	M 0	Stage II	136.17 63
TCGA-B6- A0IB	Positive	Positive	Not Evaluated	64	FEMA LE	3941	1	T 3	N3	M 1	Stage IV	452.29 76
TCGA-B6- A0IC	Positive	Positive	Not Evaluated	90	FEMA LE	0	1	T 2	NX	M X	Stage X	816.13 06
TCGA-B6- A0IE	Negative	Negative	Not Evaluated	38	FEMA LE	1993	1	T 3	N1	M 0	Stage III	888.30 19
TCGA-B6- A0IG	Positive	Positive	Not Evaluated	50	FEMA LE	4456	1	T 2	N1	M 0	Stage II	1052.1 58
TCGA-B6- A0IH	Positive	Positive	Not Evaluated	81	FEMA LE	2965	1	T 3	N1	M 0	Stage III	91.200 85
TCGA-B6- A0IJ	Positive	Positive	Not Evaluated	42	FEMA LE	7106	0	T 3	NO	M 0	Stage II	659.35 51

TCGA-B6-AOIK	Negative	Negative	Not Evaluated	63	FEMA LE	571	1	T N1	M 0	Stage III	538.26 19
TCGA-B6-AOIM	Positive	Positive	Not Evaluated	75	FEMA LE	3873	1	T 3	M 0	Stage II	1164.6 1
TCGA-B6-AOIN	Negative	Positive	Not Evaluated	45	FEMA LE	2573	1	T 1	M X	Stage Stage X	1025.6 65
TCGA-B6-AOIO	Indeterminate	Positive	Not Evaluated	66	FEMA LE	5042	0	T 2	M 0	Stage II	337.52 78
TCGA-B6-AOIP	Positive	Positive	Not Evaluated	74	FEMA LE	3926	1	T 1	M 0	Stage Stage I	169.82 19
TCGA-B6-AOIQ	Negative	Negative	Not Evaluated	40	FEMA LE	4285	0	T 3	M 0	Stage III	1485.8 63
TCGA-B6-AORE	Negative	Negative	Not Evaluated	61	FEMA LE	7777	0	T X	M 0	Stage Stage X	662.45 91
TCGA-B6-AORG	Negative	Negative	Not Evaluated	26	FEMA LE	2082	0	T 3	M 0	Stage II	659.21 95
TCGA-B6-AORH	Positive	Positive	Not Evaluated	51	FEMA LE	6456	1	T 2	M 0	Stage II	1477.7 3
TCGA-B6-AORI	Positive	Positive	Not Evaluated	44	FEMA LE	7126	0	T 4	M 0	Stage III	547.57 62
TCGA-B6-AORL	Positive	Positive	Not Evaluated	60	FEMA LE	2469	1	T 2	M 0	Stage II	59.627 23
TCGA-B6-AORM	Positive	Positive	Not Evaluated	57	FEMA LE	2373	1	T X	M X	Stage Stage X	103.50 41
TCGA-B6-AORN	Negative	Negative	Not Evaluated	60	FEMA LE	8008	0	T 1	M 0	Stage Stage I	498.05 95
TCGA-B6-AORO	Positive	Positive	Not Evaluated	71	FEMA LE	4929	0	T 4	M 0	Stage III	161.31 98
TCGA-B6-AORQ	Positive	Positive	Not Evaluated	68	FEMA LE	4267	1	T 3	M 0	Stage II	61.600 19
TCGA-B6-AORS	Negative	Negative	Not Evaluated	38	FEMA LE	3063	1	T 2	M 0	Stage II	681.71 91
TCGA-B6-AORT	Negative	Negative	Not Evaluated	39	FEMA LE	2721	0	T 3	M 0	Stage III	94.012 23
TCGA-B6-AORU	Negative	Negative	Not Evaluated	40	FEMA LE	8605	0	T 1	M 0	Stage Stage I	1856.4 26
TCGA-B6-AORV	Positive	Positive	Not Evaluated	42	FEMA LE	5156	0	T 3	M 0	Stage III	188.09 24
TCGA-B6-AOWS	Positive	Positive	Not Evaluated	58	FEMA LE	2965	1	T 1	M X	Stage Stage X	257.26 02
TCGA-B6-AOWT	Positive	Positive	Not Evaluated	61	FEMA LE	5739	0	T 2	M 0	Stage II	423.24 19
TCGA-B6-AOWV	Positive	Positive	Not Evaluated	67	FEMA LE	2417	1	T 2	M 0	Stage II	322.93

TCGA-B6-A0WW	Positive	Positive	Not Evaluated	58	FEMA LE	558	1	T N1	M X	Stage X	1415.6 98
TCGA-B6-A0WX	Negative	Negative	Not Evaluated	40	FEMA LE	639	1	T 3	M 0	Stage III	196.70 28
TCGA-B6-A0WY	Negative	Positive	Not Evaluated	40	FEMA LE	3461	1	T 3	M 0	Stage III	359.22 17
TCGA-B6-A0WZ	Positive	Positive	Not Evaluated	50	FEMA LE	6292	0	T 2	M 0	Stage II	567.16 22
TCGA-B6-A0X0	Positive	Positive	Not Evaluated	54	FEMA LE	3945	1	T 1	M 0	Stage I	224.65 3
TCGA-B6-A0X4	Positive	Positive	Not Evaluated	62	FEMA LE	860	1	T 2	M 0	Stage II	1285.2 89
TCGA-B6-A0X5	Positive	Positive	Not Evaluated	61	FEMA LE	2097	1	T 2	M 0	Stage II	134.92 84
TCGA-B6-A0X7	Positive	Positive	Not Evaluated	62	FEMA LE	1781	1	T 1	M X	Stage X	279.79 85
TCGA-B6-A1KC	Negative	Positive	Negative	67	FEMA LE	1326	0	T 2	M 0	Stage II	838.05 56
TCGA-B6-A1KF	Negative	Negative	Equivocal	68	FEMA LE	3088	0	T 2	M 0	Stage II	3106.7 74
TCGA-B6-A1KI	Positive	Positive	Equivocal	63	FEMA LE	2236	0	T 1	M 0	Stage I	4398.9 84
TCGA-B6-A1KN	Negative	Negative	Not Evaluated	57	FEMA LE	4233	0	T 4	M 0	Stage III	263.03 74
TCGA-B6-A2IU	Positive	Positive	Not Evaluated	62	FEMA LE	5176	0	T 2	M 0	Stage II	445.02 26
TCGA-B6-A3ZX	Negative	Negative	Negative	50	FEMA LE	1152	1	T 3	M 1	Stage IV	186.95 35
TCGA-B6-A400	Negative	Negative	Negative	43	FEMA LE	215	0	T 2	M 0	Stage III	687.85 15
TCGA-B6-A401	Positive	Positive	Negative	47	FEMA LE	2596	0	T 1	M 0	Stage II	269.23 16
TCGA-B6-A402	Negative	Negative	Negative	47	FEMA LE	2281	0	T 1	M 0	Stage I	431.08 65
TCGA-B6-A408	Positive	Positive	Equivocal	55	FEMA LE	2072	0	T 2	M 0	Stage III	257.30 31
TCGA-B6-A409	Negative	Negative	Equivocal	44	FEMA LE	573	1	T 1	M 0	Stage III	325.63 34
TCGA-B6-A40B	Positive	Positive	Negative	76	FEMA LE	3152	0	T 1	M 0	Stage I	837.01 34
TCGA-B6-A40C	Positive	Positive	Negative	51	FEMA LE	2164	0	T 3	M 0	Stage II	733.54 45
TCGA-BH-A0AU	Positive	Positive	Positive	45	FEMA LE	1914	0	T 2	M 0	Stage II	120.05 92



TCGA-BH-AOAV	Negative	Negative	Not Available	52	FEMA LE	1820	0	T 1	NO	M 0	Stage I	1257.3 58
TCGA-BH-AOAW	Negative	Positive	Positive	56	FEMA LE	622	0	T 1	N1	M 0	Stage II	971.25 93
TCGA-BH-AOAY	Positive	Positive	Negative	62	FEMA LE	777	0	T 2	NO	M 0	Stage II	1091.0 18
TCGA-BH-AOBO	Positive	Positive	Negative	56	FEMA LE	2477	0	T 1	NO	M 0	Stage I	329.61 22
TCGA-BH-AOB1	Positive	Positive	Negative	66	FEMA LE	1148	0	T 2	N1	M 0	Stage II	235.79 57
TCGA-BH-AOB3	Negative	Negative	Negative	53	FEMA LE	1203	0	T 2	N1	M 0	Stage II	579.58 86
TCGA-BH-AOB4	Positive	Positive	Equivocal	65	MALE	1191	0	T 2	N2	M 0	Stage III	608.77 45
TCGA-BH-AOB5	Positive	Positive	Negative	40	FEMA LE	2136	0	T 2	N2	M 0	Stage III	359.57 31
TCGA-BH-AOB6	Positive	Positive	Positive	47	FEMA LE	2483	0	T 1	NO	M 0	Stage I	614.87 11
TCGA-BH-AOB7	Positive	Positive	Positive	42	FEMA LE	2559	0	T 2	N1	M 0	Stage II	410.02 83
TCGA-BH-AOB8	Positive	Positive	Equivocal	64	FEMA LE	1569	0	T 1	NO	M 0	Stage I	931.12 15
TCGA-BH-AOB9	Negative	Negative	Negative	44	FEMA LE	1572	0	T 1	NO	M 0	Stage I	190.59 13
TCGA-BH-AOBA	Positive	Positive	Negative	51	FEMA LE	1132	0	T 3	N3	M 0	Stage III	903.20 77
TCGA-BH-AOBC	Positive	Positive	Negative	60	FEMA LE	974	0	T 2	N3	M 0	Stage III	299.16 62
TCGA-BH-AOBD	Positive	Positive	Negative	47	FEMA LE	554	0	T 1	N1	M 0	Stage II	276.14 7
TCGA-BH-AOBF	Positive	Positive	Negative	56	FEMA LE	1324	1	T 2	N1	M 0	Stage II	355.90 66
TCGA-BH-AOBG	Negative	Negative	Negative	73	FEMA LE	1871	0	T 1	NO	M 0	Stage I	292.66 33
TCGA-BH-AOBJ	Positive	Positive	Negative	41	FEMA LE	660	0	T 2	N1	M 0	Stage II	720.91 02
TCGA-BH-AOBL	Negative	Negative	Negative	35	FEMA LE	2278	0	T 1	NO	M 0	Stage I	1686.4 01
TCGA-BH-AOBM	Negative	Positive	Negative	54	FEMA LE	1876	0	T 2	N1	M 0	Stage II	494.47 39
TCGA-BH-AOBO	Positive	Positive	Negative	54	FEMA LE	2197	0	T 1	NO	M 0	Stage I	101.63 34
TCGA-BH-AOBP	Positive	Positive	Negative	76	FEMA LE	2296	1	T 1	NO	M 0	Stage I	254.97 26

TCGA-BH-AOBQ	Positive	Positive	Positive	39	FEMA LE	2255	0	T 1	NO	M 0	Stage I	445.37 23
TCGA-BH-AOBR	Positive	Positive	Negative	59	FEMA LE	2330	0	T 1	NO	M 0	Stage I	835.03 77
TCGA-BH-AOBT	Positive	Positive	Negative	56	FEMA LE	2365	0	T 1	N1	M 0	Stage II	363.02 66
TCGA-BH-AOBV	Positive	Positive	Negative	78	FEMA LE	1519	0	T 2	N1	M 0	Stage II	411.48 56
TCGA-BH-AOBW	Negative	Negative	Not Available	71	FEMA LE	2371	0	T 1	NO	M 0	Stage I	397.59 66
TCGA-BH-AOBZ	Positive	Positive	Negative	59	FEMA LE	2255	0	T 3	N1	M 0	Stage III	505.37 04
TCGA-BH-AOCO	Positive	Positive	Equivocal	62	FEMA LE	1270	0	T 1	N1	M 0	Stage II	144.40 27
TCGA-BH-AOC1	Positive	Positive	Negative	61	FEMA LE	1411	1	T 3	N2	M 0	Stage III	800.76 65
TCGA-BH-AOC3	Negative	Positive	Negative	47	FEMA LE	2709	0	T 1	NO	M 0	Stage I	1218.1 18
TCGA-BH-AOC7	Negative	Positive	Not Available	48	FEMA LE	2767	0	T 2	N1	M 0	Stage II	645.32 83
TCGA-BH-AODD	Positive	Positive	Positive	58	MALE	2486	0	T 2	N1	M 0	Stage II	168.90 5
TCGA-BH-AODE	Positive	Positive	Negative	62	FEMA LE	2372	0	T 2	NO	M 0	Stage II	367.28 8
TCGA-BH-AODG	Negative	Positive	Negative	30	FEMA LE	2041	0	T 2	NO	M 0	Stage II	436.41 01
TCGA-BH-AODH	Positive	Positive	Negative	63	FEMA LE	1156	0	T 2	N1	M 0	Stage II	437.34 49
TCGA-BH-AODI	Positive	Positive	Negative	63	FEMA LE	912	0	T 2	N1	M 0	Stage II	1042.1 55
TCGA-BH-AODK	Positive	Positive	Negative	49	FEMA LE	423	0	T 2	NO	M 0	Stage II	1435.9 3
TCGA-BH-AODL	Negative	Positive	Negative	64	FEMA LE	2381	0	T 2	NO	M 0	Stage II	115.00 74
TCGA-BH-AODO	Positive	Positive	Negative	78	FEMA LE	1644	0	T 1	NO	M 0	Stage I	315.05 57
TCGA-BH-AODP	Positive	Positive	Negative	60	FEMA LE	476	0	T 3	NO	M 0	Stage II	128.26 64
TCGA-BH-AODQ	Positive	Positive	Negative	42	FEMA LE	98	0	T 2	N1	M 0	Stage II	963.48 23
TCGA-BH-AODS	Positive	Positive	Negative	71	FEMA LE	78	0	T 2	N2	M 0	Stage III	358.30 04
TCGA-BH-AODT	Positive	Positive	Negative	41	FEMA LE	2403	0	T 1	N1	M 0	Stage II	388.17 84

TCGA-BH-AODV	Positive	Positive	Negative	54	FEMA LE	2064	0	T 2	N2	M 0	Stage III	847.26 47
TCGA-BH-AODX	Positive	Positive	Negative	62	FEMA LE	2156	0	T 1	NO	M 0	Stage I	515.57 74
TCGA-BH-AODZ	Positive	Positive	Positive	43	FEMA LE	495	0	T 2	N1	M 0	Stage II	1533.5 56
TCGA-BH-AOEO	Negative	Negative	Negative	38	FEMA LE	134	0	T 3	N3	M 0	Stage III	550.99 15
TCGA-BH-AOE1	Positive	Positive	Equivocal	52	FEMA LE	477	0	T 2	N1	M 0	Stage II	492.25 42
TCGA-BH-AOE2	Positive	Positive	Negative	49	FEMA LE	435	0	T 2	N2	M 0	Stage III	522.96 36
TCGA-BH-AOEE	Negative	Negative	Equivocal	69	FEMA LE	293	0	T 1	NO	M 0	Stage I	338.28 89
TCGA-BH-AOE7	Positive	Positive	Negative	79	FEMA LE	1363	0	T 2	N1	M 0	Stage II	793.55 16
TCGA-BH-AOE9	Positive	Positive	Negative	53	FEMA LE	2489	0	T 2	N1	M 0	Stage II	72.329 4
TCGA-BH-AOEA	Positive	Positive	Negative	72	FEMA LE	991	1	T 1	N1	M 0	Stage II	148.80 98
TCGA-BH-AOEB	Positive	Positive	Equivocal	69	FEMA LE	745	0	T 1	NO	M 0	Stage I	831.84 55
TCGA-BH-AOEE	Negative	Negative	Positive	68	FEMA LE	943	0	T 3	NO	M 0	Stage II	596.63 59
TCGA-BH-AOEI	Positive	Positive	Negative	51	FEMA LE	1926	0	T 1	N1	M 0	Stage II	981.71 18
TCGA-BH-AOGY	Positive	Positive	Negative	67	FEMA LE	923	0	T 2	N1	M 0	Stage II	415.54 79
TCGA-BH-AOGZ	Positive	Positive	Equivocal	62	FEMA LE	328	0	T 1	N1	M 0	Stage II	1106.7 34
TCGA-BH-AOHO	Positive	Positive	Negative	69	FEMA LE	461	0	T 1	NO	M 0	Stage I	326.47 74
TCGA-BH-AOH3	Positive	Positive	Not Available	46	FEMA LE	1928	0	T 1	NO	M 0	Stage I	557.03 31
TCGA-BH-AOH5	Positive	Positive	Not Available	45	FEMA LE	1620	0	T 1	NO	M 0	Stage I	127.01 24
TCGA-BH-AOH6	Positive	Positive	Negative	82	FEMA LE	747	0	T 1	NX	M 0	Stage I	441.72 06
TCGA-BH-AOH7	Positive	Positive	Negative	65	FEMA LE	702	0	T 1	N2	M 0	Stage III	908.56 13
TCGA-BH-AOH9	Positive	Positive	Equivocal	69	FEMA LE	1247	0	T 2	NO	M 0	Stage II	268.15 17
TCGA-BH-AOHA	Positive	Positive	Not Available	31	FEMA LE	1611	0	T 1	NO	M 0	Stage I	952.81 84

TCGA-BH-AOHB	Positive	Positive	Equivocal	55	FEMA LE	806	0	T NO	M 0	Stage I	70.645 98
TCGA-BH-AOHF	Positive	Positive	Negative	77	FEMA LE	727	0	T 1	M 0	Stage I	939.37 8
TCGA-BH-AOHI	Positive	Positive	Negative	78	FEMA LE	620	0	T 1	M 0	Stage I	2202.9 04
TCGA-BH-AOHK	Negative	Positive	Negative	81	FEMA LE	178	0	T 2	M 0	Stage II	754.38 92
TCGA-BH-AOHL	Positive	Positive	Equivocal	56	FEMA LE	72	0	T 2	M 0	Stage II	822.36 43
TCGA-BH-AOHN	Positive	Positive	Equivocal	67	FEMA LE	516	0	T 1	M 0	Stage I	411.86 23
TCGA-BH-AOHO	Positive	Positive	Negative	48	FEMA LE	76	0	T 1	M 0	Stage II	642.33 3
TCGA-BH-AOHP	Negative	Positive	Negative	65	FEMA LE	414	0	T 3	M 0	Stage III	329.81 39
TCGA-BH-AOHQ	Positive	Positive	Negative	56	FEMA LE	1121	0	T 2	M 0	Stage II	568.69 71
TCGA-BH-AOHU	Positive	Positive	Negative	52	FEMA LE	392	0	T 1	M 0	Stage I	443.84 76
TCGA-BH-AOHW	Negative	Positive	Equivocal	62	FEMA LE	1561	0	T 1	M 0	Stage I	1904.7 85
TCGA-BH-AOHX	Positive	Positive	Negative	54	FEMA LE	829	0	T 2	M 0	Stage II	650.28 36
TCGA-BH-AOHY	Negative	Positive	Positive	60	FEMA LE	1545	0	T 1	M 0	Stage I	1758.9 44
TCGA-BH-AORX	Negative	Negative	Negative	59	FEMA LE	170	0	T 2	M 0	Stage II	1205.6 32
TCGA-BH-AOW3	Positive	Positive	Equivocal	58	FEMA LE	728	0	T 1	M 0	Stage II	130.97 02
TCGA-BH-AOW4	Positive	Positive	Negative	46	FEMA LE	759	0	T 2	M 0	Stage II	937.13 85
TCGA-BH-AOW5	Positive	Positive	Equivocal	77	FEMA LE	1288	0	T 1	M 0	Stage II	348.74 13
TCGA-BH-AOW7	Positive	Positive	Negative	49	FEMA LE	1363	0	T 1	M 0	Stage I	356.77 62
TCGA-BH-AOWA	Negative	Negative	Negative	82	FEMA LE	701	0	T 1	M 0	Stage I	730.54 13
TCGA-BH-A18F	Positive	Positive	Negative	50	FEMA LE	1001	0	T 2	M 0	Stage II	513.12 52
TCGA-BH-A18G	Negative	Negative	Negative	81	FEMA LE	149	0	T 1	M 0	Stage I	626.00 92
TCGA-BH-A18H	Positive	Positive	Positive	63	FEMA LE	652	0	T 1	M 0	Stage I	394.96 42

TCGA-BH-A18J	Positive	Positive	Negative	56	FEMA LE	612	1	T 4	N2	M 1	Stage IV	1536.4 83
TCGA-BH-A18K	Positive	Positive	Negative	46	FEMA LE	2763	1	T 1	NO	M 0	Stage I	1161.8 34
TCGA-BH-A18L	Positive	Positive	Negative	50	FEMA LE	811	1	T 3	N1	M 0	Stage III	208.96 8
TCGA-BH-A18M	Positive	Positive	Positive	39	FEMA LE	2207	1	T 3	N1	M 0	Stage III	193.44 55
TCGA-BH-A18N	Positive	Positive	Negative	88	FEMA LE	468	1	T 2	N1	M 0	Stage II	2311.8 5
TCGA-BH-A18P	Negative	Positive	Positive	60	FEMA LE	921	1	T 1	NO	M 0	Stage I	1423.1 11
TCGA-BH-A18Q	Negative	Negative	Positive	56	FEMA LE	1692	1	T 2	N1	M 0	Stage II	78.209 4
TCGA-BH-A18R	Negative	Indeterminate	Positive	50	FEMA LE	1142	1	T 2	N1	M 0	Stage II	151.61 85
TCGA-BH-A18S	Positive	Positive	Negative	79	FEMA LE	2009	1	T 1	NO	M 0	Stage I	536.76 39
TCGA-BH-A18T	Negative	Negative	Positive	70	FEMA LE	224	1	T 2	NO	M 0	Stage II	583.83 44
TCGA-BH-A18U	Positive	Positive	Positive	72	FEMA LE	1563	1	T 2	N2	M 0	Stage III	1278.4 26
TCGA-BH-A18V	Negative	Negative	Negative	48	FEMA LE	1556	1	T 2	N1	M 0	Stage II	591.17 34
TCGA-BH-A18EN	Negative	Negative	Positive	78	FEMA LE	2127	1	T 2	NX	M 0	Stage II	119.48 29
TCGA-BH-A18EO	Positive	Positive	Negative	68	FEMA LE	2798	1	T 1	N1	M 0	Stage II	598.82 78
TCGA-BH-A18ES	Positive	Positive	Negative	35	FEMA LE	3462	1	T 2	N1	M 0	Stage II	384.67 78
TCGA-BH-A18ET	Positive	Positive	Negative	55	FEMA LE	2520	1	T 1	NO	M 0	Stage I	1035.6 15
TCGA-BH-A18EU	Positive	Positive	Negative	83	FEMA LE	1286	1	T 1	NO	M 0	Stage I	177.35 5
TCGA-BH-A18EV	Positive	Positive	Positive	45	FEMA LE	365	1	T 3	N1	M 0	Stage III	988.47 65
TCGA-BH-A18EW	Negative	Negative	Negative	38	FEMA LE	1694	1	T 2	N1	M 0	Stage II	244.75 31
TCGA-BH-A18EX	Positive	Positive	Positive	67	FEMA LE	1508	1	T 2	N1	M 0	Stage II	279.16 96
TCGA-BH-A18EY	Positive	Positive	Negative	79	FEMA LE	538	1	T 2	NO	M 0	Stage II	293.34 78
TCGA-BH-A18FO	Indeterminate	Negative	Negative	80	FEMA LE	785	1	T 1	N1	M 0	Stage II	498.63 34

TCGA-BH-AIF2	Positive	Positive	Positive	53	FEMA LE	959	1	T 4	N1	M 0	Stage III	527.31 89
TCGA-BH-AIF5	Positive	Positive	Negative	62	FEMA LE	2712	1	T 1	N1	M 0	Stage II	212.34 53
TCGA-BH-AIF8	Positive	Positive	Positive	90	FEMA LE	1	1	T 4	N2	M 0	Stage III	271.09 17
TCGA-BH-AIFB	Positive	Positive	Negative	60	FEMA LE	3669	1	T 2	N1	M 0	Stage II	301.88 53
TCGA-BH-AIFC	Negative	Negative	Negative	78	FEMA LE	3472	1	T 1	N1	M 0	Stage II	168.23 65
TCGA-BH-AIFD	Positive	Positive	Negative	68	FEMA LE	1009	1	T 1	N0	M 0	Stage I	434.92 21
TCGA-BH-AIFE	Positive	Positive	Not Evaluated	31	FEMA LE	2273	1	T 2	N1	M 0	Stage II	315.11 83
TCGA-BH-AIFG	Positive	Positive	Negative	88	FEMA LE	577	1	T 1	NX	M 0	Stage I	250.70 87
TCGA-BH-AIFH	Negative	Positive	Not Evaluated	47	FEMA LE	1034	1	T 2	N1	M 1	Stage IV	90.306 01
TCGA-BH-AIFJ	Positive	Negative	Not Evaluated	66	FEMA LE	1927	1	T 3	N1	M 0	Stage III	335.48 8
TCGA-BH-AIFL	Positive	Positive	Not Evaluated	69	FEMA LE	1673	1	T 2	N1	M 0	Stage II	342.63
TCGA-BH-AIFM	Negative	Positive	Not Evaluated	44	FEMA LE	1388	1	T 2	N2	M 0	Stage III	2428.4 6
TCGA-BH-AIFN	Positive	Positive	Not Evaluated	34	FEMA LE	2192	1	T 2	N0	M 0	Stage II	1878.8 42
TCGA-BH-AIFR	Positive	Positive	Not Evaluated	73	FEMA LE	1642	1	T 4	N1	M 0	Stage III	1104.7 58
TCGA-BH-AIFU	Negative	Negative	Not Evaluated	44	FEMA LE	1688	1	T 1	N0	M 0	Stage I	1446.3 3
TCGA-BH-A201	Positive	Positive	Negative	64	FEMA LE	856	0	T 1	N0	M 0	Stage I	398.08 33
TCGA-BH-A202	Positive	Positive	Positive	60	FEMA LE	795	0	T 2	N0	M 0	Stage II	1719.4 92
TCGA-BH-A203	Not Evaluated	Not Evaluated	Not Evaluated	78	FEMA LE	1174	1	T 2	N1	M 0	Stage II	726.11 85
TCGA-BH-A204	Not Evaluated	Not Evaluated	Not Evaluated	80	FEMA LE	2534	1	T 2	N1	M 0	Stage II	662.20 87
TCGA-BH-A208	Not Evaluated	Not Evaluated	Not Evaluated	48	FEMA LE	1759	1	T 2	N1	M 0	Stage II	1935.2 69
TCGA-BH-A209	Positive	Positive	Not Evaluated	77	FEMA LE	3959	1	T 1	N0	M 0	Stage I	483.24 73
TCGA-BH-A280	Positive	Positive	Negative	50	FEMA LE	1120	0	T 3	N3	M 0	Stage III	295.91 42

TCGA-BH-A28Q	Positive	Positive	Negative	46	FEMA LE	1119	0	T 2	N1	M 0	Stage II	337.23 95
TCGA-BH-A2L8	Positive	Positive	Negative	45	FEMA LE	612	0	T 2	NO	M 0	Stage II	607.51 37
TCGA-BH-A42T	Positive	Positive	Positive	75	FEMA LE	320	1	T 2	NO	M 0	Stage II	346.42 64
TCGA-BH-A42U	Negative	Negative	Negative	80	FEMA LE	3364	0	T 2	NO	M 0	Stage II	84.091 56
TCGA-BH-A42V	Positive	Positive	Negative	41	FEMA LE	635	0	T 1	N1	M 0	Stage I	298.91 96
TCGA-BH-A5J0	Positive	Positive	Negative	63	FEMA LE	715	0	T 1	NO	M 0	Stage I	994.52 28
TCGA-BH-A6R8	Positive	Positive	Not Evaluated	46	FEMA LE	293	0	T 2	NO	M 0	Stage II	399.14 48
TCGA-BH-A6R9	Positive	Negative	Negative	61	FEMA LE	160	0	T 2	NO	M 0	Stage II	303.02 24
TCGA-BH-A8FY	Positive	Positive	Negative	87	FEMA LE	295	1	T 1	NO	M 0	Stage I	744.51 48
TCGA-BH-A8FZ	Positive	Positive	Equivocal	58	FEMA LE	574	0	T 1	NO	M 0	Stage I	379.97 5
TCGA-BH-A8G0	Positive	Positive	Negative	54	FEMA LE	662	0	T 2	N1	M 0	Stage II	192.32 61
TCGA-BH-AB28	Positive	Positive	Negative	53	FEMA LE	287	0	T 3	N1	M 0	Stage III	91.927 01
TCGA-C8-A12K	Not Evaluated	Not Evaluated	Not Evaluated	80	FEMA LE	0	0	T 2	N1	M 0	Stage II	175.19 07
TCGA-C8-A12L	Negative	Negative	Equivocal	67	FEMA LE	363	0	T 2	NO	M 0	Stage II	1510.9 88
TCGA-C8-A12M	Negative	Positive	Negative	70	FEMA LE	358	0	T 2	NO	M 0	Stage II	2414.8 58
TCGA-C8-A12N	Positive	Positive	Negative	58	FEMA LE	358	0	T 2	NO	M 0	Stage II	1925.3 41
TCGA-C8-A12O	Positive	Positive	Negative	50	FEMA LE	385	0	T 2	NO	M 0	Stage II	735.08 61
TCGA-C8-A12P	Negative	Negative	Positive	55	FEMA LE	358	0	T 2	N1	M 0	Stage II	1301.8 3
TCGA-C8-A12Q	Negative	Negative	Positive	78	FEMA LE	385	1	T 1	N2	M 0	Stage III	686.11 27
TCGA-C8-A12T	Positive	Positive	Positive	43	FEMA LE	0	0	T 2	NO	M 0	Stage II	1663.3 64
TCGA-C8-A12U	Positive	Positive	Negative	46	FEMA LE	385	0	T 2	N1	M 0	Stage II	434.04 11
TCGA-C8-A12V	Negative	Negative	Negative	55	FEMA LE	385	0	T 2	NO	M 0	Stage II	284.42 23

TCGA-C8-A12W	Positive	Positive	Negative	49	FEMA LE	385	0	T 4	N1	M 0	Stage III	251.32 2
TCGA-C8-A12X	Positive	Positive	Negative	62	FEMA LE	385	0	T 2	N1	M 0	Stage II	452.31 27
TCGA-C8-A12Y	Not Evaluated	Not Evaluated	Not Evaluated	44	FEMA LE	1476	0	T 2	N1	M 0	Stage II	444.98 27
TCGA-C8-A12Z	Negative	Negative	Positive	45	FEMA LE	382	0	T 2	N1	M 0	Stage II	1312.5 72
TCGA-C8-A130	Positive	Positive	Equivocal	52	FEMA LE	370	0	T 3	N2	M 0	Stage III	2018.6 47
TCGA-C8-A131	Negative	Negative	Negative	82	FEMA LE	411	0	T 2	N2	M 0	Stage III	1395.6 03
TCGA-C8-A132	Positive	Positive	Not Evaluated	56	FEMA LE	383	0	T 2	N1	M 0	Stage II	436.01 42
TCGA-C8-A133	Positive	Positive	Not Evaluated	65	FEMA LE	0	0	T 3	N1	M 0	Stage III	1250.8 55
TCGA-C8-A134	Negative	Negative	Equivocal	52	FEMA LE	383	0	T 2	N0	M 0	Stage II	164.81 8
TCGA-C8-A135	Negative	Negative	Positive	64	FEMA LE	393	0	T 2	N1	M 0	Stage II	582.77 95
TCGA-C8-A137	Negative	Negative	Positive	34	FEMA LE	379	0	T 2	N1	M 0	Stage II	884.22 25
TCGA-C8-A138	Negative	Positive	Equivocal	54	FEMA LE	380	0	T 2	N2	M 0	Stage III	311.17 86
TCGA-C8-A1HE	Positive	Positive	Equivocal	59	FEMA LE	375	0	T 2	N0	M 0	Stage II	662.72 52
TCGA-C8-A1HF	Positive	Negative	Positive	48	FEMA LE	332	0	T 2	N0	M 0	Stage II	1080.3 2
TCGA-C8-A1HG	Positive	Positive	Negative	50	FEMA LE	345	0	T 2	N0	M 0	Stage II	336.23 51
TCGA-C8-A1HI	Positive	Positive	Negative	40	FEMA LE	343	0	T 2	N2	M 0	Stage III	268.60 8
TCGA-C8-A1HJ	Negative	Negative	Negative	53	FEMA LE	5	0	T 2	N0	M 0	Stage II	581.93 85
TCGA-C8-A1HK	Negative	Negative	Positive	53	FEMA LE	366	0	T 2	N1	M 0	Stage II	410.18 7
TCGA-C8-A1HL	Negative	Positive	Equivocal	38	FEMA LE	317	0	T 3	N1	M 0	Stage III	587.05 47
TCGA-C8-A1HM	Positive	Positive	Negative	74	FEMA LE	375	0	T 2	N0	M 0	Stage II	341.90 76
TCGA-C8-A1HN	Positive	Positive	Equivocal	56	FEMA LE	394	0	T 2	N0	M 0	Stage II	1206.3 4
TCGA-C8-A1HO	Positive	Positive	Negative	34	FEMA LE	375	0	T 3	N3	M 0	Stage III	343.70 64



TCGA-C8-A26V	Positive	Positive	Negative	47	FEMA LE	616	0	T 3	N2	M 0	Stage III	907.67 61
TCGA-C8-A26W	Positive	Positive	Equivocal	58	FEMA LE	381	0	T 2	N1	M 0	Stage II	427.88 52
TCGA-C8-A26X	Negative	Negative	Negative	58	FEMA LE	376	0	T 1	N1	M 0	Stage II	6563.0 72
TCGA-C8-A26Y	Negative	Negative	Negative	90	FEMA LE	0	0	T 2	NO	M 0	Stage II	578.15 53
TCGA-C8-A26Z	Positive	Positive	Negative	59	FEMA LE	470	0	T 2	NO	M 0	Stage II	227.88 34
TCGA-C8-A273	Positive	Positive	Negative	29	FEMA LE	513	0	T 2	N1	M 0	Stage II	297.65 22
TCGA-C8-A274	Positive	Positive	Negative	63	FEMA LE	508	0	T 2	NO	M 0	Stage II	1285.6 21
TCGA-C8-A275	Not Evaluated	Not Evaluated	Not Evaluated	56	FEMA LE	1	0	T 1	N1	M 0	Stage II	440.86 95
TCGA-C8-A278	Negative	Negative	Positive	61	FEMA LE	297	0	T 2	N2	M 0	Stage III	1269.9 26
TCGA-C8-A27A	Positive	Positive	Negative	48	FEMA LE	747	0	T 2	N1	M 0	Stage II	2470.4 66
TCGA-C8-A27B	Negative	Negative	Negative	48	FEMA LE	439	0	T 3	NO	M 0	Stage II	817.20 98
TCGA-C8-A3M7	Negative	Negative	Negative	60	FEMA LE	1034	1	T 4	NO	M 0	Stage III	207.82 58
TCGA-C8-A3M8	Positive	Positive	Positive	68	FEMA LE	394	0	T 1	NO	M 0	Stage I	608.64 09
TCGA-C8-A8HP	Negative	Negative	Positive	59	FEMA LE	396	0	T 2	N2	M 0	Stage III	210.69 12
TCGA-C8-A8HQ	Positive	Positive	Negative	53	FEMA LE	380	0	T 2	N1	M 0	Stage II	477.81 73
TCGA-C8-A8HR	Not Evaluated	Not Evaluated	Not Evaluated	49	FEMA LE	408	0	T 3	N2	M 0	Stage III	646.14 2
TCGA-D8-A13Y	Positive	Positive	Negative	52	FEMA LE	1728	0	T 1	NO	M 0	Stage I	546.19 46
TCGA-D8-A140	Positive	Positive	Positive	62	FEMA LE	403	0	T 2	N1	M 0	Stage II	265.78 69
TCGA-D8-A142	Negative	Negative	Equivocal	74	FEMA LE	425	0	T 3	NO	M 0	Stage II	1223.9 39
TCGA-D8-A143	Negative	Negative	Negative	51	FEMA LE	431	0	T 2	NO	M 0	Stage II	1052.2 32
TCGA-D8-A145	Positive	Positive	Equivocal	80	FEMA LE	410	0	T 1	N1	M 0	Stage II	184.75 58
TCGA-D8-A146	Positive	Positive	Negative	57	FEMA LE	643	0	T 2	NO	M X	Stage II	405.95 95

TCGA-D8- A1J8	Positive	Positive	Negative	77	FEMA LE	431	0	T 2	N1	M 0	Stage II	1742.8 57
TCGA-D8- A1J9	Negative	Positive	Positive	48	FEMA LE	532	0	T 1	NO	M 0	Stage I	1587.5 14
TCGA-D8- A1JB	Positive	Positive	Equivocal	54	FEMA LE	1688	0	T 2	N1	M 0	Stage II	179.28 91
TCGA-D8- A1JC	Positive	Positive	Negative	59	FEMA LE	480	0	T 2	N2	M 0	Stage III	277.79 7
TCGA-D8- A1JD	Positive	Positive	Negative	41	FEMA LE	552	0	T 2	N1	M 0	Stage II	533.65 76
TCGA-D8- A1JE	Positive	Positive	Negative	62	FEMA LE	575	0	T 1	N1	M 0	Stage II	957.18 03
TCGA-D8- A1JF	Negative	Negative	Negative	79	FEMA LE	366	0	T 1	N2	M 0	Stage III	402.02 08
TCGA-D8- A1JG	Negative	Negative	Equivocal	62	FEMA LE	1612	0	T 2	NO	M 0	Stage II	945.97 25
TCGA-D8- A1JH	Positive	Positive	Negative	56	FEMA LE	426	0	T 1	NO	M 0	Stage I	594.96 71
TCGA-D8- A1JI	Positive	Positive	Negative	54	FEMA LE	577	0	T 1	N1	M X	Stage II	985.79 65
TCGA-D8- A1JJ	Positive	Positive	Negative	54	FEMA LE	611	0	T 2	NO	M 0	Stage II	1321.4 77
TCGA-D8- A1JK	Positive	Negative	Negative	90	FEMA LE	0	0	T 2	NO	M 0	Stage II	1301.2 07
TCGA-D8- A1JL	Negative	Negative	Negative	72	FEMA LE	611	0	T 2	NO	M 0	Stage II	609.49 49
TCGA-D8- A1JM	Negative	Positive	Negative	59	FEMA LE	590	0	T 2	N1	M 0	Stage II	2839.6 49
TCGA-D8- A1JN	Positive	Positive	Indetermin ate	80	FEMA LE	620	0	T 3	N3	M X	Stage III	194.75 09
TCGA-D8- A1JP	Positive	Positive	Negative	73	FEMA LE	639	0	T 1	NO	M 0	Stage I	790.80 6
TCGA-D8- A1JS	Positive	Positive	Negative	77	FEMA LE	371	0	T 1	NO	M 0	Stage I	1118.4 72
TCGA-D8- A1JT	Positive	Positive	Equivocal	70	FEMA LE	405	0	T 2	NO	M 0	Stage II	2559.3 76
TCGA-D8- A1JU	Positive	Positive	Negative	51	FEMA LE	447	0	T 1	NO	M 0	Stage I	522.96 5
TCGA-D8- A1X5	Positive	Positive	Positive	81	FEMA LE	565	0	T 2	N3	M X	Stage III	419.85 77
TCGA-D8- A1X6	Positive	Positive	Negative	80	FEMA LE	541	0	T 3	N2	M X	Stage III	108.81 32
TCGA-D8- A1X7	Positive	Positive	Negative	40	FEMA LE	509	0	T 2	NO	M X	Stage II	1249.4 98

TCGA-D8-A1X8	Indeterminate	Positive	Negative	62	FEMA LE	783	0	T 1	N2	M 0	Stage III	522.37 2
TCGA-D8-A1X9	Positive	Positive	Indeterminate	66	FEMA LE	727	0	T 2	N1	M 0	Stage II	851.36 24
TCGA-D8-A1XA	Positive	Positive	Equivocal	64	FEMA LE	839	0	T 1	N0	M 0	Stage I	229.02 81
TCGA-D8-A1XB	Positive	Positive	Negative	62	FEMA LE	552	0	T 2	N1	M 0	Stage II	758.90 98
TCGA-D8-A1XC	Positive	Positive	Negative	85	FEMA LE	377	1	T 4	N1	M 0	Stage III	1188.0 92
TCGA-D8-A1XD	Positive	Positive	Negative	36	FEMA LE	522	0	T 1	N2	M 0	Stage III	1224.9 51
TCGA-D8-A1XF	Positive	Positive	Negative	45	FEMA LE	463	0	T 2	N0	M 0	Stage II	678.37 91
TCGA-D8-A1XG	Negative	Positive	Negative	86	FEMA LE	448	0	T 4	N1	M 0	Stage III	610.20 44
TCGA-D8-A1XJ	Positive	Positive	Positive	76	FEMA LE	664	0	T 3	N1	M X	Stage III	700.85 03
TCGA-D8-A1XK	Negative	Negative	Negative	55	FEMA LE	441	0	T 2	N1	M X	Stage II	718.61 83
TCGA-D8-A1XL	Positive	Positive	Equivocal	34	FEMA LE	606	0	T 2	N1	M X	Stage II	453.44 7
TCGA-D8-A1XM	Positive	Positive	Negative	57	FEMA LE	538	0	T 1	N0	M 0	Stage I	435.54 69
TCGA-D8-A1XO	Positive	Positive	Negative	56	FEMA LE	1682	0	T 2	N1	M 0	Stage II	401.25 34
TCGA-D8-A1XQ	Negative	Negative	Negative	69	FEMA LE	499	0	T 2	N0	M 0	Stage II	398.15 33
TCGA-D8-A1XR	Positive	Positive	Negative	56	FEMA LE	482	0	T 2	N1	M 0	Stage II	997.56 55
TCGA-D8-A1XS	Positive	Positive	Positive	48	MALE	496	0	T 2	N3	M 0	Stage III	840.08 24
TCGA-D8-A1XT	Negative	Negative	Positive	61	FEMA LE	506	0	T 1	N1	M 0	Stage II	1147.7 99
TCGA-D8-A1XU	Positive	Positive	Negative	56	FEMA LE	395	0	T 1	N0	M 0	Stage I	640.22 01
TCGA-D8-A1XV	Positive	Positive	Equivocal	84	FEMA LE	461	0	T 2	N0	M 0	Stage II	1192.3 91
TCGA-D8-A1XW	Positive	Negative	Negative	53	FEMA LE	1309	0	T 2	N0	M 0	Stage II	5081.0 24
TCGA-D8-A1XY	Positive	Positive	Positive	74	FEMA LE	503	0	T 2	N0	M X	Stage II	789.84 93
TCGA-D8-A1XZ	Negative	Positive	Negative	81	FEMA LE	466	0	T 1	N2	M X	Stage III	590.31 8

TCGA-D8-A1Y0	Positive	Positive	Negative	65	FEMA LE	472	0	T 1	N2	M X	Stage III	193.63 54
TCGA-D8-A1Y1	Positive	Positive	Negative	80	FEMA LE	302	1	T 3	N1	M X	Stage III	1149.5 39
TCGA-D8-A1Y2	Positive	Positive	Indeterminate	71	FEMA LE	433	0	T 2	NO	M X	Stage II	298.49 8
TCGA-D8-A1Y3	Positive	Positive	Indeterminate	61	FEMA LE	430	0	T 2	N2	M X	Stage III	140.12 73
TCGA-D8-A27E	Positive	Positive	Negative	66	FEMA LE	530	0	T 1	NO	M 0	Stage I	551.76 12
TCGA-D8-A27F	Negative	Negative	Negative	40	FEMA LE	488	0	T 2	NO	M 0	Stage II	690.94 24
TCGA-D8-A27G	Positive	Positive	Equivocal	75	FEMA LE	409	0	T 2	NO	M 0	Stage II	597.89 51
TCGA-D8-A27H	Negative	Negative	Negative	72	FEMA LE	397	0	T 2	NO	M 0	Stage II	2005.6 06
TCGA-D8-A27I	Positive	Positive	Negative	58	FEMA LE	439	0	T 1	N2	M 0	Stage III	160.81 2
TCGA-D8-A27K	Positive	Positive	Negative	47	FEMA LE	1461	0	T 2	N1	M 0	Stage II	246.92 01
TCGA-D8-A27L	Positive	Positive	Negative	49	FEMA LE	499	0	T 1	N2	M 0	Stage III	479.36 48
TCGA-D8-A27M	Negative	Negative	Negative	59	FEMA LE	410	0	T 1	NO	M 0	Stage I	546.45 11
TCGA-D8-A27N	Positive	Positive	Positive	36	FEMA LE	519	0	T 2	N2	M 0	Stage III	489.82 28
TCGA-D8-A27P	Positive	Positive	Negative	64	FEMA LE	49	0	T 1	NO	M 0	Stage I	300.72 93
TCGA-D8-A27R	Positive	Positive	Equivocal	41	FEMA LE	307	0	T 2	N3	M 0	Stage III	119.66 28
TCGA-D8-A27T	Positive	Positive	Negative	53	FEMA LE	398	0	T 2	N3	M 0	Stage III	440.94 11
TCGA-D8-A27V	Positive	Positive	Negative	62	FEMA LE	381	0	T 2	NO	M 0	Stage II	148.22 42
TCGA-D8-A27W	Positive	Positive	Equivocal	55	FEMA LE	373	0	T 4	NO	M 0	Stage III	276.21 69
TCGA-D8-A3Z5	Positive	Positive	Negative	54	FEMA LE	1015	0	T 2	N3	M 0	Stage III	55.817 00
TCGA-D8-A3Z6	Positive	Positive	Negative	56	FEMA LE	563	0	T 3	N3	M 0	Stage III	2031.7 02
TCGA-D8-A4Z1	Positive	Positive	Negative	68	FEMA LE	659	0	T 1	NO	M 0	Stage I	95.979 62
TCGA-D8-A73U	Positive	Positive	Negative	88	FEMA LE	492	0	T 2	NO	M 0	Stage II	71.705 38

TCGA-D8-A73W	Negative	Positive	Negative	79	FEMA LE	385	1	T 3	N1	M X	Stage III	644.14 6
TCGA-D8-A73X	Positive	Positive	Negative	53	FEMA LE	767	0	T 2	NO	M 0	Stage II	438.08 49
TCGA-E2-A105	Positive	Positive	Equivocal	79	FEMA LE	1308	0	T 2	NO	M 0	Stage II	217.31 62
TCGA-E2-A106	Positive	Positive	Equivocal	34	FEMA LE	2541	0	T 1	N1	M 0	Stage I	1370.9 27
TCGA-E2-A107	Negative	Positive	Equivocal	54	FEMA LE	1047	0	T 3	N2	M 0	Stage III	205.35 11
TCGA-E2-A108	Positive	Positive	Negative	64	FEMA LE	837	0	T 2	N2	M 0	Stage III	172.43 54
TCGA-E2-A109	Negative	Positive	Equivocal	64	FEMA LE	1417	0	T 2	NO	M 0	Stage II	140.45 65
TCGA-E2-A10A	Positive	Positive	Positive	41	FEMA LE	1229	0	T 3	NO	M 0	Stage II	512.50 24
TCGA-E2-A10B	Positive	Positive	Equivocal	67	FEMA LE	1141	0	T 2	N1	M 0	Stage II	309.81 9
TCGA-E2-A10C	Positive	Positive	Negative	54	FEMA LE	1220	0	T 2	N1	M 0	Stage II	291.84 98
TCGA-E2-A10E	Positive	Positive	Equivocal	64	FEMA LE	865	0	T 1	N1	M 0	Stage II	988.54 9
TCGA-E2-A10F	Positive	Positive	Equivocal	47	FEMA LE	878	0	T 2	NO	M 0	Stage II	298.70 43
TCGA-E2-A14N	Negative	Negative	Negative	37	FEMA LE	1434	0	T 2	N1	M 0	Stage II	183.63 83
TCGA-E2-A140	Positive	Positive	Equivocal	76	FEMA LE	1359	0	T 3	N1	M 0	Stage III	247.06 05
TCGA-E2-A14P	Negative	Negative	Positive	79	FEMA LE	1246	0	T 2	N3	M 0	Stage III	100.83 74
TCGA-E2-A14Q	Positive	Positive	Negative	50	FEMA LE	1163	0	T 2	N1	M 0	Stage II	125.05 89
TCGA-E2-A14R	Negative	Negative	Negative	62	FEMA LE	1174	0	T 2	NO	M 0	Stage II	745.02 73
TCGA-E2-A14T	Positive	Positive	Negative	52	FEMA LE	2311	0	T 2	NO	M 0	Stage II	147.97 39
TCGA-E2-A14U	Positive	Positive	Equivocal	74	FEMA LE	1318	0	T 1	NO	M 0	Stage I	21.636 1
TCGA-E2-A14V	Positive	Positive	Positive	53	FEMA LE	1042	0	T 2	N1	M 0	Stage II	822.56 65
TCGA-E2-A14W	Positive	Positive	Not Evaluated	78	MALE	974	0	T 2	NO	M 0	Stage II	497.19 69
TCGA-E2-A14X	Negative	Negative	Negative	55	FEMA LE	972	0	T 2	N2	M 0	Stage III	180.60 16

TCGA-E2-A14Y	Positive	Positive	Equivocal	35	FEMA LE	2109	0	T NO	M 0	Stage II	1156.8 93
TCGA-E2-A14Z	Positive	Positive	Negative	64	FEMA LE	563	1	T 1	M 0	Stage I	301.57 73
TCGA-E2-A150	Negative	Negative	Negative	48	FEMA LE	1935	0	T 2	M 0	Stage II	1992.3 92
TCGA-E2-A152	Negative	Positive	Positive	56	FEMA LE	2128	0	T 1	M 0	Stage I	1540.4 79
TCGA-E2-A153	Positive	Positive	Negative	51	FEMA LE	707	0	T 2	M 0	Stage II	1126.1 68
TCGA-E2-A154	Positive	Positive	Negative	68	FEMA LE	591	0	T 1	M 0	Stage I	683.59 29
TCGA-E2-A155	Negative	Positive	Negative	58	FEMA LE	640	0	T 2	M 0	Stage II	141.89 21
TCGA-E2-A156	Positive	Positive	Negative	61	FEMA LE	726	0	T 1	M 0	Stage I	2065.2 74
TCGA-E2-A158	Negative	Negative	Negative	43	FEMA LE	450	0	T 1	M 0	Stage II	258.28 65
TCGA-E2-A159	Negative	Negative	Not Evaluated	50	FEMA LE	762	0	T 2	M 0	Stage II	444.61 74
TCGA-E2-A15A	Positive	Positive	Negative	45	FEMA LE	710	0	T 2	M 0	Stage III	312.43 72
TCGA-E2-A15C	Positive	Positive	Equivocal	61	FEMA LE	694	0	T 1	M 0	Stage I	734.15 37
TCGA-E2-A15D	Positive	Positive	Equivocal	47	FEMA LE	526	0	T 2	M 0	Stage II	283.17 58
TCGA-E2-A15E	Positive	Positive	Not Evaluated	40	FEMA LE	630	0	T 1	M 0	Stage II	383.90 79
TCGA-E2-A15F	Positive	Positive	Negative	64	FEMA LE	658	0	T 1	M 0	Stage I	434.59 02
TCGA-E2-A15G	Positive	Positive	Negative	76	FEMA LE	554	0	T 2	M 0	Stage II	617.02 52
TCGA-E2-A15H	Positive	Positive	Equivocal	38	FEMA LE	393	0	T 1	M 0	Stage II	431.35 88
TCGA-E2-A15I	Positive	Positive	Equivocal	44	FEMA LE	1692	0	T 2	M 0	Stage II	175.36 43
TCGA-E2-A15J	Positive	Positive	Equivocal	51	FEMA LE	1640	0	T 1	M 0	Stage I	1215.2 61
TCGA-E2-A15K	Positive	Positive	Equivocal	58	FEMA LE	275	0	T 2	M 0	Stage II	649.07 1
TCGA-E2-A15L	Positive	Positive	Equivocal	65	FEMA LE	626	0	T 2	M 0	Stage II	1204.1 72
TCGA-E2-A15M	Positive	Positive	Negative	66	FEMA LE	336	1	T 2	M 0	Stage II	670.07 54

TCGA-E2-A150	Positive	Positive	Equivocal	89	FEMA LE	289	0	T NX	M 0	Stage I	276.24 02
TCGA-E2-A15P	Positive	Positive	Negative	61	FEMA LE	595	0	T 1	M 0	Stage I	153.22 43
TCGA-E2-A15R	Positive	Positive	Equivocal	64	FEMA LE	1732	0	T 1	M 0	Stage II	1002.4 83
TCGA-E2-A15S	Negative	Positive	Equivocal	34	FEMA LE	428	0	T 2	M 0	Stage II	316.37 85
TCGA-E2-A15T	Positive	Positive	Equivocal	65	FEMA LE	1563	0	T 2	M 0	Stage II	1114.5 76
TCGA-E2-A1AZ	Negative	Negative	Indeterminate	63	FEMA LE	2329	0	T 2	M 0	Stage II	2153.8 82
TCGA-E2-A1B0	Negative	Negative	Positive	50	FEMA LE	1631	0	T 2	M 0	Stage III	1038.6 04
TCGA-E2-A1B1	Positive	Positive	Equivocal	45	FEMA LE	2653	0	T 2	M 0	Stage II	242.08 11
TCGA-E2-A1B4	Positive	Positive	Negative	74	FEMA LE	1004	1	T 1	M 0	Stage III	861.16 99
TCGA-E2-A1B5	Positive	Positive	Negative	46	FEMA LE	984	0	T 2	M 0	Stage II	400.74 37
TCGA-E2-A1B6	Negative	Negative	Equivocal	44	FEMA LE	867	0	T 2	M 0	Stage II	320.87 91
TCGA-E2-A1BC	Positive	Positive	Negative	63	FEMA LE	501	0	T 1	M 0	Stage I	421.55 7
TCGA-E2-A1BD	Positive	Positive	Equivocal	53	FEMA LE	1133	0	T 2	M 0	Stage II	952.20 8
TCGA-E2-A1IE	Positive	Positive	Equivocal	61	FEMA LE	2362	0	T 2	M 0	Stage II	572.62 04
TCGA-E2-A1IF	Positive	Positive	Negative	74	FEMA LE	1138	0	T 1	M 0	Stage I	463.06 35
TCGA-E2-A1IG	Positive	Positive	Negative	45	FEMA LE	2140	0	T 2	M 0	Stage II	1244.1 67
TCGA-E2-A1IH	Positive	Positive	Equivocal	80	FEMA LE	1026	0	T 1	M 0	Stage I	1254.0 03
TCGA-E2-A1II	Positive	Negative	Negative	51	FEMA LE	1025	0	T 1	M 0	Stage I	227.07 75
TCGA-E2-A1IJ	Positive	Positive	Equivocal	57	FEMA LE	865	0	T 1	M 0	Stage I	510.63 35
TCGA-E2-A1IK	Positive	Positive	Negative	71	FEMA LE	1800	0	T 1	M 0	Stage II	344.45 44
TCGA-E2-A1IL	Positive	Positive	Negative	78	FEMA LE	118	0	T 1	M 0	Stage II	297.56 55
TCGA-E2-A1IN	Positive	Positive	Negative	60	FEMA LE	675	0	T 1	M 0	Stage I	1144.2 37

TCGA-E2-A110	Positive	Positive	Equivocal	37	FEMA LE	1855	0	T 1	NO	M 0	Stage I	263.46 67
TCGA-E2-A11U	Positive	Positive	Negative	60	FEMA LE	337	0	T 1	NO (mol+)	M 0	Stage I	308.16 16
TCGA-E2-A1L6	Positive	Positive	Negative	44	FEMA LE	1648	0	T 1	N1	M 0	Stage II	372.76 17
TCGA-E2-A1L7	Negative	Negative	Negative	40	FEMA LE	1836	0	T 2	N2	M 0	Stage III	399.10 06
TCGA-E2-A1L8	Positive	Positive	Equivocal	52	FEMA LE	2240	0	T 2	N1	M 0	Stage II	964.07 09
TCGA-E2-A1L9	Positive	Positive	Negative	40	FEMA LE	598	0	T 1	N1	M 0	Stage II	619.18 44
TCGA-E2-A1LA	Positive	Positive	Equivocal	59	FEMA LE	748	0	T 1	N1	M 0	Stage II	656.24 12
TCGA-E2-A1LB	Negative	Negative	Positive	41	FEMA LE	2306	0	T 2	N1	M 0	Stage II	528.29 76
TCGA-E2-A1LE	Negative	Negative	Positive	71	FEMA LE	879	1	T 2	N3	M 0	Stage III	2644.1 08
TCGA-E2-A1LG	Negative	Negative	Equivocal	50	FEMA LE	1523	0	T 2	NO	M 0	Stage II	428.21 93
TCGA-E2-A1LH	Negative	Negative	Negative	59	FEMA LE	3247	0	T 1	NO	M 0	Stage I	407.30 1
TCGA-E2-A1LI	Negative	Negative	Equivocal	57	FEMA LE	3121	0	T 2	N1	M 0	Stage II	306.89 31
TCGA-E2-A1LK	Negative	Negative	Equivocal	84	FEMA LE	266	1	T 4	N3	M 0	Stage III	372.04 15
TCGA-E2-A1LL	Negative	Negative	Negative	73	FEMA LE	1309	0	T 3	N2	M X	Stage III	585.92 52
TCGA-E2-A1LS	Negative	Negative	Negative	46	FEMA LE	1604	0	T 1	NO	M 0	Stage I	637.60 15
TCGA-E2-A2P5	Positive	Positive	Not Evaluated	78	FEMA LE	821	1	T 2	N3	M 0	Stage III	924.71 05
TCGA-E2-A2P6	Positive	Positive	Not Evaluated	77	FEMA LE	1051	0	T 2	N1	M 0	Stage II	357.10 5
TCGA-E2-A3DX	Positive	Positive	Not Evaluated	43	FEMA LE	1325	0	T 2	N3	M 0	Stage III	63.114 79
TCGA-E2-A56Z	Positive	Positive	Equivocal	69	FEMA LE	252	0	T 2	N1	M 0	Stage II	933.48 21
TCGA-E2-A570	Positive	Positive	Equivocal	47	FEMA LE	931	0	T 1	N1	M 0	Stage I	390.72 23
TCGA-E2-A572	Positive	Positive	Equivocal	72	FEMA LE	1208	0	T 2	N2	M 0	Stage III	99.649 11
TCGA-E2-A573	Negative	Negative	Equivocal	48	FEMA LE	1062	0	T 1	NO	M 0	Stage I	295.92 78



TCGA-E2-A574	Negative	Negative	Equivocal	44	FEMA LE	1179	0	T 2	NO	M 0	Stage II	254.41 1
TCGA-E2-A576	Positive	Positive	Equivocal	69	FEMA LE	1043	0	T 1	NO	M X	Stage I	329.14 97
TCGA-E2-A9RU	Negative	Positive	Equivocal	90	FEMA LE	0	0	T 2	N3	M X	Stage III	1468.1 47
TCGA-E9-AIN3	Not Evaluated	Not Evaluated	Not Evaluated	70	FEMA LE	1059	0	T 1	N2	M 0	Stage III	638.36 62
TCGA-E9-AIN4	Positive	Positive	Positive	41	FEMA LE	1000	0	T 2	N2	M 0	Stage III	227.96 73
TCGA-E9-AIN5	Positive	Positive	Positive	45	FEMA LE	1120	0	T 2	N1	M 0	Stage II	380.77 41
TCGA-E9-AIN6	Positive	Positive	Positive	52	FEMA LE	678	1	T 2	N1	M 0	Stage II	1460.7 42
TCGA-E9-AIN8	Not Evaluated	Negative	Negative	48	FEMA LE	1039	0	T 2	NO	M 0	Stage II	722.35 02
TCGA-E9-AIN9	Positive	Negative	Positive	58	FEMA LE	1101	0	T 2	NO	M 0	Stage II	1360.8 85
TCGA-E9-AINA	Positive	Positive	Positive	58	FEMA LE	1112	0	T 2	NO	M 0	Stage II	276.26 41
TCGA-E9-AINC	Positive	Negative	Positive	61	FEMA LE	1203	0	T 2	N1	M 0	Stage II	642.18 28
TCGA-E9-AIND	Negative	Negative	Positive	75	FEMA LE	1266	0	T 2	N1	M 0	Stage II	778.93 92
TCGA-E9-AINE	Positive	Positive	Negative	28	FEMA LE	1088	0	T 2	N1	M 0	Stage II	242.11 5
TCGA-E9-AINF	Positive	Positive	Negative	60	FEMA LE	1072	1	T 2	NO	M 0	Stage II	2768.9 59
TCGA-E9-AING	Positive	Positive	Negative	62	FEMA LE	786	1	T 2	NO	M 0	Stage II	3466.0 49
TCGA-E9-AINH	Positive	Positive	Negative	71	FEMA LE	576	0	T 2	N1	M 0	Stage II	2775.6 85
TCGA-E9-AINI	Positive	Positive	Negative	51	FEMA LE	300	0	T 2	NO	M 0	Stage II	1354.1 07
TCGA-E9-AIQZ	Not Evaluated	Not Evaluated	Not Evaluated	61	FEMA LE	755	0	T 2	NO	M 0	Stage II	139.62 57
TCGA-E9-AIRO	Not Evaluated	Not Evaluated	Not Evaluated	58	FEMA LE	860	0	T 1	N1	M 0	Stage II	404.95 33
TCGA-E9-AIR2	Negative	Positive	Equivocal	51	FEMA LE	1063	0	T 2	N3	M X	Stage III	217.87 05
TCGA-E9-AIR3	Not Evaluated	Not Evaluated	Not Evaluated	70	FEMA LE	78	0	T 2	N3	M 0	Stage III	504.73 83
TCGA-E9-AIR4	Not Evaluated	Not Evaluated	Not Evaluated	66	FEMA LE	186	0	T 1	NO	M 0	Stage I	195.04 69

TCGA-E9-	Not	Not	Not	63	FEMA	92	0	T	M	Stage I	619.41
AIR5	Evaluated	Evaluated	Evaluated		LE		1	NO	0		98
TCGA-E9-	Not	Not	Not	63	FEMA	339	0	T	M	Stage	905.58
AIR6	Evaluated	Evaluated	Evaluated		LE		2	NO	0	II	15
TCGA-E9-	Not	Not	Not	64	FEMA	1467	0	T	M	Stage	287.34
AIR7	Evaluated	Evaluated	Evaluated		LE		2	NO	0	II	42
TCGA-E9-	Not	Not	Not	48	FEMA	1369	0	T	M	Stage I	404.59
AIRA	Evaluated	Evaluated	Evaluated		LE		1	NO	0		62
TCGA-E9-	Not	Not	Not	40	FEMA	976	1	T	M	Stage	440.35
AIRB	Evaluated	Evaluated	Evaluated		LE		2	NO	0	II	52
TCGA-E9-	Not	Not	Not	56	FEMA	1224	0	T	M	Stage	547.39
AIRC	Evaluated	Evaluated	Evaluated		LE		4	N3	0	III	63
TCGA-E9-	Not	Not	Not	67	FEMA	34	0	T	M	Stage	1186.3
AIRD	Evaluated	Evaluated	Evaluated		LE		2	NO	0	II	65
TCGA-E9-	Not	Not	Not	74	FEMA	1419	0	T	M	Stage	311.07
AIRE	Evaluated	Evaluated	Evaluated		LE		2	N2	0	III	44
TCGA-E9-	Not	Not	Not	68	FEMA	200	0	T	M	Stage	722.01
AIRF	Evaluated	Evaluated	Evaluated		LE		2	N2	0	III	42
TCGA-E9-	Not	Not	Not	62	FEMA	647	0	T	M	Stage	402.78
AIRG	Evaluated	Evaluated	Evaluated		LE		1	N2	0	III	12
TCGA-E9-	Not	Not	Not	63	FEMA	1417	0	T	M	Stage	1135.2
AIRH	Evaluated	Evaluated	Evaluated		LE		2	NO	0	II	08
TCGA-E9-	Not	Not	Not	43	FEMA	1449	0	T	M	Stage	486.14
AIRI	Evaluated	Evaluated	Evaluated		LE		1	N2	0	III	58
TCGA-E9-	Not	Not	Not	45	FEMA	1048	1	T	M	Stage	577.41
A226	Evaluated	Evaluated	Evaluated		LE		2	N2	0	III	53
TCGA-E9-	Positive	Positive	Negative	42	FEMA	975	0	T	M	Stage	517.44
A227					LE		2	N1	0	II	21
TCGA-E9-	Not	Not	Not	58	FEMA	1285	0	T	M	Stage	758.49
A228	Evaluated	Evaluated	Evaluated		LE		2	N1	0	II	03
TCGA-E9-	Not	Not	Not	37	FEMA	1148	0	T	M	Stage I	420.91
A229	Evaluated	Evaluated	Evaluated		LE		1	NO	0		78
TCGA-E9-	Negative	Positive	Negative	74	FEMA	1189	0	T	M	Stage	1447.8
A22A					LE		2	NO	0	II	04
TCGA-E9-	Negative	Positive	Negative	71	FEMA	1167	0	T	M	Stage I	1452.2
A22B					LE		1	NO	0		48
TCGA-E9-	Positive	Positive	Positive	38	FEMA	1248	0	T	M	Stage	475.39
A22D					LE		2	NO	0	II	28
TCGA-E9-	Positive	Positive	Positive	56	FEMA	1269	0	T	M	Stage	2388.7
A22E					LE		2	N2	0	III	68
TCGA-E9-	Negative	Negative	Positive	47	FEMA	1239	0	T	M	Stage	874.39
A22G					LE		2	NO	0	II	21
TCGA-E9-	Positive	Positive	Positive	42	FEMA	1232	0	T	M	Stage	565.28
A22H					LE		2	N1	0	II	51

TCGA-E9-	Not	Not	Not	52	FEMA	612	0	T	NO	M	Stage	201.89
A243	Evaluated	Evaluated	Evaluated		LE			2		0	II	51
TCGA-E9-	Not	Not	Not	54	FEMA	21	0	T	NO	M	Stage	411.66
A244	Evaluated	Evaluated	Evaluated		LE			2		0	II	54
TCGA-E9-	Not	Not	Not	47	FEMA	26	0	T	N1	M	Stage	120.13
A245	Evaluated	Evaluated	Evaluated		LE			2		0	II	42
TCGA-E9-	Not	Not	Not	59	FEMA	1186	0	T	NO	M	Stage I	316.71
A247	Evaluated	Evaluated	Evaluated		LE			1		0		64
TCGA-E9-	Not	Not	Not	51	FEMA	59	0	T	NO	M	Stage	109.95
A248	Evaluated	Evaluated	Evaluated		LE			2		0	II	2
TCGA-E9-	Not	Not	Not	45	FEMA	217	0	T	NO	M	Stage	453.95
A249	Evaluated	Evaluated	Evaluated		LE			2		0	II	29
TCGA-E9-	Not	Not	Not	69	FEMA	747	0	T	N1	M	Stage	748.56
A24A	Evaluated	Evaluated	Evaluated		LE			1		0	II	49
TCGA-E9-	Positive	Positive	Positive	71	FEMA	375	0	T	NO	M	Stage	781.79
A295					LE			2		0	II	67
TCGA-E9-	Not	Not	Not	72	FEMA	904	1	T	N1	M	Stage	326.69
A2JS	Evaluated	Evaluated	Evaluated		LE			2		0	II	5
TCGA-E9-	Not	Not	Not	63	FEMA	288	0	T	NO	M	Stage	188.54
A2JT	Evaluated	Evaluated	Evaluated		LE			2		0	II	44
TCGA-E9-	Not	Not	Not	49	FEMA	1158	0	T	NO	M	Stage	1197.8
A3HO	Evaluated	Evaluated	Evaluated		LE			2		0	II	14
TCGA-E9-	Positive	Positive	Indetermin	78	FEMA	1001	0	T	N3	M	Stage	158.83
A3Q9			ate		LE			3		0	III	59
TCGA-E9-	Not	Not	Not	33	FEMA	918	0	T	NO	M	Stage	346.17
A3QA	Evaluated	Evaluated	Evaluated		LE			2		0	II	2
TCGA-E9-	Positive	Positive	Positive	48	FEMA	926	0	T	N1	M	Stage	141.92
A3X8					LE			2		0	II	92
TCGA-E9-	Positive	Positive	Negative	85	FEMA	727	0	T	NO	M	Stage I	501.54
A54X					LE			1		0		58
TCGA-E9-	Positive	Positive	Negative	63	FEMA	725	0	T	N2	M	Stage	646.17
A54Y					LE			2		0	III	12
TCGA-E9-	Positive	Positive	Negative	60	FEMA	812	0	T	N3	M	Stage	195.87
A5FK					LE			2		0	III	96
TCGA-E9-	Negative	Negative	Negative	65	FEMA	24	0	T	NO	M	Stage	263.90
A5FL					LE			3		0	II	63
TCGA-E9-	Not	Not	Not	41	FEMA	785	0	T	NO	M	Stage	2444.0
A5U0	Evaluated	Evaluated	Evaluated		LE			2		0	II	12
TCGA-E9-	Not	Not	Not	63	FEMA	803	0	T	NO	M	Stage	135.09
A5UP	Evaluated	Evaluated	Evaluated		LE			2		0	II	89
TCGA-E9-	Positive	Positive	Negative	45	FEMA	847	0	T	N3	M	Stage	542.30
A6HE					LE			3		X	III	13
TCGA-EW-	Positive	Positive	Positive	80	FEMA	371	0	T	N1	M	Stage	328.41
A1IW					LE			2		X	II	43

TCGA-EW-A1IX	Positive	Positive	Negative	48	FEMA LE	1208	0	T 1	N1	M X	Stage II	291.96
TCGA-EW-A1IY	Positive	Positive	Negative	38	FEMA LE	258	0	T 1	NO	M X	Stage I	893.44 45
TCGA-EW-A1IZ	Positive	Positive	Negative	53	FEMA LE	554	0	T 2	N2	M X	Stage III	205.20 53
TCGA-EW-A1J1	Positive	Positive	Negative	38	FEMA LE	575	0	T 2	N1	M 0	Stage II	1520.3 71
TCGA-EW-A1J3	Positive	Positive	Positive	61	FEMA LE	504	0	T 1	NO	M 0	Stage I	1026.0 9
TCGA-EW-A1J5	Positive	Positive	Negative	59	FEMA LE	477	0	T 3	NO	M 0	Stage II	216.89 2
TCGA-EW-A1J6	Positive	Positive	Negative	70	FEMA LE	875	0	T 1	NO	M 0	Stage I	674.39 81
TCGA-EW-A1OV	Negative	Negative	Negative	56	FEMA LE	789	0	T 2	N1	M X	Stage II	256.14 25
TCGA-EW-A1OW	Negative	Negative	Negative	58	FEMA LE	694	0	T 2	NO	M X	Stage II	1034.9 25
TCGA-EW-A1OX	Positive	Positive	Negative	43	FEMA LE	911	0	T 2	NO	M X	Stage II	1509.5 69
TCGA-EW-A1OY	Positive	Positive	Negative	63	FEMA LE	908	0	T 2	NO	M X	Stage II	412.71 46
TCGA-EW-A1OZ	Negative	Positive	Equivocal	56	FEMA LE	1229	0	T 2	NO	M 0	Stage II	1252.8 47
TCGA-EW-A1P0	Negative	Positive	Negative	55	FEMA LE	1251	0	T 2	N1	M X	Stage II	418.16 2
TCGA-EW-A1P1	Negative	Negative	Equivocal	68	FEMA LE	1210	0	T 2	N3	M X	Stage III	164.46 75
TCGA-EW-A1P3	Positive	Positive	Negative	48	FEMA LE	1611	0	T 2	NO	M X	Stage II	388.43 93
TCGA-EW-A1P4	Negative	Negative	Negative	43	FEMA LE	907	0	T 2	NO	M 0	Stage II	302.18 26
TCGA-EW-A1P5	Positive	Positive	Negative	77	FEMA LE	703	0	T 2	N1	M 0	Stage II	150.68 79
TCGA-EW-A1P6	Positive	Positive	Negative	64	FEMA LE	562	0	T 2	N1	M 0	Stage II	174.23 08
TCGA-EW-A1P7	Negative	Negative	Equivocal	59	FEMA LE	915	0	T 2	NO	M 0	Stage II	147.69 78
TCGA-EW-A1P8	Negative	Negative	Negative	58	FEMA LE	239	1	T 2	N3	M 0	Stage III	738.30 57
TCGA-EW-A1PA	Positive	Positive	Negative	59	FEMA LE	575	0	T 2	N1	M 0	Stage II	208.86 44
TCGA-EW-A1PB	Negative	Negative	Negative	70	FEMA LE	608	0	T 3	N1	M X	Stage III	104.01 44

TCGA-EW-AIPC	Positive	Positive	Negative	66	FEMA LE	187	0	T 3	NO	M X	Stage II	120.40 92
TCGA-EW-AIPD	Positive	Positive	Equivocal	61	MALE	424	0	T 1	N1	M 0	Stage II	866.40 19
TCGA-EW-AIPE	Positive	Positive	Negative	56	FEMA LE	320	0	T 1	N1	M 0	Stage II	722.43 24
TCGA-EW-AIPF	Positive	Positive	Negative	50	FEMA LE	439	0	T 1	NO	M 0	Stage I	559.15 6
TCGA-EW-AIPG	Positive	Positive	Equivocal	53	FEMA LE	1051	0	T 2	N1	M X	Stage II	615.64 64
TCGA-EW-AIPH	Negative	Negative	Negative	52	FEMA LE	607	0	T 1	N1	M 0	Stage II	571.39 77
TCGA-EW-A2FR	Negative	Negative	Equivocal	59	FEMA LE	1673	0	T 1	N3	M X	Stage III	1369.5 45
TCGA-EW-A2FS	Negative	Positive	Negative	41	FEMA LE	1604	0	T 2	N1	M X	Stage II	438.55 45
TCGA-EW-A2FV	Positive	Positive	Negative	39	FEMA LE	788	0	T 3	N3	M X	Stage III	181.05 44
TCGA-EW-A2FW	Positive	Positive	Negative	52	FEMA LE	672	0	T 2	NO	M X	Stage II	679.91 21
TCGA-EW-A3E8	Negative	Positive	Negative	60	FEMA LE	1035	0	T 3	NO	M X	Stage II	300.20 53
TCGA-EW-A3U0	Negative	Negative	Negative	61	FEMA LE	532	0	T 3	N1	M 0	Stage III	101.12 68
TCGA-EW-A423	Positive	Positive	Negative	75	FEMA LE	533	0	T 2	NO	M X	Stage II	576.87 41
TCGA-EW-A424	Positive	Positive	Positive	51	FEMA LE	715	0	T 3	N1	M X	Stage III	315.18 86
TCGA-EW-A6S9	Positive	Positive	Positive	34	FEMA LE	463	0	T 1	N1	M 0	Stage II	1680.8 42
TCGA-EW-A6SA	Negative	Positive	Negative	59	MALE	510	0	T 2	NO	M X	Stage II	2670.4 23
TCGA-EW-A6SB	Negative	Negative	Negative	62	FEMA LE	760	0	T 2	NO	M 0	Stage II	46.975 43
TCGA-EW-A6SC	Positive	Positive	Negative	60	FEMA LE	952	0	T 2	NO	M 0	Stage II	1254.7 1
TCGA-EW-A6SD	Negative	Negative	Not Evaluated	32	FEMA LE	1010	0	T 2	N1	M 0	Stage II	1162.3 67
TCGA-GI-A2C8	Positive	Positive	Negative	63	FEMA LE	225	0	T 4	NO	M X	Stage III	770.86 52
TCGA-GI-A2C9	Negative	Negative	Negative	58	FEMA LE	3342	0	T 3	NO	M X	Stage II	595.10 85
TCGA-GM-A2D9	Positive	Positive	Not Evaluated	69	FEMA LE	1812	1	T 1	NO	M 0	Stage I	518.77 09

TCGA-GM-A2DA	Positive	Positive	Equivocal	46	FEMA LE	6593	1	T N1	M 0	Stage II	501.49 7
TCGA-GM-A2DB	Negative	Negative	Negative	62	FEMA LE	2406	0	T 2	M 0	Stage II	708.95 55
TCGA-GM-A2DC	Positive	Positive	Not Evaluated	57	FEMA LE	2535	0	T 1	M 0	Stage II	1003.4 02
TCGA-GM-A2DD	Negative	Negative	Equivocal	53	FEMA LE	2282	0	T 1	M 0	Stage I	911.24 87
TCGA-GM-A2DF	Negative	Negative	Negative	53	FEMA LE	2155	0	T 1	M 0	Stage II	383.39 94
TCGA-GM-A2DH	Negative	Negative	Negative	58	FEMA LE	2193	0	T 1	M 0	Stage I	252.85 03
TCGA-GM-A2DI	Negative	Negative	Not Evaluated	52	FEMA LE	2590	0	T 1	M 0	Stage I	157.39 62
TCGA-GM-A2DK	Negative	Positive	Negative	58	FEMA LE	2645	0	T 1	M 0	Stage I	380.23 62
TCGA-GM-A2DL	Positive	Positive	Negative	50	FEMA LE	3519	0	T 1	M 0	Stage I	765.41 61
TCGA-GM-A2DM	Positive	Positive	Negative	57	FEMA LE	3226	0	T 2	M 0	Stage II	885.37 62
TCGA-GM-A2DN	Positive	Positive	Negative	58	FEMA LE	3091	0	T 2	M 0	Stage II	419.67 53
TCGA-GM-A2DO	Positive	Positive	Negative	54	FEMA LE	2596	0	T 1	M 0	Stage I	155.26 21
TCGA-GM-A3NW	Positive	Negative	Equivocal	63	FEMA LE	3361	0	T 2	M 0	Stage II	225.53 79
TCGA-GM-A3NY	Positive	Positive	Negative	72	FEMA LE	1162	0	T 2	M 0	Stage II	476.57 1
TCGA-GM-A3XG	Positive	Positive	Negative	46	FEMA LE	1330	0	T 3	M 0	Stage III	65.481 92
TCGA-GM-A3XL	Negative	Negative	Not Evaluated	49	FEMA LE	2108	0	T 2	M 0	Stage II	460.97 81
TCGA-GM-A3XN	Positive	Positive	Negative	44	FEMA LE	2019	0	T 1	M 0	Stage III	521.78 9
TCGA-GM-A4EO	Positive	Positive	Not Evaluated	67	FEMA LE	2191	0	T 3	M 0	Stage III	428.97 17
TCGA-GM-A5PV	Positive	Positive	Not Evaluated	63	FEMA LE	412	0	T 2	M 0	Stage II	455.15 08
TCGA-GM-A5PX	Positive	Positive	Negative	65	FEMA LE	551	0	T 2	M 0	Stage II	746.47 96
TCGA-HN-A2NL	Negative	Negative	Negative	56	FEMA LE	79	0	T 2	M 0	Stage II	147.98 3
TCGA-HN-A2OB	Positive	Positive	Negative	45	FEMA LE	1900	1	T 2	M 0	Stage II	219.38 06

TCGA-JL-					FEMA			T		M	Stage	928.56
A3YW	Positive	Positive	Positive	49	LE	360	0	N1		0	II	76
TCGA-JL-					FEMA			T		M	Stage	795.26
A3YX	Positive	Positive	Positive	46	LE	352	0	2	NO	0	II	82
TCGA-LD-					FEMA			T		M	Stage	153.34
A66U	Positive	Positive	Negative	44	LE	646	0	2	N1	X	II	63
TCGA-LD-					FEMA			T		M	Stage	60.726
A74U	Negative	Positive	Negative	79	LE	402	0	3	N3	0	III	46
TCGA-LD-					FEMA			T		M	Stage	314.47
A7W6	Positive	Positive	Negative	54	LE	404	0	2	N1	0	II	32
TCGA-LD-					FEMA			T		M	Stage I	181.92
A9QF	Negative	Negative	Positive	73	LE	323	0	1	NO	0		12
TCGA-LL-					FEMA			T		M	Stage I	89.383
A440	Positive	Positive	Equivocal	61	LE	759	0	1	NO	X		46
TCGA-LL-					FEMA			T		M	Stage I	146.40
A441	Negative	Negative	Negative	62	LE	996	0	1	NO	X		86
TCGA-LL-					FEMA			T		M	Stage	2204.3
A442	Positive	Positive	Equivocal	56	LE	889	0	2	NO	X	II	05
TCGA-LL-					FEMA			T		M	Stage	673.14
A50Y	Positive	Positive	Equivocal	84	LE	762	0	2	NO	X	II	94
TCGA-LL-					FEMA			T		M	Stage	194.32
A5YL	Negative	Positive	Positive	64	LE	519	0	2	N1	X	II	78
TCGA-LL-					FEMA			T		M	Stage	301.57
A5YM	Positive	Positive	Equivocal	88	LE	394	0	4	NX	0	III	55
TCGA-LL-					FEMA			T		M	Stage	82.493
A5YN	Positive	Positive	Equivocal	46	LE	447	0	2	NO	0	II	11
TCGA-LL-					FEMA			T		M	Stage I	276.35
A5YO	Negative	Negative	Negative	50	LE	440	0	1	NO	X		16
TCGA-LL-					FEMA			T		M	Stage	390.22
A5YP	Negative	Positive	Negative	49	LE	450	0	2	N1	0	II	55
TCGA-LL-					FEMA			T		M	Stage	166.33
A6FP	Positive	Positive	Equivocal	90	LE	0	0	2	NX	X	II	03
TCGA-LL-					FEMA			T		M	Stage	208.13
A6FQ	Positive	Positive	Negative	77	LE	80	0	2	N2	X	III	48
TCGA-LL-					FEMA			T		M	Stage	837.33
A6FR	Positive	Negative	Equivocal	50	LE	489	0	2	NO	X	II	15
TCGA-LL-					FEMA			T		M	Stage I	1339.6
A73Y	Negative	Negative	Negative	67	LE	477	0	1	NO	X		15
TCGA-LL-					FEMA			T		M	Stage	1258.9
A73Z	Positive	Positive	Equivocal	55	LE	227	1	1	NX	1	IV	4
TCGA-LL-					FEMA			T		M	Stage I	2553.2
A740	Negative	Negative	Equivocal	61	LE	441	0	1	NO	X		82
TCGA-LL-					FEMA			T		M	Stage	145.88
A7SZ	Positive	Positive	Negative	49	LE	594	0	2	N1	X	II	76

TCGA-LL- A7T0	Positive	Positive	Positive	70	FEMA LE	376	0	T 2	N1	M 0	Stage II	333.43 68
TCGA-LL- A8F5	Negative	Positive	Negative	61	FEMA LE	596	0	T 2	NO	M X	Stage II	1502.6 65
TCGA-LL- A9Q3	Positive	Positive	Positive	69	FEMA LE	532	0	T 3	N3	M X	Stage III	243.29 85
TCGA-LQ- A4E4	Positive	Positive	Not Evaluated	73	FEMA LE	849	0	T 3	N1	M X	Stage III	60.179 8
TCGA-MS- A51U	Positive	Positive	Negative	44	FEMA LE	681	0	T 2	N1	M 0	Stage II	503.92 65
TCGA-OK- A5Q2	Positive	Positive	Negative	59	FEMA LE	64	0	T 2	N1	M X	Stage II	259.64 27
TCGA-OL- A5D6	Negative	Negative	Not Evaluated	71	FEMA LE	1104	1	T 2	NO	M X	Stage II	1209.5 49
TCGA-OL- A5D7	Negative	Negative	Not Evaluated	70	FEMA LE	1780	0	T 2	NO	M X	Stage II	73.176
TCGA-OL- A5D8	Positive	Positive	Not Evaluated	40	FEMA LE	973	0	T 3	NO	M X	Stage II	1006.3 62
TCGA-OL- A5DA	Positive	Positive	Not Evaluated	61	FEMA LE	1783	0	T 2	NO	M X	Stage II	875.28 8
TCGA-OL- A5RU	Positive	Positive	Not Evaluated	63	FEMA LE	1219	0	T 1	N1	M X	Stage II	47.835 15
TCGA-OL- A5RV	Positive	Positive	Not Evaluated	43	FEMA LE	1062	0	T 2	N3	M X	Stage III	81.777 79
TCGA-OL- A5RW	Negative	Negative	Not Evaluated	40	FEMA LE	1106	0	T 1	N1	M X	Stage II	586.34 61
TCGA-OL- A5RX	Positive	Positive	Not Evaluated	51	FEMA LE	878	0	T 1	NO	M X	Stage I	357.50 56
TCGA-OL- A5RY	Negative	Positive	Not Evaluated	52	FEMA LE	752	0	T 1	N1	M X	Stage II	151.78 98
TCGA-OL- A5RZ	Negative	Positive	Not Evaluated	57	FEMA LE	679	0	T 1	NO	M X	Stage I	644.69 16
TCGA-OL- A5S0	Negative	Positive	Not Evaluated	66	FEMA LE	620	0	T 2	N1	M X	Stage II	633.97 53
TCGA-OL- A66H	Positive	Positive	Not Evaluated	74	FEMA LE	812	0	T 1	N1	M X	Stage I	128.75 56
TCGA-OL- A66I	Negative	Negative	Not Evaluated	36	FEMA LE	714	0	T 1	N1	M X	Stage II	451.92 9
TCGA-OL- A66J	Positive	Positive	Not Evaluated	80	FEMA LE	1996	0	T 1	NO	M X	Stage I	560.88 7
TCGA-OL- A66K	Positive	Positive	Equivocal	72	FEMA LE	1275	1	T 2	NO	M X	Stage II	487.69 45
TCGA-OL- A66L	Positive	Positive	Not Evaluated	71	FEMA LE	1301	0	T 1	NO	M X	Stage I	234.17 14



TCGA-OL- A66N	Negative	Positive	Not Evaluated	59	FEMA LE	792	0	T N3	M X	Stage III	135.94 84
TCGA-OL- A66O	Positive	Positive	Not Evaluated	39	FEMA LE	528	0	T 2	M X	Stage II	512.89 96
TCGA-OL- A66P	Negative	Negative	Not Evaluated	75	FEMA LE	428	0	T 2	M X	Stage II	315.82 91
TCGA-OL- A6VO	Negative	Negative	Negative	43	FEMA LE	858	0	T 1	M X	Stage I	283.44 92
TCGA-OL- A6VQ	Positive	Positive	Not Evaluated	49	FEMA LE	600	0	T 2	M X	Stage II	312.87 08
TCGA-OL- A6VR	Positive	Positive	Negative	48	FEMA LE	1220	0	T 1	M X	Stage I	161.52 53
TCGA-OL- A97C	Negative	Negative	Not Evaluated	67	FEMA LE	271	0	T 3	M 0	Stage II	312.71 21
TCGA-PE- A5DC	Positive	Positive	Positive	72	FEMA LE	1430	1	T 2	M 0	Stage III	883.68 78
TCGA-PE- A5DD	Negative	Positive	Positive	64	FEMA LE	1953	0	T 2	M 0	Stage II	519.82 1
TCGA-PE- A5DE	Positive	Positive	Negative	41	FEMA LE	2645	0	T 2	M 0	Stage II	1229.7 82
TCGA-PL- A8LX	Not Evaluated	Not Evaluated	Not Evaluated	35	FEMA LE	5	0	T 4	M 1	Stage IV	2838.7 66
TCGA-PL- A8LY	Not Evaluated	Not Evaluated	Not Evaluated	30	FEMA LE	8	0	T 3	M 0	Stage II	53.851 62
TCGA-PL- A8LZ	Not Evaluated	Not Evaluated	Not Evaluated	29	FEMA LE	302	0	T 4	M 0	Stage III	917.23 91
TCGA-S3- A6ZF	Positive	Positive	Equivocal	64	FEMA LE	572	0	T 2	M 0	Stage II	487.85 79
TCGA-S3- A6ZG	Positive	Positive	Negative	71	FEMA LE	562	0	T 2	M 0	Stage II	190.65 76
TCGA-S3- A6ZH	Positive	Positive	Equivocal	29	FEMA LE	641	0	T 3	M X	Stage III	450.89 68
TCGA-S3- AA0Z	Positive	Positive	Equivocal	63	FEMA LE	629	0	T 2	M 0	Stage II	121.21 51
TCGA-S3- AA10	Negative	Negative	Negative	65	FEMA LE	586	0	T 2	M 0	Stage II	202.09 44
TCGA-S3- AA11	Positive	Positive	Equivocal	67	FEMA LE	421	0	T 2	M 0	Stage II	243.20 77
TCGA-S3- AA12	Negative	Positive	Negative	82	FEMA LE	574	0	T 3	M X	Stage III	468.01 35
TCGA-UL- AAZ6	Positive	Positive	Positive	73	FEMA LE	518	0	T 2	M X	Stage II	2334.2 14
TCGA-UU- A93S	Negative	Negative	Positive	63	FEMA LE	116	1	T 4	M 1	Stage IV	1269.3 21

TCGA-V7-			Not		FEMA		T		M	Stage	175.08
A7HQ	Positive	Positive	Evaluated	75	LE	2033	0	N2	0	III	79
TCGA-W8-					FEMA		T		M	Stage	292.10
A86G	Positive	Positive	Negative	66	LE	347	0	N0	X	II	58
TCGA-WT-			Not		FEMA		T		M	Stage	96.106
AB41	Positive	Positive	Evaluated	55	LE	1611	0	N1	X	II	44
TCGA-WT-					FEMA		T		M		457.33
AB44	Positive	Positive	Negative	77	LE	883	0	N0	X	Stage I	6
TCGA-XX-					FEMA		T		M	Stage	412.77
A899	Positive	Positive	Negative	46	LE	467	0	N2	X	III	45
TCGA-XX-					FEMA		T		M	Stage	309.16
A89A	Positive	Positive	Negative	68	LE	488	0	N0	X	II	8
TCGA-Z7-					FEMA		T		M	Stage	112.74
A8R5	Positive	Positive	Negative	61	LE	3287	0	N1	X	III	82
TCGA-Z7-					FEMA		T		M		439.23
A8R6	Positive	Positive	Negative	46	LE	3256	0	N0	0	Stage I	63